

2




slides




Blum	
Tandembox Antaro complete sets	2.7 — 2.12
Space Tower, narrow bodies	2.13 — 2.14
Sink and corner solutions	2.15
Antaro items	2.17 — 2.1
Tandembox Antaro sets	2.21
Cabloxx	2.22
Industrial sets and Antaro codes	2.23 — 2.24
Legrabox sets	2.27 — 2.46
Legrabox codes	2.47 — 2.54
Orga-Line, Ambia-Line	2.51 — 2.57
Servo-Drive	2.59 — 2.62
Movento	2.63 — 2.64
Tandem	2.65 — 2.68
Metabox, standard	2.69 — 2.71
Strong	
StrongMax with narrow side plate	2.76 — 2.82
StrongBox with double side plate	2.83 — 2.94
StrongRide	2.95 — 2.99
King Slide	2.100
Ball bearing full extension slides with damping (45 kg)	2.101 — 2.102
Ball bearing full extension slides with damping (75 kg)	2.103
Ball bearing full extension slides 45 kg with push mechanism	2.104
Ball bearing full extension slides without damping	2.105 — 2.106
Ball bearing mini slides and keyboard slides	2.107
Roller bearing slides	2.108
Roller bearing slides with side plate	2.109 — 2.110
FGV	
Roller bearing slides with side plate	2.111
Roller bearing slides	2.112
Hettich	
InnoTech Atira	2.115 — 2.134
ArciTech	2.135 — 2.166
Cutlery trays for ArciTech and InnoTech Atira	2.167
MultiTech	2.168 — 2.171
Quadro for all-wooden drawers	2.172 — 2.182
Ball bearing slides	2.183 — 2.186
Roll slides	2.187 — 2.188





Technology of motions Blum



BLUMOTION

by Blum


Soft and quiet closing.




TIP-ON

by Blum


Mechanic way of opening
and closing with a light
push.





**TIP-ON
BLUMOTION**
by Blum

Mechanic way of opening, in combination with Blumotion.





SERVO-DRIVE

by Blum

Electrical way of opening, in combination with Blumotion.

The Servo-Drive system provides automatic opening of lifts or slides using electrically-driven intelligent units.





SLIDES

Tandembox Antaro

blum



TANDEMBOX Antaro

Thanks to its time-proven technology, the Tandembox system has been evoking enthusiasm and amazement in furniture users and producers. Now there is a new assortment line represented by Tandembox Antaro, which is characterised by a number of new options of design and arrangement. Tandembox Antaro ensures a pure, clear and square expression of shapes – whether as an open body with railing or as a closed body with sides in the form of slide elements. In relation to colour design, all components are mutually harmonised. Pure and minimalist design, time-proven technology. That is Tandembox Antaro.

Blumotion


Blumotion system closes furniture softly and quietly. Yet the closing swing applied or the load extent of drawers do not play any role.

Servo-Drive

A short tap on a handleless front or a light pull of the handle is enough – drawers and slides with electric Servo-Drive opening will open almost miraculously by themselves: Blumotion is, however, still integrated.

Tip-On Blumotion

Tip-On Blumotion mechanic way of opening offers practical opening and closing comfort: just tap the front to open it. Then gently slide the drawer to close it. It dampens elegantly.



Design of Tandembox Antaro drawers

Cutting dimensions for particle board with thickness 16 mm


Explanatory notes:

LW	Inner width of body
NL	Slide depth
VZ	Back height (particle board)
TOB	Tip-On Blumotion

Height cutting of the back for individual side heights

N	69 mm
M	84 mm
K	116 mm
C	167 mm
D	199 mm

Bottom and back



Cuttings for inner drawer

description	dimension
front sheet metal	LW-132 mm
front cross railing	LW-122 mm


Synchronization cutting (TOB)

description	dimension
synchronization linkage	LW-240 mm

Colour material

RAL colours are more distinctive due to a rough surface

colour	description	RAL colour
Terra black	TS-M	RAL 8002
grey (light aluminium)	R9006	RAL 9006
silky white	SW-M	RAL 9003



Tandembox Antaro – complete sets

Tandembox Antaro, silky white

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta	
			Blumotion	TOB	Blumotion	TOB
N	400	30	342363	342365	342364	342366
	450		344046	342475	344048	342476
	500		344047	342477	344049	342478
	550		342380	342382	342381	342383



- side height 68 mm • minimum height in the cabinet body 82.5 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
M	270	30	254400	254844	254401	254845	254398	254846
	300		254404	254850	254407	254851	254405	254852
	350		254410	254856	254411	254858	254413	254860
	400		254416	254868	254417	254870	254419	254872
	450	30	254422	255068	254423	255069	254425	255070
		65	254440	255078	254441	255079	254443	255080
	500	30	254428	255084	254429	255089	254431	255090
		65	254446	255094	254447	255095	254449	255096
	550	30	254434	255100	254435	255101	254437	255102
		65	254452	255138	254453	255139	254455	255140
	600	30	340761	255144	340762	255146	340763	255147
		65	254458	255151	254459	255152	254461	255153
	650	65	254464	255165	254465	255166	254467	255167

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal

for bottom and back cuttings, see p. 2.6


- side height 83 mm • minimum height in the cabinet body 98.5 mm (inner 136.5 mm, with handle 106 mm)

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
K	270	30	311405	311607	311406	311608	311407	311609
	300		311417	311610	311418	311611	311420	311612
	350		311426	311664	311427	311665	311428	311666
	400		311432	311668	311433	311669	311434	311671
	450	30	260538	311672	260544	311673	260550	311674
		65	260539	311675	260545	311676	260551	311677
	500	30	260541	311678	260547	311679	260553	311680
		65	260542	311681	260548	311683	260554	311684
	550	30	311478	311702	311479	311703	311480	311704
		65	311481	311705	311482	311706	311483	311707
	600	30	340882	311712	340883	311713	340885	311714
		65	311487	311719	311488	311720	311489	311721
	650	65	310642	311737	310646	311739	310647	311740

- inner drawer – to be completed with a front sheet metal

for bottom and back cuttings, see p. 2.6

- side height 115 mm • minimum height in the cabinet body 130.5 mm (inner 136.5 mm)



Tandembox Antaro, silky white

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
C	270	30	254524	336780	254525	336781	254527	336782
	300		254530	336783	254531	336784	254533	336785
	350		254536	336786	254537	336787	254539	336788
	400		254542	336791	254543	336792	254545	336793
	450	30	254548	336794	254549	336795	254551	336798
		65	254566	336799	254567	336800	254569	336801
	500	30	254554	336802	254555	336803	254557	336804
		65	254572	336805	254573	336812	254575	336813
	550	30	254560	336814	254561	336815	254563	336816
		65	254578	336817	254579	336818	254581	336819
	600	30	340970	336760	341380	336820	341381	336821
		65	254584	336823	254585	336824	254587	336826
	650	65	254590	336827	254591	336829	254593	336830

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- use synchronization
- 2× adapter + linkage
- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 192 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
D	270	30	254650	255171	254651	255172	254653	255173
	300		254656	255177	254657	260635	254659	260636
	350		254662	260640	254663	260641	254665	260642
	400		254668	260646	254669	260647	254671	260648
	450	30	254674	260652	254675	260653	254677	260654
		65	254692	260658	254693	260659	254695	260660
	500	30	254680	260664	254681	260665	254683	260666
		65	254698	260670	254699	260671	254701	260672
	550	30	254686	260676	254687	260677	254689	260678
		65	254704	260682	254705	260683	254707	260684
	600	30	340822	260688	340823	260689	340824	260690
		65	254710	260694	254711	260695	254713	260696
	650	65	254716	260700	254717	260701	254719	260702

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 228 mm

Set of modules for Antaro Tip-On Blumotion

length NL (mm)	weight ¹⁾ (kg)	code	Blum code
270-300	up to 10 kg	284454	T60B3030
	10-20 kg	282122	T60B3130
350-650	up to 20 kg	284455	T60B3330
	15-40 kg	282123	T60B3530
	35-65 kg	282124	T60B3560


¹⁾the weight includes the drawer itself

Tip-On Blumotion synchronization

description	code	Blum code
synchronization linkage	282277	T60.1125W

Front parts for inner drawer

description	code	Blum code
sheet metal	IN114BB	Z31L1036A
handle	IN609B	ZIF.80M5
handle with latch	IN610B	ZIF.80M7
Railing (for C and D)	IN115B	ZRG.1046Z



Tandembox Antaro – complete sets

Tandembox Antaro, grey (RAL 9006)

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta	
			Blumotion	TOB	Blumotion	TOB
N	400	30	342278	342361	342359	342362
	450		254384	342470	254385	342472
	500		254388	342473	254389	342474
	550		342376	342378	342377	342379



- side height 68 mm • minimum height in the cabinet body 82.5 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
M	270	30	254396	254841	254399	254842	254397	254843
	300		254402	254847	254403	254848	254406	254849
	350		254408	254853	254409	254854	254412	254855
	400		254414	254862	254415	254864	254418	254866
	450	30	254420	255065	254421	255066	254424	255067
		65	254438	255071	254439	255072	254442	255077
	500	30	254426	255081	254427	255082	254430	255083
		65	254444	255091	254445	255092	254448	255093
	550	30	254432	255097	254433	255098	254436	255099
		65	254450	255103	254451	255104	254454	255137
	600	30	340758	255141	340759	255142	340760	255143
		65	254456	255148	254457	255149	254460	255150
	650	65	254462	255162	254463	255163	254466	255164

- side height 83 mm • minimum height in the cabinet body 98.5 mm (inner 136.5 mm, with handle 106 mm)

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal


for bottom and back cuttings, see p. 2.6

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
K	270	30	311239	311493	311241	311494	311242	311497
	300		311246	311498	311247	311505	311248	311507
	350		311252	311510	311253	311524	311254	311527
	400		311260	311528	311261	311529	311262	311530
	450	30	260520	311554	260526	311556	260532	311558
		65	260521	311563	260527	311564	260533	311565
	500	30	260523	311573	260529	311574	260535	311575
		65	260524	311576	260530	311577	260536	311578
	550	30	311384	311589	311385	311590	311386	311591
		65	311389	311595	311390	311596	311391	311597
	600	30	340879	311598	340880	311599	340881	311600
		65	311395	311601	311396	311602	311398	311603
	650	65	310635	311604	310636	311605	310637	311606

- side height 115 mm • minimum height in the cabinet body 130.5 mm (inner 136.5 mm)

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal

for bottom and back cuttings, see p. 2.6



Tandembox Antaro – complete sets

Tandembox Antaro, grey (RAL 9006)

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
C	270	30	254522	311771	254523	311772	254526	311773
	300		254528	311774	254529	311775	254532	311776
	350		254534	311779	254535	311780	254538	311781
	400		254540	311801	254541	311802	254544	311803
	450	30	254546	311804	254547	311805	254550	311806
		65	254564	311807	254565	311808	254568	311809
	500	30	254552	311810	254553	311811	254556	311812
		65	254570	311813	254571	311819	254574	311820
	550	30	254558	311821	254559	311822	254562	311823
		65	254576	311824	254577	311825	254580	311826
	600	30	340967	336761	340968	336762	340969	336763
		65	254582	336771	254583	336772	254586	336773
	650	65	254588	336775	254589	336776	254592	336777

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer

- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 192 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
D	270	30	254648	255168	254649	255169	254652	255170
	300		254654	255174	254655	255175	254658	255176
	350		254660	260637	254661	260638	254664	260639
	400		254666	260643	254667	260644	254670	260645
	450	30	254672	260649	254673	260650	254676	260651
		65	254690	260655	254691	260656	254694	260657
	500	30	254678	260661	254679	260662	254682	260663
		65	254696	260667	254697	260668	254700	260669
	550	30	254684	260673	254685	260674	254688	260675
		65	254702	260679	254703	260680	254706	260681
	600	30	340819	260685	340820	260686	340821	260687
		65	254708	260691	254709	260692	254712	260693
	650	65	254714	260697	254715	260698	254718	260699

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer

- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 228 mm

Set of modules for Antaro Tip-On Blumotion

length NL (mm)	weight ¹⁾ (kg)	code	Blum code
270-300	up to 10	284454	T60B3030
	10-20	282122	T60B3130
350-650	up to 20	284455	T60B3330
	15-40	282123	T60B3530
	35-65	282124	T60B3560


¹⁾the weight includes the drawer itself

Tip-On Blumotion synchronization

description	code	Blum code
synchronization linkage	282277	T60.1125W

Front parts for inner drawer

description	code	Blum code
sheet metal	205759	Z31L1036A
handle	202567	ZIF.80M5
handle with latch	202569	ZIF.80M7
railing (for C and D)	205758	ZRG.1046Z



Tandembox Antaro – complete sets

Tandembox Antaro, Terra black

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta	
			Blumotion	TOB	Blumotion	TOB
N	400	30	342367	342369	342368	342370
	450		344050	342394	344054	342395
	500		344051	342398	344055	342399
	550		342385	342387	342386	342388



- side height 68 mm • minimum height in the cabinet body 82.5 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
M	270	30	307715	308573	307716	308577	307717	308584
	300		308589	260633	308590	310882	308591	310883
	350		310560	310884	310561	310885	310562	310886
	400		310567	310894	310568	310895	310569	310896
	450	30	309086	310897	310581	310898	310582	310899
		65	310583	310900	310584	310901	310585	310902
	500	30	284723	310903	284726	310904	284729	310905
		65	284724	310906	284727	310907	284730	310908
	550	30	310591	310911	310592	310912	310594	310914
		65	310595	310915	310596	310916	310597	310917
	600	30	340764	310921	340765	310922	340766	310923
		65	310604	310924	310605	310925	310606	310926
	650	65	284744	310927	284746	310928	284748	310929

- side height 83 mm • minimum height in the cabinet body 98.5 mm (inner 136.5 mm, with handle 106 mm)

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal


for bottom and back cuttings, see p. 2.6

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
K	270	30	340847	336732	340848	336733	340849	336734
	300		340852	336735	340853	336736	340855	336737
	350		340856	336738	340858	336739	340862	336740
	400		340863	336741	340864	336742	340865	336743
	450	30	310611	311742	310612	311743	310613	311744
		65	310614	311745	310615	311746	310616	311747
	500	30	310620	311748	310621	311749	310622	311750
		65	310623	311751	310624	311752	310625	311753
	550	30	340866	336744	340867	336745	340868	336747
		65	340870	336748	340871	336750	340872	336751
	600	30	340873	336752	340874	336753	340875	336754
		65	340876	336755	340877	336756	340878	336757
	650	65	310656	311767	310658	311768	310659	311769

- side height 115 mm • minimum height in the cabinet body 130.5 mm (inner 136.5 mm)

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer
- inner drawer – to be completed with a front sheet metal

for bottom and back cuttings, see p. 2.6



Tandembox Antaro – complete sets

Tandembox Antaro, Terra black

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
C	270	30	310680	336831	310682	336832	310683	336834
	300		310692	336836	310693	336839	310697	336840
	350		310704	336843	310705	336844	310706	336845
	400		310710	336846	310711	336847	310713	336848
	450	30	310718	336849	310719	336850	310720	336851
		65	310721	336853	310722	336854	310723	336855
	500	30	260556	336872	260559	336874	260562	336875
		65	260557	336876	260560	336877	260563	336878
	550	30	310736	336879	310738	336880	310740	336881
		65	310743	336883	310745	336884	310747	336885
	600	30	341382	336886	341384	336887	341387	336888
		65	310752	336889	310753	336890	310754	336892
	650	65	260583	336893	260585	336894	260587	336896

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer

- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 192 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw		Inserta		inner	
			Blumotion	TOB	Blumotion	TOB	Blumotion	TOB
D	270	30	310756	311050	310757	311051	310759	311052
	300		310764	311053	310766	311054	310768	311055
	350		310787	311056	310790	311057	310791	311058
	400		310795	311087	310799	311088	310800	311089
	450	30	310804	311090	310805	311092	310806	311093
		65	310810	311094	310811	311095	310812	311096
	500	30	260634	311169	260630	311170	260627	311171
		65	260632	311173	260629	311174	260626	311175
	550	30	310814	311179	310815	311180	310816	311181
		65	310817	311182	310818	311183	310819	311184
	600	30	340825	311185	340826	311186	340827	311187
		65	310824	311188	310825	311189	310826	311190
	650	65	260595	311191	260597	311192	260599	311193

- the set includes everything for drawer assembly
- TOB version – to be completed with a module and synchronization
- to be selected according to the depth and weight of the whole drawer

- inner drawer – to be completed with a front sheet metal and railing

for bottom and back cuttings, see p. 2.6

- side height 83 mm • minimum height in the cabinet body 228 mm

Set of modules for Antaro Tip-On Blumotion

length NL (mm)	weight ¹⁾ (kg)	code	Blum code
270-300	up to 10 kg	284454	T60B3030
	10-20 kg	282122	T60B3130
350-650	up to 20 kg	284455	T60B3330
	15-40 kg	282123	T60B3530
	35-65 kg	282124	T60B3560

¹⁾the weight includes the drawer itself

Tip-On Blumotion synchronization

description	code	Blum code
synchronization linkage	282277	T60.1125W

Front parts for inner drawer

description	code	Blum code
sheet metal	IN114CB	Z31L1036A
handle	IN609C	ZIF.80M5
handle with latch	IN610C	ZIF.80M7
railing (for C and D)	IN115C	ZRG.1046Z



Space Tower – larder units or spacious wardrobe cabinets

- for ergonomic reasons, it is advisable to use shelves in the top positions
- due to higher drawer walls, it is possible to get up to 55% more storage space
- easy handling even with fully loaded drawers
- flexible cabinet body width (KB)
- one solution – many options
- each slide are opens separately, so items can be lifted up
- may be combined with Servo-Drive

description	colour	cabinet body width (KB)		
		up to 450 mm	up to 600 mm	up to 1,200 mm
Antaro	grey	260825	260824	260823
	white	260822	260821	260820
	black	260819	260818	260817
Legrabox	grey	260816	260815	260814
	white	260813	260812	260811
	Polar silver	362279	362280	362281
	black	260810	260809	260808
Legrabox Free	grey	260807	260806	260805
	white	260804	260803	260802
	black	344056	356159	356160



Set includes:

- 1× shallow drawer
- 4× deep drawer (D – Antaro; C – Legrabox)
- basic load capacity of cabinet rails
(for widths 600 and 1,200 mm 1× increased)
always with BLUMOTION function
- front fitting for inner drawers
- front components according to the body width (in sufficient quantities, not shortened)
- 4× full overlay hinge 155° with zero overlap + underlays (Expando – 3× for 450 mm)
+ 2× damping


- 🔗 recommendation: it is appropriate to complete Antaro with slide-in elements and a holder – see p. 2.20
inner division – see p. 2.51
other Space Tower options can be assembled – see p. 2.17 and 2.47



KB cabinet body width



❗ Please note that the order codes on this page are the so-called sets, composed of different codes and therefore do not have to be stocked out and packaged together.



Solution for narrow spaces

- thanks to diagonally placed cabinet rails, the stability and quality of motion are perfectly preserved
- uniform appearance of the furniture is maintained, consistent with ordinary drawers in the household

description	colour	code
Antaro	grey	255525
	white	255527
	black	255529
Legrabox	grey	255531
	white	255533
	black	255535
	Polar silver	362282
Tandem		255537
Movento		260826

Set always includes:

- 1 pair of cabinet rails 500 mm with BLUMOTION
- 4 pcs of front fitting (2 pcs for Tandem and Movento)
- for Antaro set, 1 M drawer and 1 D drawer
- for Legrabox set, 1 M drawer and 1 C drawer







Antaro

LEGRABOX


TANDEM

MOVENTO



Antaro can be completed with a slide-in element and its holder – see p. 2.20

! Please note that the order codes on this page are the so-called sets, composed of different codes and therefore do not have to be stocked out and packaged together.



“M” sink drawers

depth (NL) mm	white		grey		black	
	screw	Inserta	screw	Inserta	screw	Inserta
450	260705	260706	260703	260704	340735	340736
500	260487	260488	260485	260486	260489	260490
550	260495	260496	260493	260494	340738	340740
600	260499	260500	260497	260498	340741	340743
650	260503	260504	260501	260502	260505	260506

Set includes:

- 2 pairs of side plates
- 1 pair of cabinet rails
- 4 pcs of front fittings
- 2 pairs of back holders



“D” sink drawers

depth (NL) mm	white		grey		black	
	screw	Inserta	screw	Inserta	screw	Inserta
450	336689	336691	336707	336709	336721	336722
500	288253	288254	260509	260510	336723	336724
550	336692	336693	336710	336712	336725	336729
600	336694	336695	336716	336717	336730	336731
650	336696	336697	336719	336720	341402	341403

Set includes:

- 1 pair of cabinet rails
- 1 pair of side plates
- 1 pair of side plates shorter by 150 mm
- 4 pcs of front fittings
- 1 pair of M back holders
- 1 pair of adaptive D back holders
- 1 pair of railings



“M” corner cabinet with Syncromotion

depth (NL) (mm)	white	grey	black
600	260513	260511	341388
650	260514	260874	341389

Set includes:

- side plates
- cabinet rails
- back holders
- front fitting Syncromotion

“D” corner cabinet with Syncromotion


depth (NL) (mm)	white	grey	black
600	260801	260512	340774
650	260800	260873	340775

Set includes:


- side plates
- cabinet rails
- back holders
- front fitting Syncromotion
- Railings



! Please note that the order codes on this page are the so-called sets, composed of different codes and therefore do not have to be stocked out and packaged together.



Comprehensive solution for the use of thin materials for all Blum fittings. For materials from 8 mm. Cabinet with hinges, Legrabox, Aventos (except Aventos HF) – a thin front panel can be used.



110° hinge for thin door

code	Blum code	motion
347988	71B453T	with Blumotion
347989	71T453T	with spring
347990	70T453T	without spring

Aventos HL, HK, HS

code	Blum code	assembly
347993	20S42T1	Expando T

LEGRABOX

height	Expando T (compact)		required quantity / 1 slide
	code	Blum code	
N	347994	ZF7N70T2	2
M	347995	ZF7M70T2	2
K	347996	ZF7K70T2	2
C	347997	ZF7C70T2	2
C	347995	ZF7M70T2	4
F	347995	ZF7M70T2	6
F	347995	ZF7M70T2	2+2
	347997	ZF7C70T2	

ACCESSORIES EXPANDO T

code	Blum code	motion
347998	Z96.00T1	front stabilization
347999	70T4532T	dowel ¹⁾


¹⁾necessary to complete with an M4 bolt, e.g. 92598T



Tandembox Antaro items

Slides

		BLUMOTION		TIP-ON BLUMOTION	
		578.***1B	576.***1B	578.***1M	576.***1M
	length NL (mm)	30 kg	65 kg	50 kg	65 kg
1	270	14300	×	282109	×
	300	14299	×	282110	×
	350	14301	×	282111	×
	400	14302	×	282112	×
	450	14303	14280	282113	282117
	500	14304	14381	282114	282118
	550	14305	14382	282115	282119
	600	296178	14383	282116	282120
	650	×	14384	×	282121



Set of modules for Antaro Tip-On Blumotion

	length NL (mm)	weight ¹⁾	code	Blum code
2	270 – 300	up to 10 kg	284454	T60B3030
		10-20 kg	282122	T60B3130
	350 – 650	up to 20 kg	284455	T60B3330
		5-40 kg	282123	T60B3530
		25-65 kg	282124	T60B3560

¹⁾ the weight includes the drawer itself

- TOB version must be completed with an appropriate module
- it is recommended to add synchronization – adapters (2 pcs) and linkage; the linkage length is 1,125 mm; cutting = LW – 247 mm

Set of modules for Antaro Tip-On Blumotion

	description	code	Blum code
3	adapter	275348	T60.000D
4	synchronization linkage	282277	T60.1125W
	one-piece linkage	293824	T60.300D
5	linkage holder	293797	T60B000H
6	bottom support	293796	Z96.2011
	TOB adjustment template	293805	65.5627


- recommended body width from 550 mm to 1,200 mm
- the use of synchronization ensures perfect functioning even for wide drawers

Side plates

	height	N 68 mm			M 83 mm			K 115 mm		
		378N***2SA			378M***2SA			378K***2SA		
	length NL (mm)	white	grey	black	white	grey	black	white	grey	black
7	270	×	×	×	IN020B	202505	IN020C	210750	210749	210751
	300	×	×	×	IN021B	202506	IN021C	210753	210752	210754
	350	×	×	×	IN022B	202507	IN022C	210756	210755	210757
	400	IN033B	203391	IN033C	IN023B	202508	IN023C	210759	210758	210760
	450	IN034B	203084	IN034C	IN024B	202509	IN024C	210762	210761	210763
	500	IN035B	203083	IN035C	IN025B	202510	IN025C	210765	210764	210766
	550	IN036B	203393	IN036C	IN026B	202511	IN026C	210768	210767	210769
	600	×	×	×	IN027B	203394	IN027C	210771	210770	210772
	650	×	×	×	IN028B	202513	IN028C	210774	210773	210775

× this option is not available





Back holders

		white	grey	black	Blum code
8	N	IN103B	202540	IN103C	Z30N000S.04
	M	IN102B	202542	IN102C	Z30M000S.04
	K	210776	245359	210777	Z30K000S
	B	202547	202546	203016	Z30B000S.04
	C	202549	202548	203022	Z30C000S
	D	176852	202550	IN101C	Z30D000S

Back holders for sink drawers

		white	grey	black	Blum code
8	C	347873	347875	347876	Z30C000S.22
	D	347879	347886	347887	Z30D000S.22

Front fittings




		description	code	Blum code
9		screw	12687	ZSF.35A2
		Inserta	12689	ZSF.39A2



Front fittings for Space Corner

		option	white	grey	black	Blum code
10	M	with fixed fronts	176747	14296	203204	ZSF.340E.M1
	D		202554	14297	203205	ZSF.345E.D1
11	M	Syncromotion	IN700MB	13890	227783	Z33M00E0A6
	C		202557	202556	202556	Z33C00E0A6
	D		202559	13891	13891	Z33D00E0A6

Back holders for Space Corner with Syncromotion

		white	grey	black	Blum code
12	M	IN102SB	13892	IN102SC	Z30M000S.45
	D	IN104B	13894	IN104C	Z30D000SL45





Front fittings for inner drawer

		white	grey	black	Blum code
13	M	202565	202564	203104	ZIF.71M0
	K	210822	210823	210821	ZIF.71K0
	C	202563	202562	203103	ZIF.74C0
	D	202561	202560	203101	ZIF.74D0

Accessories for inner drawer

	description	white	grey	black	Blum code
14	sheet metal	IN114BB	205759	IN114CB	Z31L1036A
15	railing	IN115B	205758	IN115C	ZRG.1046Z
16	handle	IN609B	202567	IN609C	ZIF.80M5
17	handle with latch	IN610B	202569	IN610C	ZIF.80M7


Railing

	length NL (mm)	white	grey	black	Blum code
18	270	202515	202514	202981	ZRG.207RS
	300	202517	202516	202982	ZRG.237RS
	350	202519	202518	202983	ZRG.287RS
	400	202521	202520	202985	ZRG.337RS
	450	202523	202522	205926	ZRG.387RS
	500	202525	202524	202993	ZRG.437RS
	550	202527	202526	202994	ZRG.487RS
	600	203001	203000	202995	ZRG.537RS
	650	202529	202528	202996	ZRG.587RS

Slide-in element holders

		white	grey	black	Blum code
19	C	205991	210816	210815	Z36C0080
	D	202571	202570	203079	Z36D0080

☒ this option is not available



Slide-in element

	length NL (mm)	metal						glass			
		white		grey		black		matt		clear	
		Z37A**7C	Z37A**7D	Z37A**7C	Z37A**7D	Z37A**7C	Z37A**7D	Z37R**7C	Z37R**7D	Z37R**7C	Z37R**7D
		C	D	C	D	C	D	C	D	C	D
20	270	×	×	×	×	×	×	222069	222071	222067	222070
	300	×	×	×	×	×	×	222073	222075	222072	222074
	350	×	×	×	×	×	×	222077	222079	222076	222078
	400	×	×	×	×	×	×	222082	222084	222081	222083
	450	210779	210782	210778	210781	210780	210783	222086	204198	222085	204201
	500	210785	210788	210784	210787	210786	210789	222091	204200	222090	204199
	550	210791	210794	210790	210793	210792	210795	222095	222098	222094	222097
	600	×	×	×	×	×	×	222100	222103	222099	222102
	650	210797	210800	210796	210799	210798	210801	222105	222108	222104	222106

- metal – by piece (= 2 pcs for 1 drawer)
- glass – by pairs – except for dimensions 450 and 500 mm

Side stabilization – assembly from above

Nominal length NL	code	Blum code
450 mm	176798	ZST.450BA
500 mm	176800	ZST.500BA
550 mm	176801	ZST.550BA
600 mm	176803	ZST.600BA
650 mm	176805	ZST.650BA

Additional stabilization of excessively wide front slides



- recommendation: body width 900 to 1,200 mm
- aluminium linkage, suitable for body width KB 1,200 mm, for cutting to size
- suitable for use with Servo-Drive
- for further information, see the Blum catalogue


Fronts stabilization

material	code	Blum code
plastic	12839	Z96.10E1
metal	12400	Z97.0500
compact	347998	Z96.00T1

Variable railing holder

white	grey	black	Blum code
210817	210820	283023	ZRR.5200





Tandembox Antaro – sets

Tandembox Antaro – sets

length NL (mm)	load capacity (kg)	white				grey			
		M		D		M		D	
		BLUMOTION	TOB	BLUMOTION	TOB	BLUMOTION	TOB	BLUMOTION	TOB
270	30	228341	350439	228401	350444	228342	350440	228400	350463
350	30	228344	350480	228359	350506	228345	350505	228360	350508
400	30	228347	350509	228361	350511	228348	350510	228362	350512
450	30	206033	350513	206037	350515	206034	350514	206035	350516
	65	x	x	252321	350517	x	x	252320	350518
500	30	132923	350519	206045	350521	206031	350520	206044	350522
	65	x	x	236639	350523	x	x	236638	350524
550	30	228350	350525	228363	350527	228351	350526	228364	350528
650	65	228353	350529	228365	350531	228354	350530	228366	350532

- ! • Blumotion version must be completed with a front fitting:
• 2× 12687 (screw) or 2× 12689 (Inserta)

- ! • TOB version must be completed with module, synchronization and front fitting:
• front fitting – 2× 12687 (screw) or 2× 12689 (Inserta)
• module according to the depth and weight of the drawer
• synchronization linkage – 282277

The set includes:

- cabinet rail L + R
- sides L + R
- back holder L + R
- for height D also railing
- cover caps – 2×
- assembly manual




Set of modules for Antaro Tip-On Blumotion

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284454	T60B3030
	10-20 kg	282122	T60B3130
350-650	up to 20 kg	284455	T60B3330
	15-40 kg	282123	T60B3530
	35-65 kg	282124	T60B3560

¹⁾ the weight includes the drawer itself

TIP-ON BLUMOTION ACCESSORIES

material	code	Blum code
synchronization linkage	282277	T60.1125W
one-piece linkage	293824	T60.300D
linkage holder	293797	T60B000H
bottom support	293796	Z96.2011



Cabloxx system

Personal valuable items, confidential documents, expensive things and items – lockable furniture finds its use in various rooms. Cabloxx adds extra safety to premium high-quality furniture while delivering great design freedom. Blumotion, Servo-Drive, Tip-On Blumotion or Tip-On motion technologies – the Blum locking system can be used with all electric and mechanic motion technologies.

Whichever you choose – Legrabox, Tandembbox, Movento or Tandem – the Blum locking system uncovers an infinite number of design and layout options. With Cabloxx, you can implement varied body widths and heights, as well as the height of the slides.



Cabloxx

Locking bar

	code	Blum code	length
1	285190	Z80S0560	600 mm
	285192	Z80S0760	800 mm
	337899	Z80S1260	1,300 mm

Locking unit

	code	Blum code	description
2	285194	Z80.000V	right
	285195	Z80.000V	left

Locking bracket


	code	Blum code	description
3	285198	Z80.000S	Orion grey
	285197	Z80.000S	WGR grey-white
	285196	Z80.000S	silky white
	285199	Z80.000S	black

Synchronization

code	Blum code	description
285200	Z80V000A	synchronization set
285201	Z80V1163W	synchronization linkage

- ! Also necessary:
 case lock – p. 3.11
 cylinder insert – p. 3.31





Tandembox Antaro – industrial sets

Industrial sets

length NL (mm)	load capacity (kg)	white				grey			
		screw		Inserta		screw		Inserta	
		BLUMOTION	TOB	BLUMOTION	TOB	BLUMOTION	TOB	BLUMOTION	TOB
270	30	228427	349020	228432	349029	228431	349039	228429	349049
350		228436	349021	228435	349030	228434	349040	228433	349050
400		228440	349022	228439	349031	228438	349041	228437	349051
450	30	215481	349023	215487	349032	215482	349042	215489	349052
	65	265466	349024	265465	349033	265464	349044	265462	349053
500	30	215484	349025	215491	349034	215485	349045	215492	349054
	65	265442	349026	265439	349036	265444	349046	265443	349055
550	30	228444	349027	228443	349037	228442	349047	228441	349056
650	65	228448	349028	228447	349038	228446	349048	228445	349059

The set includes:

- M side, left (20 pcs)
- M side, right (20 pcs)
- slide, right + left (20 pcs)
- front holder, Inserta or screw (40 pcs)
- rectangular cover cap with Blum logo (40 pcs)



Back holders

	white	grey	Blum code
M	IN102B	202542	Z30M000S.04
B	202547	202546	Z30B000S.04
C	202549	202548	Z30C000S
D	176852	202550	Z30D000S

Railings

length NL (mm)	white	grey	Blum code
270	202515	202514	ZRG.207RS
350	202519	202518	ZRG.287RS
400	202521	202520	ZRG.337RS
450	202523	202522	ZRG.387RS
500	202525	202524	ZRG.437RS
550	202527	202526	ZRG.487RS
650	202529	202528	ZRG.587RS


Set of modules for Antaro Tip-On Blumotion

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284454	T60B3030
	10-20 kg	282122	T60B3130
350-650	up to 20 kg	284455	T60B3330
	15-40 kg	282123	T60B3530
	35-65 kg	282124	T60B3560

¹⁾ the weight includes the drawer itself

TIP-ON BLUMOTION ACCESSORIES

description	code	Blum code
synchronization linkage	282277	T60.1125W
one-piece linkage	293824	T60.300D
linkage holder	293797	T60B000H
bottom support	293796	Z96.2011



Tandembox Antaro – industrial codes

2

Industrial codes (individual components for wholesale)

length NL (mm)	side plates				slide			
	378M***2SA				578.***1B	576.***1B	578.***1M	576.***1M
	white		grey		BLUMOTION		TIP-ON BLUMOTION	
	left	right	left	right	30 kg	65 kg	30 kg	65 kg
270	224035	224036	224037	224038	14300	×	282109	×
350	224039	224040	224041	224042	14301	×	282111	×
400	224043	224044	224045	224046	14302	×	282112	×
450	IN024BL	IN024BP	206601	206602	14205	311001	282113	282117
500	IN025BL	IN025BP	206603	206604	14265	310998	282114	282118
550	224047	224048	224049	224050	14305	14382	282115	282119
650	228504	228505	228506	228507	×	14384	×	282121

Back holders

	white	grey	Blum code
M	IN102B	202542	Z30M000S.04
B	202547	202546	Z30B000S.04
C	202549	202548	Z30C000S
D	176852	202550	Z30D000S

Front fittings

kód	kód Blum	description
12687	ZSF.35A2	screw
12689	ZSF.39A2	Inserta

Railings

length NL (mm)	white	grey	Blum code
270	202515	202514	ZRG.207RS
350	202519	202518	ZRG.287RS
400	202521	202520	ZRG.337RS
450	202523	202522	ZRG.387RS
500	202525	202524	ZRG.437RS
550	202527	202526	ZRG.487RS
650	202529	202528	ZRG.587RS


Cover cap with Blum logo

white	grey	Blum code
IN801B	206619	ZAA.532C

Blank cover cap (for printing)



white	grey	Blum code
IN800B	236213	ZAA.532C





SLIDES

Legrabox



LEGRABOX

Simple design provides more space for inspiration. To meet current trends in furniture production, the range of options needs to be expanded. The thin Legrabox side and the new thin fronts mounting technology – the minimalist design of furniture is achieved quite easily.

The basis for new thin fronts is represented by **Expando T**. Steel draw anchors stabilise hard materials, plastic elements stabilise soft materials. Expando T is installed in a mounting hole of 10 mm diameter with a drilling depth of only 6 mm.

Easily and better: Blumotion S – one for three

Variability for the implementation of multiple motion technologies with only one guide rail, optimal damping

function tailored to the technology – all that is offered by the new Blumotion S guide for Legrabox.

Optimised Blumotion

Have you ever closed a slide with one good swing? Then it is good to install a Blumotion S guide rail. The damping will be better, thus more efficient – closing the slides will be even softer.


Tip-On Blumotion

Drawers and slides that do not only softly close, but they open with a delicate tap? Well, the Tip-On Blumotion is perfect for this. Guide rail Blumotion S remains, and a unit

for opening is added. Thanks to the unique intelligence of the product, the damping will adapt automatically. Mounting is carried out without tools.

Servo-Drive

Are you interested in the utmost comfort of service when opening and closing? For this purpose, take advantage of the Servo-Drive. Blumotion S guide rail will be completed with the relevant components of Servo-Drive.




Design of Legrabox drawers


Cutting dimensions for particle board with thickness 16 mm

Bottom and back

Cutting of back height for individual side heights




N	39 mm
M	63 mm
K	101 mm
C	148 mm
F	212 mm



Explanatory notes:

LW	Inner width of body
NL	Slide depth
VZ	Back height (particle board)
TOB	Tip-On Blumotion



Cuttings for synchronization bars


description	dimension
TOB synchronization linkage	LW-247 mm
Tip-On synchronization linkage	LW-229 mm

Front parts for synchronization bars

description	Blum code	SW-M	OG-M	TS-M	INOX	PS-M
M sheet metal	ZV7.1043C01	227578	227579	227580	227581	314841
C sheet metal for railing	ZV7.1043C01	227578	227579	227580	227581	314841
M latch	Z17.0M07	227603	227604	227605	227605	314843
C sheet metal for glass	ZV7.1043MN1	227582	227583	227584	227585	314842
C railing	ZR7.1080U	227596	227597	227598	227600	314844

Cuttings for inner drawer


description	dimension
front sheet metal	LW-126 mm
front cross railing	LW-90 mm




Material and colours

RAL colours have a significantly lighter look due to a rough surface.

Terra black	TS-M	RAL 8022
Orion grey	OG-M	RAL 7043
Polar silver	PS-M	RAL 7035
Silky white	SW-M	RAL 9003
Stainless steel (inox), anti-fingerprint	INOX	





Legrabox – sets

Legrabox, silky white (SW-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
N	400	40	254379	254392	254393	255024	292886	255034
	450		344094	344107	344117	344095	344108	344118
	500		254861	254863	344069	254869	254871	344070
	550		254381	255041	255020	255307	342431	342433


- side height 66.5 mm • minimum height in the cabinet body 80 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando			inner		
			Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
M	270	40	254875	254876	254948	254879	254880	254949	254883	254884	254950
	300		254887	254888	254954	254891	254892	254955	254895	254896	254956
	350		254899	254900	255130	254903	254904	255131	254907	254908	255132
	400		254911	254912	254960	254915	254916	254961	254919	254920	254962
	450	40	254925	254927	255106	254933	254935	255107	254941	254943	255108
		70	254926	254928	255115	254934	254936	255116	254942	254944	255117
	500	40	254973	254975	260870	254981	254983	255277	254989	254991	255278
		70	254974	254976	255362	254982	254984	255364	254990	254992	255366
	550	40	254997	254999	255460	255005	255007	255461	255013	255015	255462
		70	337662	337665	337672	337663	337666	337673	337664	337667	337674
	600	40	255021	255023	255466	255029	255031	255467	255037	255039	255468
		70	337678	337686	337714	337679	337688	337715	337680	337692	337716
	650	70	255046	255048	255472	255054	255056	255473	255062	255064	255523

- side height 90.5 mm • minimum height in the cabinet body 106 mm (inner 104 mm, 109 mm with latch)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
K	350	40	337521	337523	337530	337522	337528	337531
	400		337532	337563	337566	337562	337564	337567
	450	40	260765	260767	260769	260771	260773	260775
		70	260766	260768	260770	260772	260774	260776
	500	40	260789	260913	260914	260793	260795	260797
		70	260790	260791	260792	260794	260796	260798
	550	40	337568	337575	337579	337569	337576	337580
		70	337572	337577	337581	337574	337578	337582
	600	40	342459	342435	342437	342464	342439	342441
		70	342448	342468	342432	342434	342460	342436

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, silky white (SW-M)


	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	255187	255188	260879	255191	255192	260880
	300		255199	255200	260891	255203	255204	260892
	350		255211	255212	260890	255215	255216	260897
	400		255224	255225	260904	255228	255229	260905
	450	40	255238	255240	255506	255246	255248	255512
		70	255239	255241	255508	255247	255249	255516
	500	40	255286	255288	260872	255294	255296	255331
		70	255287	255289	255329	255295	255297	255333
	550	40	255310	255312	255351	255318	255320	255353
		70	337616	337620	337627	337617	337622	337628
	600	40	255334	255336	255431	255342	255344	255433
		70	337632	337636	337640	337633	337637	337641
	650	70	255359	255361	260713	255367	255369	260714

	depth in mm (NL)	load capacity (kg) type of slide	inner, railing			inner, glass		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	255195	255196	260881	255380	255381	260883
	300		255207	255208	260893	255384	255385	260894
	350		255220	255221	260898	255388	255389	260899
	400		255232	255233	260906	255392	255393	260907
	450	40	255254	255256	255520	255398	255400	255311
		70	255255	255257	255309	255399	255401	255313
	500	40	255302	255304	255335	255414	255416	255339
		70	255303	255305	255337	255415	255417	255341
	550	40	255326	255328	255419	255422	255424	255421
		70	337618	337623	337629	337619	337624	337630
	600	40	255350	255352	260707	255430	255432	260708
		70	337634	337638	337642	337635	337639	337643
	650	70	255375	255377	260715	255439	255441	260716

- side height 177 mm
- minimum height in the cabinet body 193 mm (inner 191 mm)
- the set includes everything for drawer assembly
- Tip-On version – to be completed with synchronization
- TOB version – to be completed with a module and synchronization
- module TOB – to be selected according to the depth and weight of the whole drawer
- inner drawer with height M – to be completed with a front sheet metal
- inner drawer with height C – to be completed with a front sheet metal and railing or front glass

for bottom and back cuttings, see p. 2.26






Legrabox, silky white (SW-M)

C FREE	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	343477	343820	343619	343479	343821	343620
	400		343522	343828	343617	343523	343829	343618
	450	40	343453	343700	343610	343454	343701	343611
		70	343455	343702	343612	343456	343703	343613
	500	40	255259	255261	260861	255263	255265	260863
		70	255260	255262	260862	255264	255266	260864
	550	40	343506	343843	343606	343507	343844	343607
		70	343508	343848	343608	343509	343851	343609
	600	40	343534	343879	343602	343535	343880	343603
		70	343536	343881	343604	343537	343883	343605
	650	70	343540	343870	343600	343541	343871	343601

C FREE	depth in mm (NL)	load capacity (kg) type of slide	inner, railing			inner, glass		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	344412	344414	344416	344413	344415	344417
	400		344418	344420	344422	344419	344421	344423
	450	40	344425	344430	344434	344426	344431	344435
		70	344427	344432	344436	344428	344433	344437
	500	40	255267	255269	260865	255271	255273	260867
		70	255268	255270	260866	255272	255274	260868
	550	40	344438	344442	344446	344439	344443	344447
		70	344440	344444	344448	344441	344445	344449
	600	40	344450	344454	344463	344451	344455	344464
		70	344452	344461	344465	344453	344462	344466
	650	70	344467	344469	344471	344468	344470	344472

- side height 177 mm • minimum height in the cabinet body 193 mm (inner 191 mm)





Legrabox, silky white (SW-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
F	400	40	343349	343351	343353	343350	343352	343354
	450	40	255446	255448	260832	255454	255456	260831
		70	255447	255449	260844	255455	255457	260828
	500	40	255478	255480	260836	255486	255488	260829
		70	255479	255481	260843	255487	255489	260830
	550	40	255494	255496	260833	255502	255496	260834
		70	351394	351395	351396	351397	351398	351399
	600	40	255511	255513	260840	255519	255521	260846
		70	351401	255514	351402	351403	255522	351404
	650	70	255528	255530	260847	255528	255530	260848

- side height 241 mm • minimum height in the body 257 mm

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284456	T60L7040
	10-20 kg	275343	T60L7140
350-650	up to 20 kg	275344	T60L7340
	15-40 kg	275345	T60L7540
	35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Front parts for inner drawer

description	code	Blum code
M sheet metal	227578	ZV7.1043C01
C sheet metal for railing	227578	ZV7.1043C01
M latch	227603	ZI7.0M07
C sheet metal for glass	227582	ZV7.1043MN1
C railing	227596	ZR7.1080U

Synchronization for Tip-On Blumotion

description	code	Blum code
linkage	282277	T60.1125W

ACCESSORIES


description	code	Blum code
screw for LBX	237597	61D.1500
bottom stabilization	12839	Z96.10E1

Slide-in element for Free

length NL (mm)	clear glass	
	code	Blum code
350	256611	ZE7S238G
400	257252	ZE7S288G
450	257253	ZE7S338G
500	257254	ZE7S388G
550	257255	ZE7S438G
600	257256	ZE7S488G
650	257258	ZE7S538G

Front glass for C

description	450 mm	600 mm	900 mm	1200 mm
high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
	227587	227588	227589	227590
low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
	227591	227592	227593	227594



Legrabox, Orion grey (OG-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
N	400	40	342438	342465	342440	342442	342447	342451
	450		344092	344105	344115	344093	344106	344116
	500		254857	254859	344067	254865	254867	344068
	550		342469	336898	336901	336902	336906	337019


- side height 66.5 mm • minimum height in the cabinet body 80 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando			inner		
			Blumotion	TIP-ON	TOB	Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
M	270	40	254873	254874	254945	254877	254878	254946	254881	254882	254947
	300		254885	254886	254951	254889	254890	254952	254893	254894	254953
	350		254897	254898	255127	254901	254902	255128	254905	254906	255129
	400		254909	254910	254957	254913	254914	254958	254917	254918	254959
	450	40	254921	254923	255087	254929	254931	255088	254937	254939	255105
		70	254922	254924	255112	254930	254932	255113	254938	254940	255114
	500	40	254969	254971	260869	254977	254979	255123	254985	254987	255135
		70	254970	254972	255356	254978	254980	255358	254986	254988	255360
	550	40	254993	254995	255440	255001	255003	255458	255009	255011	255459
		70	337655	337659	337668	337656	337660	337670	337657	337661	337671
	600	40	255017	255019	255463	255025	255027	255464	255033	255035	255465
		70	337675	337683	337710	337676	337684	337712	337677	337685	337713
	650	70	255042	255044	255469	255050	255052	255470	255058	255060	255471

- side height 90.5 mm • minimum height in the cabinet body 106 mm (inner 104 mm, 109 mm with latch)

	depth in mm (NL)	load capacity (kg) type of slide	screw			EXPANDO		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
K	350	40	337458	337462	337480	337460	337466	337488
	400		337476	337478	337491	337477	337479	337492
	450	40	260753	260755	260757	260759	260761	260763
		70	260754	260756	260758	260760	260762	260764
	500	40	260777	260779	260781	260783	260785	260787
		70	260778	260780	260782	260784	260786	260788
	550	40	337493	337497	337516	337494	337498	337517
		70	337495	337509	337519	337496	337514	337520
	600	40	337048	340921	340922	340923	340946	340947
		70	340959	340767	340768	340769	340771	340772

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, Orion grey (OG-M)


			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	255185	255186	260875	255189	255190	260876
	300		255197	255198	260884	255201	255202	260886
	350		255209	255210	260895	255213	255214	260896
	400		255222	255223	260900	255226	255227	260901
	450	40	255234	255236	260908	255242	255244	260910
		70	255235	255237	260909	255243	255245	260911
	500	40	255282	255284	260871	255290	255292	255317
		70	255283	255285	255315	255291	255293	255319
	550	40	255306	255308	255343	255314	255316	255345
		70	337583	337587	337591	337584	337590	337592
	600	40	255330	255332	255423	255338	255340	255425
		70	337594	337596	337598	337595	337597	337599
	650	70	255355	255357	260709	255363	255365	260710

			inner, railing			inner, glass		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	255193	255194	260877	255378	255379	260878
	300		255205	255206	260887	255382	255383	260888
	350		255218	255219	260885	255386	255387	260889
	400		255230	255231	260902	255390	255391	260903
	450	40	255250	255252	260912	255394	255396	255495
		70	255251	255253	341400	255395	255397	255503
	500	40	255298	255300	255321	255410	255412	255325
		70	255299	255301	255323	255411	255413	255327
	550	40	255322	255324	255347	255418	255420	255349
		70	337585	337600	337602	337586	337601	337603
	600	40	255346	255348	255427	255426	255428	255429
		70	337604	337606	337610	337605	337607	337615
	650	70	255371	255373	260711	255435	255437	260712

- side height 177 mm
- minimum height in the cabinet body 193 mm (inner 191 mm)
- the set includes everything for drawer assembly
- Tip-On version – to be completed with synchronization
- TOB version – to be completed with a module and synchronization
- module TOB – to be selected according to the depth and weight of the whole drawer
- inner drawer with height M – to be completed with a front sheet metal
- inner drawer with height C – to be completed with a front sheet metal and railing or front glass

for bottom and back cuttings, see p. 2.26






Legrabox, Orion grey (OG-M)

C FREE	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	343473	343803	343582	343474	343817	343583
	400		343475	343818	343584	343476	343819	343585
	450	40	343448	343696	343578	343449	343697	343579
		70	343451	343698	343580	343452	343699	343581
	500	40	255154	255156	260838	255158	255160	260842
		70	255155	255157	260841	255159	255161	260845
	550	40	343502	343839	343586	343503	343840	343587
		70	343504	343841	343590	343505	343842	343591
	600	40	343530	343864	343593	343531	343865	343594
		70	343532	343866	343595	343533	343867	343596
	650	70	343538	343868	343598	343539	343869	343599

C FREE	depth in mm (NL)	load capacity (kg) type of slide	inner, railing			inner, glass		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	344355	344357	344359	344356	344358	344360
	400		344361	344364	344366	344362	344365	344367
	450	40	344368	344372	344377	344369	344374	344378
		70	344370	344375	344379	344371	344376	344380
	500	40	255178	255180	260849	255182	255184	260859
		70	255179	255181	260850	255183	255258	260860
	550	40	344382	344386	344390	344383	344387	344391
		70	344384	344388	344392	344385	344389	344393
	600	40	344394	344398	344402	344395	344399	344403
		70	344396	344400	344404	344397	344401	344405
	650	70	344406	344408	344410	344407	344409	344411

- side height 177 mm • minimum height in the cabinet body 193 mm (inner 191 mm)





Legrabox, Orion grey (OG-M)

			screw			Expando		
F	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	400	40	343340	343345	343347	343341	343346	343348
	450	40	255442	255444	260827	255450	255452	260835
		70	255443	255445	260837	255451	255453	260839
	500	40	255474	255476	260851	255482	255484	260855
		70	255475	255477	260852	255483	255485	260856
	550	40	255490	255492	260853	255498	255500	260854
		70	351406	351407	351408	351409	351410	351411
	600	40	255507	255509	260857	255515	255517	260858
		70	351412	255510	351413	351414	255518	351415
650	70	255524	255526	255491	255532	255534	255499	

- side height 241 mm • minimum height in the body 257 mm

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284456	T60L7040
	10-20 kg	275343	T60L7140
350-650	up to 20 kg	275344	T60L7340
	15-40 kg	275345	T60L7540
	35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Front parts for inner drawer

description	code	Blum code
M sheet metal	227579	ZV7.1043C01
C sheet metal for railing	227579	ZV7.1043C01
M latch	227604	ZI7.0M07
C sheet metal for glass	227583	ZV7.1043MN1
C railing	227597	ZR7.1080U

Synchronization for Tip-On Blumotion

description	code	Blum code
linkage	282277	T60.1125W

ACCESSORIES

description	code	Blum code
screw for LBX	237597	61D.1500
bottom stabilization	12839	Z96.10E1


Slide-in element for Free

length NL (mm)	clear glass	
	code	Blum code
350	256611	ZE7S238G
400	257252	ZE7S288G
450	257253	ZE7S338G
500	257254	ZE7S388G
550	257255	ZE7S438G
600	257256	ZE7S488G
650	257258	ZE7S538G

Front glass for C

description	450 mm	600 mm	900 mm	1200 mm
high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
	227587	227588	227589	227590
low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
	227591	227592	227593	227594

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, Terra black (TS-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
N	400	40	340886	340890	340891	340892	340893	340894
	450		344096	344109	344119	344097	344110	344120
	500		344083	344077	344071	344084	344078	344072
	550		340895	340896	340897	340898	340899	340900


- side height 66.5 mm • minimum height in the cabinet body 80 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando			inner		
			Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
M	270	40	337718	337721	337725	337719	337722	337726	337720	337724	337727
	300		337728	337737	337740	337732	337738	337741	337733	337739	337116
	350		337742	337746	337749	337744	337747	337750	337745	337748	337751
	400		337115	255036	255010	255016	255053	340903	255012	255004	255055
	450	40	254963	255073	255109	254964	255074	255110	255376	255403	255405
		70	254968	255086	255118	254967	255085	255119	255402	255404	255406
	500	40	255121	255126	255279	255122	255276	255280	255407	255409	255436
		70	255133	255075	255368	255134	255076	255370	255408	255434	255438
	550	40	255030	255022	254996	255006	255057	255043	255038	255000	254998
		70	255047	255028	255059	255018	255032	255008	255045	255040	255002
	600	40	255014	337109	337802	255026	340901	337805	254994	337798	337807
		70	255049	337799	337808	340904	337800	337809	255051	337801	337810
	650	70	337811	337814	337817	337812	337815	337819	337813	337816	337820

- side height 90.5 mm • minimum height in the cabinet body 106 mm (inner 104 mm, 109 mm with latch)

	depth in mm (NL)	load capacity (kg) type of slide	vrut			EXPANDO		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
K	350	40	340571	340573	340575	340572	340574	340576
	400		340577	340580	340582	340579	340581	340583
	450	40	340585	340592	340599	340586	340593	340600
		70	340587	340594	340602	340590	340598	340960
	500	40	340611	340620	340626	340616	340622	340627
		70	340618	340624	340628	340619	340625	340629
	550	40	340630	340635	340639	340631	340636	340640
		70	340632	340637	340641	340633	340638	340642
	600	40	340961	340962	340964	340965	340966	341390
		70	341393	341394	341395	341396	341398	341399

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, Terra black (TS-M)


			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	341444	341448	341452	341445	341449	341453
	300		341457	341462	341466	341458	341463	341467
	350		341470	341474	341481	341471	341475	341484
	400		341490	341494	341499	341491	341495	341500
	450	40	260717	260719	260721	260723	260725	260727
		70	260718	260720	260722	260724	260726	260728
	500	40	260729	260731	260733	260735	260737	260739
		70	260730	260732	260734	260736	260738	260740
	550	40	341715	341730	341738	341716	341731	341739
		70	341719	341734	341745	341720	341735	341746
	600	40	341750	341962	341976	341751	341967	341992
		70	341955	341972	342005	341957	341973	342006
	650	70	344942	344946	344951	344943	344947	344952

			inner, railing			inner, glass		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	341446	341450	341455	341447	341451	341456
	300		341459	341464	341468	341460	341465	341469
	350		341472	341476	341488	341473	341477	341489
	400		341492	341497	341501	341493	341498	341502
	450	40	341503	341516	341539	341504	341520	341542
		70	341506	341521	341543	341509	341524	341545
	500	40	341585	341695	341700	341586	341697	341712
		70	341692	341698	341713	341693	341699	341714
	550	40	341717	341732	341741	341718	341733	341743
		70	341728	341736	341747	341729	341737	341748
	600	40	341752	341968	341993	341754	341970	342004
		70	341960	341974	342007	341961	341975	342008
	650	70	344944	344948	344953	344945	344949	344954

- side height 177 mm
- minimum height in the cabinet body 193 mm (inner 191 mm)
- the set includes everything for drawer assembly
- Tip-On version – to be completed with synchronization
- TOB version – to be completed with a module and synchronization
- module TOB – to be selected according to the depth and weight of the whole drawer
- inner drawer with height M – to be completed with a front sheet metal
- inner drawer with height C – to be completed with a front sheet metal and railing or front glass



for bottom and back cuttings, see p. 2.26




Legrabox, Terra black (TS-M)

C FREE	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	343480	343822	343622	343481	343823	343623
	400		343524	343832	343629	343525	343834	343631
	450	40	343457	343704	343636	343458	343705	343637
		70	343459	343706	343638	343460	343707	343639
	500	40	343488	343716	343648	343489	343717	343649
		70	343490	343718	343650	343491	343719	343651
	550	40	343510	343852	343665	343511	343853	343666
		70	343512	343854	343667	343513	343855	343668
	600	40	343548	343884	343684	343549	343885	343685
		70	343550	343887	343686	343551	343888	343687
	650	70	343542	343872	343678	343543	343873	343679

C FREE	depth in mm (NL)	load capacity (kg) type of slide	inner, railing			inner, glass		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	344473	344475	344477	344474	344476	344478
	400		344479	344481	344483	344480	344482	344484
	450	40	344511	344515	344520	344512	344516	344521
		70	344513	344517	344522	344514	344518	344523
	500	40	344524	344528	344532	344525	344529	344533
		70	344526	344530	344534	344527	344531	344535
	550	40	344536	344540	344544	344537	344541	344545
		70	344538	344542	344546	344539	344543	344547
	600	40	344496	344501	344505	344497	344502	344506
		70	344498	344503	344507	344500	344504	344508
	650	70	344489	344491	344493	344490	344492	344494

- side height 177 mm • minimum height in the cabinet body 193 mm (inner 191 mm)





Legrabox, Terra black (TS-M)

			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
F	400	40	343355	343358	343360	343357	343359	343361
	450	40	342548	342551	342607	342549	342552	342608
		70	342560	342562	342615	342561	342563	342616
	500	40	342590	342592	342611	342591	342593	342612
		70	342598	342600	342619	342599	342601	342620
	550	40	342481	342483	342495	342482	342484	342496
		70	342623	342625	342627	342624	342626	342628
	600	40	342485	342487	342497	342486	342488	342498
		70	342629	342489	342631	342630	342490	342632
	650	70	342491	342493	342500	342492	342494	342501

• side height 241 mm • minimum height in the body 257 mm

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284456	T60L7040
	10-20 kg	275343	T60L7140
350-650	up to 20 kg	275344	T60L7340
	15-40 kg	275345	T60L7540
	35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Front parts for inner drawer

description	code	Blum code
M sheet metal	227580	ZV7.1043C01
C sheet metal for railing	227580	ZV7.1043C01
M latch	227605	ZI7.0M07
C sheet metal for glass	227584	ZV7.1043MN1
C railing	227598	ZR7.1080U

Synchronization for Tip-On Blumotion

description	code	Blum code
linkage	282277	T60.1125W

Slide-in element for Free


length NL (mm)	clear glass	
	code	Blum code
350	256611	ZE7S238G
400	257252	ZE7S288G
450	257253	ZE7S338G
500	257254	ZE7S388G
550	257255	ZE7S438G
600	257256	ZE7S488G
650	257258	ZE7S538G

ACCESSORIES

description	code	Blum code
screw for LBX	237597	61D.1500
bottom stabilization	12839	Z96.10E1

Front glass for C

description	450 mm	600 mm	900 mm	1200 mm
high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
	227587	227588	227589	227590
low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
	227591	227592	227593	227594



Legrabox, stainless steel (inox)

N	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	450	40	344099	344111	344121	344102	344112	344122
	500		344085	344079	344073	344086	344080	344074


- side height 66.5 mm • minimum height in the cabinet body 80 mm

M	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando			inner		
			Blumotion	TIP-ON	TOB	Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
	270	40	337821	337824	337827	337822	337825	337828	337823	337826	337836
	300		337837	337840	337843	337838	337841	337844	337839	337842	337845
	350		337846	337849	337852	337847	337850	337853	337848	337851	337854
	400		337855	337859	337862	337856	337860	337863	337858	337861	337864
	450	40	337865	337871	337878	337866	337872	337879	337867	337873	337880
		70	337868	337874	337881	337869	337875	337882	337870	337877	337883
	500	40	255124	254965	255281	255125	254966	255354	337884	337886	337893
		70	255136	255111	255372	255275	255120	255374	337885	337891	337894
	550	40	337895	337994	338011	337896	337996	338012	337897	338002	338013
		70	337898	338003	338014	337991	338004	338028	337992	338010	338055
	600	40	338091	338222	338401	338115	338258	338458	338136	338284	338478
		70	338156	338305	338502	338181	338338	338524	338198	338372	338534
	650	70	338573	338739	338830	338683	338762	338864	338711	338778	338882

- side height 90.5 mm • minimum height in the cabinet body 106 mm (inner 104 mm, 109 mm with latch)

K	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	340646	340649	340651	340648	340650	340654
	400		340657	340659	340661	340658	340660	340662
	450	40	340663	340669	340673	340664	340670	340674
		70	340666	340671	340675	340668	340672	340676
	500	40	340677	340682	340686	340679	340683	340687
		70	340680	340684	340688	340681	340685	340689
	550	40	340690	340694	340698	340691	340695	340699
		70	340692	340696	340700	340693	340697	340701

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, stainless steel (inox)


			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	344837	344841	344845	344838	344842	344846
	300		344851	344855	344859	344852	344856	344860
	350		344863	344867	344871	344864	344868	344872
	400		344875	344879	344883	344876	344880	344884
	450	40	344955	344959	344963	344956	344960	344964
		70	344957	344961	344965	344958	344962	344966
	500	40	260741	260743	260745	260747	260749	260751
		70	260742	260744	260746	260748	260750	260752
	550	40	345001	345005	345011	345002	345007	345012
		70	345003	345008	345013	345004	345009	345014
	600	40	345027	345031	345035	345028	345032	345036
		70	345029	345033	345037	345030	345034	345038
	650	70	345051	345054	345056	345052	345055	345057

			inner, railing			inner, glass		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	344839	344843	344848	344840	344844	344849
	300		344853	344857	344861	344854	344858	344862
	350		344865	344869	344873	344866	344870	344874
	400		344877	344881	344885	344878	344882	344886
	450	40	344967	344971	344976	344968	344972	344977
		70	344969	344974	344978	344970	344975	344979
	500	40	344980	344985	344990	344981	344986	344991
		70	344982	344987	344992	344984	344988	344993
	550	40	345015	345019	345023	345016	345020	345024
		70	345017	345021	345025	345018	345022	345026
	600	40	345039	345043	345047	345040	345044	345048
		70	345041	345045	345049	345042	345046	345050
	650	70	345058	345060	345065	345059	345064	345066

- side height 177 mm
- minimum height in the cabinet body 193 mm (inner 191 mm)
- the set includes everything for drawer assembly
- Tip-On version – to be completed with synchronization
- TOB version – to be completed with a module and synchronization
- module TOB – to be selected according to the depth and weight of the whole drawer
- inner drawer with height M – to be completed with a front railing
- inner drawer with height C – to be completed with a front sheet metal and railing or front glass



for bottom and back cuttings, see p. 2.26




Legrabox, stainless steel (inox)

C FREE	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	343482	343824	343625	343483	343825	343626
	400		343526	343835	343632	343527	343836	343633
	450	40	343461	343708	343640	343462	343709	343641
		70	343463	343710	343642	343464	343711	343643
	500	40	343492	343720	343654	343493	343721	343657
		70	343494	343722	343659	343495	343723	343660
	550	40	343514	343856	343669	343515	343857	343670
		70	343516	343858	343671	343517	343859	343672
	600	40	343552	343889	343688	343553	343890	343689
		70	343554	343891	343690	343555	343892	343691
	650	70	343544	343874	343680	343545	343875	343681

C FREE	depth in mm (NL)	load capacity (kg) type of slide	inner, railing			inner, glass		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	344550	344552	344554	344551	344553	344555
	400		344556	344558	344560	344557	344559	344561
	450	40	344562	344566	344570	344563	344567	344571
		70	344564	344568	344572	344565	344569	344573
	500	40	344574	344578	344582	344575	344579	344583
		70	344576	344580	344584	344577	344581	344585
	550	40	344586	344590	344594	344587	344591	344595
		70	344588	344592	344596	344589	344593	344597
	600	40	344598	344602	344606	344599	344603	344607
		70	344600	344604	344608	344601	344605	344609
	650	70	344610	344612	344614	344611	344613	344615

- side height 177 mm • minimum height in the cabinet body 193 mm (inner 191 mm)





Legrabox, stainless steel (inox)

			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
F	400	40	343362	343364	343366	343363	343365	343367
	450	40	342553	342556	342609	342554	342557	342610
		70	342564	342588	342617	342577	342589	342618
	500	40	342594	342596	342613	342595	342597	342614
		70	342602	342604	342621	342603	342605	342622
	550	40	342413	342421	342455	342414	342417	342457
		70	342633	342635	342637	342634	342636	342638
	600	40	342419	342422	342462	342420	342423	342463
		70	342639	342424	342641	342640	342425	342642
	650	70	342426	342446	342466	342427	342430	342467

- side height 241 mm • minimum height in the body 257 mm

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284456	T60L7040
	10-20 kg	275343	T60L7140
350-650	up to 20 kg	275344	T60L7340
	15-40 kg	275345	T60L7540
	35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Front parts for inner drawer

description	code	Blum code
M sheet metal	227581	ZV7.1043C01
C sheet metal for railing	227581	ZV7.1043C01
M latch	227605	ZI7.0M07
C sheet metal for glass	227585	ZV7.1043MN1
C railing	227600	ZR7.1080U

Synchronization for Tip-On Blumotion

description	code	Blum code
linkage	282277	T60.1125W

Slide-in element for Free


length NL (mm)	clear glass	
	code	Blum code
350	256611	ZE7S238G
400	257252	ZE7S288G
450	257253	ZE7S338G
500	257254	ZE7S388G
550	257255	ZE7S438G
600	257256	ZE7S488G
650	257258	ZE7S538G

ACCESSORIES

description	code	Blum code
screw for LBX	237597	61D.1500
bottom stabilization	12839	Z96.10E1

Front glass for C

description	450 mm	600 mm	900 mm	1200 mm
high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
	227587	227588	227589	227590
low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
	227591	227592	227593	227594



Legrabox, Polar silver (PS-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
N	400	40	342371	342372	342373	342374	342389	342390
	450		344103	344113	344123	344104	344114	344124
	500		344087	344081	344075	344088	344082	344076
	550		255061	255063	342391	342392	342396	342397


- side height 66.5 mm • minimum height in the cabinet body 80 mm

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando			inner		
			Blumotion	TIP-ON	TOB	Blumotion	Tip-On	TOB	Blumotion	Tip-On	TOB
M	270	40	346145	346149	346153	346146	346150	346155	346148	346151	346157
	300		346158	346161	346164	346159	346162	346165	346160	346163	346166
	350		346167	346170	346173	346168	346171	346174	346169	346172	346175
	400		346176	346179	346182	346177	346180	346183	346178	346181	346184
	450	40	346186	346192	346200	346187	346193	346201	346190	346197	346204
		70	346188	346194	346202	346189	346196	346203	346191	346198	346205
	500	40	346206	346213	346220	346207	346214	346221	346210	346218	346224
		70	346208	346215	346222	346209	346217	346223	346211	346219	346225
	550	40	346229	346235	346241	346230	346236	346242	346233	346239	346245
		70	346231	346237	346243	346232	346238	346244	346234	346240	346246
	600	40	346247	346253	346259	346248	346254	346260	346251	346257	346263
		70	346249	346255	346261	346250	346256	346262	346252	346258	346264
	650	70	346265	346268	346271	346266	346269	346272	346267	346270	346273

- side height 90.5 mm • minimum height in the cabinet body 106 mm (inner 104 mm, 109 mm with latch)

	depth in mm (NL)	load capacity (kg) type of slide	vrut			EXPANDO		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
K	350	40	344150	344183	344205	344151	344184	344206
	400		344152	344187	344209	344153	344188	344210
	450	40	344154	344192	344214	344155	344193	344215
		70	344165	344194	344216	344166	344195	344217
	500	40	344156	344196	344218	344157	344197	344219
		70	344167	344198	344222	344168	344199	344224
	550	40	344158	344200	344226	344159	344201	344228
		70	344169	344202	344230	344170	344203	344231
	600	40	344160	344161	344162	344164	344185	344186
			344189	344190	344207	344208	344212	344213

- side height 128.5 mm • minimum height in the cabinet body 144 mm



Legrabox, Polar silver (PS-M)


			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	344889	344893	344897	344890	344894	344898
	300		344902	344907	344911	344904	344908	344912
	350		344915	344919	344925	344916	344920	344926
	400		344929	344934	344938	344930	344935	344939
	450	40	345082	345087	345091	345083	345088	345092
		70	345084	345089	345093	345085	345090	345094
	500	40	345109	345113	345117	345110	345114	345118
		70	345111	345115	345119	345112	345116	345120
	550	40	345134	345138	345142	345135	345139	345143
		70	345136	345140	345144	345137	345141	345145
	600	40	345448	345452	345456	345449	345453	345458
		70	345450	345454	345459	345451	345455	345461
	650	70	345068	345070	345072	345069	345071	345073

			inner, railing			inner, glass		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
C PURE	270	40	344891	344895	344899	344892	344896	344900
	300		344905	344909	344913	344906	344910	344914
	350		344917	344922	344927	344918	344923	344928
	400		344932	344936	344940	344933	344937	344941
	450	40	345095	345099	345105	345096	345100	345106
		70	345097	345101	345107	345098	345103	345108
	500	40	345122	345126	345130	345123	345127	345131
		70	345124	345128	345132	345125	345129	345133
	550	40	345146	345440	345444	345147	345441	345445
		70	345148	345442	345446	345149	345443	345447
	600	40	345470	345519	345558	345487	345531	345565
		70	345500	345537	345572	345508	345544	345578
	650	70	345074	345076	345078	345075	345077	345079

- side height 177 mm
- minimum height in the cabinet body 193 mm (inner 191 mm)
- the set includes everything for drawer assembly
- Tip-On version – to be completed with synchronization
- TOB version – to be completed with a module and synchronization
- module TOB – to be selected according to the depth and weight of the whole drawer
- inner drawer with height M – to be completed with a front sheet metal
- inner drawer with height C – to be completed with a front sheet metal and railing or front glass

for bottom and back cuttings, see p. 2.26






Legrabox, Polar silver (PS-M)

C FREE			screw			Expando		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	343484	343826	343627	343486	343827	343628
	400		343528	343837	343634	343529	343838	343635
	450	40	343465	343712	343644	343466	343713	343645
		70	343467	343714	343646	343468	343715	343647
	500	40	343496	343726	343661	343497	343727	343662
		70	343498	343728	343663	343499	343729	343664
	550	40	343518	343860	343673	343519	343861	343674
		70	343520	343862	343676	343521	343863	343677
	600	40	343574	343893	343692	343575	343895	343693
		70	343576	343896	343694	343577	343898	343695
	650	70	343546	343876	343682	343547	343877	343683

C FREE			inner, railing			inner, glass		
	depth in mm (NL)	load capacity (kg) type of slide	BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
	350	40	344616	344618	344620	344617	344619	344621
	400		344625	344627	344629	344626	344628	344630
	450	40	344631	344635	344639	344632	344636	344640
		70	344633	344637	344641	344634	344638	344642
	500	40	344643	344647	344651	344644	344648	344652
		70	344645	344649	344653	344646	344650	344654
	550	40	344655	344659	344663	344656	344660	344664
		70	344657	344661	344665	344658	344662	344666
	600	40	344668	344672	344676	344669	344673	344677
		70	344670	344674	344678	344671	344675	344679
	650	70	344680	344682	344684	344681	344683	344685

- side height 177 mm • minimum height in the cabinet body 193 mm (inner 191 mm)





Legrabox, Polar silver (PS-M)

	depth in mm (NL)	load capacity (kg) type of slide	screw			Expando		
			BLUMOTION	TIP-ON	TOB	BLUMOTION	TIP-ON	TOB
F	400	40	343375	343377	343379	343376	343378	343380
	450	40	343381	343385	343389	343382	343386	343390
		70	343383	343387	343391	343384	343388	343392
	500	40	343393	343397	343401	343394	343398	343402
		70	343395	343399	343403	343396	343400	343404
	550	40	343405	343409	343413	343406	343410	343414
		70	343407	343411	343415	343408	343412	343416
	600	40	343417	343421	343425	343418	343422	343426
		70	343419	343423	343427	343420	343424	343428
	650	70	343429	343431	343433	343430	343432	343434

- side height 241 mm • minimum height in the body 257 mm

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270-300	up to 10 kg	284456	T60L7040
	10-20 kg	275343	T60L7140
350-650	up to 20 kg	275344	T60L7340
	15-40 kg	275345	T60L7540
	35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Front parts for inner drawer

description	code	Blum code
M sheet metal	314841	ZV7.1043C01
C sheet metal for railing	314841	ZV7.1043C01
M latch	314843	ZI7.0M07
C sheet metal for glass	314842	ZV7.1043MN1
C railing	314844	ZR7.1080U

Synchronization for Tip-On Blumotion

description	code	Blum code
linkage	282277	T60.1125W

ACCESSORIES


description	code	Blum code
screw for LBX	237597	61D.1500
bottom stabilization	12839	Z96.10E1

Slide-in element for Free

length NL (mm)	clear glass	
	code	Blum code
350	256611	ZE7S238G
400	257252	ZE7S288G
450	257253	ZE7S338G
500	257254	ZE7S388G
550	257255	ZE7S438G
600	257256	ZE7S488G
650	257258	ZE7S538G

Front glass for C

description	450 mm	600 mm	900 mm	1200 mm
high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
	227587	227588	227589	227590
low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
	227591	227592	227593	227594



Legrabox codes

Slides


1	length NL (mm)	BLUMOTION		TIP-ON		TIP-ON BLUMOTION		BLUMOTION, TIP-ON BLUMOTION	
		750.***1B	753.***1B	750.***1T	753.***1T	750.***1M	753.***1M	750.***1S	753.***1S
		40 kg	70 kg	40 kg	70 kg	40 kg	70 kg	40 kg	70 kg
	270	227408	×	227420	×	275330	×	349902	×
	300	227409	×	227421	×	275331	×	349903	×
	350	227410	×	227422	×	275332	×	349904	×
	400	227411	×	227423	×	275333	×	349905	×
	450	227412	227416	227424	227428	275334	275338	349906	349911
	500	227413	227417	227425	227429	275335	275339	349907	349912
	550	227414	227418	227426	227430	275336	275340	349908	349913
	600	227415	227419	227427	227431	275337	275341	349909	349914
	650	×	253716	×	253717	×	275342	×	349915

Side plates (height)

2	height length NL (mm)	N (66,5 mm)					M (90,5 mm)				
		770N***2S			770N***2I	770N***2S	770M***2S			770M***2I	770M***2S
		SW-M	OG-M	TS-M	stainless steel	PS-M	SW-M	OG-M	TS-M	stainless steel	PS-M
	270	×	×	×	×	×	227441	227442	227443	227444	348921
	300	×	×	×	×	×	227445	227446	227447	227448	348920
	350	×	×	×	×	×	227449	227450	227451	227452	348919
	400	348902	348904	348905	×	348907	227453	227454	227455	227456	348918
	450	227433	227434	227435	227436	348908	227457	227458	227459	227460	314831
	500	227437	227438	227439	227440	348909	227461	227462	227463	227464	314832
	550	348914	348913	348912	×	348910	227465	227466	227467	227468	346627
	600	×	×	×	×	×	227469	227470	227471	227472	348915
	650	×	×	×	×	×	256453	256454	256455	256456	348916

Side plates (height)

2	height length NL (mm)	K (128,5 mm)				
		770K***2S			770K***2I	770K***2S
		SW-M	OG-M	TS-M	stainless steel	PS-M
	270	×	×	×	×	×
	300	348927	348928	348929	348930	348923
	350	227473	227474	227475	227476	348924
	400	227477	227478	227479	227480	348925
	450	227481	227482	227483	227484	348926
	500	227485	227486	227487	227488	346628
	550	227489	227490	227491	227492	346629
	600	348932	348934	348935	348936	348922
	650	×	×	×	×	×




Material and colours

RAL colours have a significantly lighter look due to a rough surface.

Terra black	TS-M
Orion grey	OG-M
Polar silver	PS-M
Silky white	SW-M
Stainless steel (inox), anti-fingerprint	INOX

✗ this option is not available




Side plates (height)

	height	C Pure (177 mm)					C Free (177 mm)				
		770C***2S			770C***2I	770C***2S	780C***2S			780C***2I	780C***2S
		SW-M	OG-M	TS-M	stainless steel	PS-M	SW-M	OG-M	TS-M	stainless steel	PS-M
2	270	227493	227494	227495	227496	348938	×	×	×	×	×
	300	227497	227498	227499	227500	348939	×	×	×	×	×
	350	227501	227502	227503	227504	348940	256470	256471	256472	256473	348947
	400	227505	227506	227507	227508	348941	256474	256475	256476	256477	348948
	450	227509	227510	227511	227512	314833	256478	256479	256480	256481	348950
	500	227513	227514	227515	227516	314834	256482	256483	256484	256485	348951
	550	227517	227518	227519	227520	348942	256486	256487	256488	256489	348952
	600	227521	227522	227523	227524	348943	256490	256491	256492	256493	348953
	650	256457	256458	256459	256460	348945	256494	256495	256496	256497	348954

Side plates (height)

	height	F (241 mm)				
		770F***2S			770F***2I	770F***2S
		SW-M	OG-M	TS-M	stainless steel	PS-M
2	270	×	×	×	×	×
	300	×	×	×	×	×
	350	×	×	×	×	×
	400	336683	336685	336687	336681	336682
	450	227525	227526	227527	227528	348958
	500	227529	227530	227531	227532	346632
	550	227533	227534	227535	227536	346631
	600	227537	227538	227539	227540	348959
	650	256461	256462	256463	256464	348960




Back holders

		SW-M	OG-M	TS-M	stainless steel	PS-M	Blum code
3	N	227549	227550	227551	227552	348964	ZB7N000S
	M	227553	227554	227555	227556	314835	ZB7M000S
	K	227557	227558	227559	227560	348965	ZB7K000S
	C	227561	227562	227563	227564	314836	ZB7C000S
	F	227565	227566	227567	227568	348966	ZB7F000S

Front fittings


	height	screw		Expando		required quantity / 1 slide
		code	Blum code	code	Blum code	
4	N	227541	ZF7N7002	227542	ZF7N70E2	2
	M	227543	ZF7M7002	227544	ZF7M70E2	2
	K	227545	ZF7K7002	227546	ZF7K70E2	2
	C	227547	ZF7C7002	227548	ZF7C70E2	2
	C	227543	ZF7M7002	227544	ZF7M70E2	4
	F	227543	ZF7M7002	227544	ZF7M70E2	6
	F	227543	ZF7M7002	227544	ZF7M70E2	2+2
		227547	ZF7C7002	227548	ZF7C70E2	

	height	Expando T (compact)		required quantity / 1 slide
		code	Blum code	
N	N	347994	ZF7N70T2	2
	M	347995	ZF7M70T2	2
	K	347996	ZF7K70T2	2
	C	347997	ZF7C70T2	2
	C	347995	ZF7M70T2	4
	F	347995	ZF7M70T2	6
F	F	347995	ZF7M70T2	2+2
		347997	ZF7C70T2	



Front fittings for inner drawer

	description	SW-M	OG-M	TS-M	stainless steel	PS-M
5	M	ZI7.0MS0			ZI7.0MI0	ZI7.0MS0
		227570	227571	227572	227573	314838
		ZI7.0KS0			ZI7.0KI0	ZI7.0KS0
	C front glass	363921	363922	363924	363920	363923
		227574	227575	227576	227577	314839
	C front railing	ZI7.3CS0			ZI7.3CI0	ZI7.3CS0
		236546	236547	236548	236549	314840



Front parts for inner drawer

	description	SW-M	OG-M	TS-M	stainless steel	PS-M
5	M sheet metal	ZV7.1043C01				
		227578	227579	227580	227581	314841
6	C sheet metal for railing	227578	227579	227580	227581	314841
7	M latch	ZI7.0M07				
		227603	227604	227605	227605	314843
8	C sheet metal for glass	ZV7.1043MN1				
		227582	227583	227584	227585	314842
9	C railing	ZR7.1080U				
		227596	227597	227598	227600	314844

Front glass for C

	description	450	600	900	1200
10	high	ZE7W332G	ZE7W482G	ZE7W782G	ZE7W1082G
		227587	227588	227589	227590
	low	ZE7V332G	ZE7V482G	ZE7V782G	ZE7V1082G
		227591	227592	227593	227594

Set of modules for TOB

	length NL (mm)	weight ¹⁾	code	Blum code
12	270 – 300	up to 10 kg	284456	T60L7040
		10-20 kg	275343	T60L7140
	350 – 650	up to 20 kg	275344	T60L7340
		5-40 kg	275345	T60L7540
		35-70 kg	275347	T60L7570

¹⁾ total weight of the slide

Synchronization for Tip-On



	description	code	Blum code
15	pinion	227606	T57.7400
16	linkage	227607	ZST.1160W

Slide-in element for Legrabox Free

	length NL (mm)	clear glass
11	350	256611 ZE7S238G
	400	257252 ZE7S288G
	450	257253 ZE7S338G
	500	257254 ZE7S388G
	550	257255 ZE7S438G
	600	257256 ZE7S488G
	650	257258 ZE7S538G

Synchronization for Tip-On Blumotion

	description	code	Blum code
13	pinion	275348	T60.000D
14	linkage	282277	T60.1125W



ACCESSORIES

description	code	Blum code
side stabilization	227609	ZS7M400LU
	227611	ZS7M650LU



description	code	Blum code
screw for LBX	237597	61D.1500
Expando T stabilization	347998	Z96.00T1
bottom stabilization	12839	Z96.10E1
transport safety latch	267764	780C0009



Cover caps

description	code	Blum code
inner white	306385	ZA7.5700.BT
inner grey	306384	
outer white	306383	ZA7.0700.BT
outer grey	306382	


- additional stabilization of excessively wide front slides
- recommendation: body width KB 900-1,400 mm
- aluminium linkage, suitable for body width KB 1,400 mm, for cutting to size
- suitable for use with Servo-Drive, Tip-On and Tip-On Blumotion

Set of TOB modules for sink drawers

length NL (mm)	weight ¹⁾	code	Blum code
350 - 360	up to 20 kg	360754	T60L9340 ²⁾
	15-40 kg	360755	T60L9540

¹⁾ total weight of the slide

²⁾ can be combined only with a cabinet rail for 40 kg



Orga-Line inner division Tandembox

Orga-Line

Kitchen utensils

kód	kód Blum	description
92051	ZOU.30U11	set of kitchen utensils ¹⁾
92062	ZSZ.02M0	knife holder
92099	ZSZ.02F0	aluminium holder
92088	ZSZ.01F0	foil holder
92068	ZFZ.30G0I	holder for spice containers 300 mm ²⁾
92067	ZFZ.40G0I	holder for spice containers 400 mm ²⁾
92059	ZFZ.45G0I	holder for spice containers 450 mm ²⁾
227693	ZC7T0350	plate holder


¹⁾ the set includes: plate holder, paper and aluminium foil cutter, knife holder and spice container holder

²⁾ spice container holder according to the body width or space in which they will be placed




Storing

body width (mm)	450		500		550	
depth (mm)	code	Blum code	code	Blum code	code	Blum code
450	12313	ZSI.45VEI4	167542	ZSI.45VEI4	13028	ZSI.55VEI4
500	12981	ZSI.45VEI6	12965	ZSI.45VEI6	13002	ZSI.55VEI6
550	176757	ZSI.45VEI7	176765	ZSI.45VEI7	225175	ZSI.55VEI7
600	225164	ZSI.45VEI8	176766	ZSI.45VEI8	225176	ZSI.55VEI8
650	225165	ZSI.45VEI9	176767	ZSI.45VEI9	225178	ZSI.55VEI9




Washing, preparation, cooking

body width (mm)	400 - 599	
depth (mm)	code	Blum code
450	13038	ZSI.450FI2
500	12992	ZSI.500FI2
550	13695	ZSI.550FI2




Set

	BI3	
depth (mm)	code	Blum code
450	12983	ZSI.450BI3
500	12984	ZSI.500BI3
550	12985	ZSI.550BI3
600	176780	ZSI.600BI3
650	12986	ZSI.650BI3




Storing

body width (mm)	600	
depth (mm)	code	Blum code
450	12962	ZSI.60VEI4
500	12976	ZSI.60VEI6
550	12973	ZSI.60VEI7
600	13039	ZSI.60VEI8
650	92072	ZSI.60VEI9




Washing

body width (mm)	600	
depth (mm)	code	Blum code
450	12963	ZSI.60VUI4
500	92078	ZSI.60VUI6
550	14097	ZSI.60VUI7
600	12937	ZSI.60VUI8
650	92082	ZSI.60VUI9




• The drawings are merely illustrative!



Orga-Line inner division Tandembox


Storing

body width (mm)	800	
depth (mm)	code	Blum code
450	12935	ZSI.80VEI4
500	12977	ZSI.80VEI6
550	12948	ZSI.80VEI7
600	225183	ZSI.80VEI8
650	13023	ZSI.80VEI9




Washing, preparation, cooking

body width (mm)	800	
depth (mm)	code	Blum code
450	12945	ZSI.80VUI4
500	12991	ZSI.80VUI6
550	12944	ZSI.80VUI7
600	225186	ZSI.80VUI8
650	13024	ZSI.80VUI9




Washing, preparation, cooking

body width (mm)	900	
depth (mm)	code	Blum code
450	12910	ZSI.90VUI4
500	12978	ZSI.90VUI6
550	12917	ZSI.90VUI7
600	225191	ZSI.90VUI8
650	225192	ZSI.90VUI9




Storing

body width (mm)	900	
depth (mm)	code	Blum code
450	13013	ZSI.90VEI4
500	14231	ZSI.90VEI6
550	12987	ZSI.90VEI7
600	13017	ZSI.90VEI8
650	13040	ZSI.90VEI9




Storing

body width (mm)	1000	
depth (mm)	code	Blum code
450	13007	ZSI.10VEI4
500	12968	ZSI.10VEI6
550	12966	ZSI.10VEI7
600	225193	ZSI.10VEI8
650	129311	ZSI.10VEI9




Washing, preparation, cooking

body width (mm)	1000	
depth (mm)	code	Blum code
450	13037	ZSI.10VUI4
500	13008	ZSI.10VUI6
550	225194	ZSI.10VUI7
600	225195	ZSI.10VUI8
650	225196	ZSI.10VUI9




Storing

body width (mm)	1200	
depth (mm)	code	Blum code
450	134147	ZSI.12VEI4
500	12982	ZSI.12VEI6
550	14230	ZSI.12VEI7
600	13044	ZSI.12VEI8
650	92097	ZSI.12VEI9




Washing, preparation, cooking

body width (mm)	1200	
depth (mm)	code	Blum code
450	92142	ZSI.12VUI4
500	92079	ZSI.12VUI6
550	225197	ZSI.12VUI7
600	225198	ZSI.12VUI8
650	92096	ZSI.12VUI9




- The drawings are merely illustrative!



Orga-Line inner division Tandembox

Set

SPACE CORNER		
depth (mm)	code	Blum code
600	12967	ZSI.450BI3
650	12993	ZSI.500BI3




Set

275-399 mm		
depth (mm)	code	Blum code
500	12989	ZSI.500BI1N




Container

width × length (mm)		
	code	Blum code
88 × 88	13011	ZSI.010SI
88 × 176	13012	ZSI.020SI
88 × 264	13072	ZSI.030SI
88 × 352	99012	ZSI.040SI




Centre piece

length (mm)		
	code	Blum code
88	13014	ZSI.010Q
176	13015	ZSI.020Q



Bottle rack

body width (mm)	for bottles	
	code	Blum code
300 ¹⁾	92080	Z48.30B016



¹⁾ for a depth of 500 mm

Longitudinal divider

colour	code	Blum code
white	IN552B	Z43L100S
grey	221230	
black	IN552C	




Dividing wall

depth (mm)	colour			Blum code
	white	grey	black	
450	349432	13163	IN560C	Z46L420S
500	13164	13162	IN561C	Z46L470S
550	177050	14328	177049	Z46L520S
600	IN563B	203383	177052	Z46L570S
650	177055	14329	177053	Z46L620S




Movento, Tandem

body width (mm)	400 – 499 mm	
	code	Blum code
500	13046	ZHI.437FI3




Movento, Tandem

body width (mm)	500 – 599 mm	
	code	Blum code
500	13045	ZHI.437MI3




Movento, Tandem

set	K14	
	code	Blum code
500	13047	ZHI.437KI4



• The drawings are merely illustrative!




End piece for a cross divider

height	colour			Blum code
	white	grey	black	
C	210826	210827	210825	Z40C0002Z
D	210830	210831	210829	Z40D0002Z



End piece for a cross divider – dividing wall


colour			Blum code
white	grey	black	
IN551B	202582	IN551C	Z40L0002



- ZRU.01E0 end piece WGR + bar

Cross divider

body width (mm)	colour			Blum code
	white	grey	black	
275	210834	210833	210835	Z40L152A
300	210838	210837	210839	Z40L177A
550	210842	210841	210843	Z40L427A
600	210846	210845	210847	Z40L477A
900	210850	210849	210851	Z40L777A
1200	IN550B	210943	IN550C	Z40L1077A



End piece for railing bar

colour			Blum code
white	grey	black	
229192	229193	288439	ZRU.01E0



Railing bar (1,104 mm)


colour			Blum code
white	grey	black	
202535	202534	203109	ZRG.1104Q



Longitudinal divider

colour			Blum code
white	grey	black	
202539	202538	203116	ZRU.11F0






Ambia-Line inner division Legrabox

AMBIA-LINE


Legrabox railing of cross divider

colour	code	Blum code
white	227596	ZR7.1080U
grey	227597	
black	227598	
PolarSilver	314844	



Legrabox holder of cross railing


	white	grey	black	PolarSilver	Blum code
pure	265217	265028	283037	349465	ZC7U10E0
free	279376	279375	283038	349466	ZC7U11E0



Legrabox longitudinal divider


colour	code	Blum code
white	275351	ZC7U10F0
grey	267756	
black	283039	
PolarSilver	349464	






Legrabox cutlery tray, width 300 mm

depth (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
450	227613	227614	227615	ZC7S450BS3	227696	227697	227698	ZC7S450BH3
500	227616	227617	227618	ZC7S500BS3	227699	227700	227701	ZC7S500BH3
550	227619	227621	227622	ZC7S550BS3	227703	227704	227705	ZC7S550BH3
600	227623	227624	227625	ZC7S600BS3	227707	227708	227709	ZC7S600BH3




Legrabox frame, width 100 mm

depth (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
450	227635	227636	227637	ZC7S450RS1	227718	227719	227720	ZC7S450RH1
500	227638	227639	227640	ZC7S500RS1	227721	227722	227723	ZC7S500RH1
550	227641	227642	227643	ZC7S550RS1	227724	227725	227726	ZC7S550RH1
600	227644	227645	227646	ZC7S600RS1	227727	227728	227729	ZC7S600RH1



Legrabox cross divider

width (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
100	227647	227648	227649	ZC7Q010SS	227730	227731	227732	ZC7Q010SH
200	227663	227664	227666	ZC7Q020SS	227745	227746	227747	ZC7Q020SH



Legrabox frame, height C and F


width (mm)	white	grey	black	Blum code	Nebraska oak ¹⁾	Tennessee walnut ¹⁾	Bardolino oak ¹⁾	Blum code
242	227667	227668	227669	ZC7F300RSU	227748	227749	227750	ZC7F300RHU

¹⁾ wood imitations do not have magnet



Legrabox cross divider

height (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
110	227685	227686	227687	ZC7Q0P0FS	227757	227758	227759	ZC7Q0P0FH




Legrabox profiled adapter


height (mm)	white	grey	black	Blum code
M	227629	227630	227631	ZC7A0U0M



Legrabox profiled adapter

height (mm)	white	grey	black	Blum code
C	227670	227671	227672	ZC7A0U0C






Legrabox frame, height M and K


width (mm)	white ¹⁾	grey ¹⁾	black ¹⁾	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
242	227626	227627	227628	ZC7S300RSU	227711	227712	227713	ZC7F300RHU

¹⁾ with magnet for connecting to back side or side plate; for depth from 270 mm




Legrabox cross divider

height (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
M	227632	227633	227634	ZC7Q0U0SS	227714	227715	227716	ZC7Q0U0SH



Legrabox frame, width 200 mm


depth (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
450	227650	227651	227652	ZC7S450RS2	227733	227734	227735	ZC7S450RH2
500	227653	227654	227655	ZC7S500RS2	227736	227737	227738	ZC7S500RH2
550	227656	227657	227658	ZC7S550RS2	227739	227740	227741	ZC7S550RH2
600	227660	227661	227662	ZC7S600RS2	227742	227743	227744	ZC7S600RH2



Legrabox frame, height C and F


width (mm)	white	grey	black	Blum code	Nebraska oak ¹⁾	Tennessee walnut ¹⁾	Bardolino oak ¹⁾	Blum code
242	227676	227677	227678	ZC7F400RSP	227754	227755	227756	ZC7F400RHP

¹⁾ wood imitations do not have magnet




Legrabox cross divider

height (mm)	white	grey	black	Blum code	Nebraska oak	Tennessee walnut	Bardolino oak	Blum code
C	227673	227674	227675	ZC7Q0U0FS	227751	227752	227753	ZC7Q0U0FH




Legrabox profiled adapter

height	colour			Blum code
	white	grey	black	
C	227679	227680	227681	ZC7A0P0C
F	227682	227683	227684	ZC7A0P0F



Kitchen utensils

	code	Blum code
knife holder	227688	ZC7M0200
aluminium and foil holder	227689	ZC7C000
aluminium and foil holder (without foil)	227690	ZC7C001
spice containers holder	227691	ZC7G0P0I
plate holder	227693	ZC7T0350



• The drawings are merely illustrative!




SPACE TOWER

www.blum.com/spacetower


 **blum**[®]

Larder unit solutions: maximum use of storage space, great accessibility, easy handling.







Servo-Drive for slides

	code	Blum code	description
	130787	Z10NA30EE	Uno complete set for 1 (bottom) drawer
1	99131	993.0530	distance backstop 5 mm
	99120	993.0830.01	distance backstop 8 mm
2	99100	Z10A3000	drive unit
3	129576	Z10NE030E	transformer 24 W
4	99108	Z10M200E	power supply cable 2 m
5	991110	Z10NG000	transformer holder for mounting into bottom
	131344	Z10NG120	transformer holder for mounting into back
6	99113	Z10T650AA	bracket profile 650 mm with cable
	99125	Z10T670AA	bracket profile 670 mm with cable
	99111	Z10T700AA	bracket profile 700 mm with cable
	99115	Z10T750AA	bracket profile 750 mm with cable
	99129	Z10T800AA	bracket profile 800 mm with cable
7	99116	Z10T1170A	bracket profile 1,170 mm without cable
	99102	Z10D01EA.01	holder of bracket profile into bottom/back
8	99104	Z10D01E0.01	holder of bracket profile into bottom/ground
9	99124	Z10T1143B	horizontal bracket profile
10	99123	Z10D5210	horizontal bracket profile holder
11	99127	Z10D6252	drive unit holder, top
12	99107	Z10K800AE	distribution cable 8 m
13	132954	Z10V100E.01	connecting node + distribution cable end protector
	99105	Z10K0009	cable holder
	99106	Z10K008S	synchronization cable, multi-core 80 mm
	99128	Z10K120S	synchronization cable, multi-core 1,200 mm
	99118	Z10K160S	synchronization cable, multi-core 1,600 mm



- SERVO-DRIVE system allows combination of handleless opening with Blumotion damped closing
- the system is not firmly connected with the drawer guide; drawers can also be operated without power supply
- the minimum 2 mm offset of front from body edge is ensured by distance backstop
- fronts up to a height of 300 mm – 2 pcs of backstop are mounted to the front centre; higher ones (over 300 mm) – 4 backstops in corners







SLIDES

Servo-Drive

blum

	code	Blum code	description
15	265145	Z10C500A	Servo-Drive Flex for refrigerators, dishwashers or freezers
16	265356	Z10C5005	dishwasher adapter for Servo-Drive Flex
3	129576	Z10NE030E	transformer 24 W
15	991110	Z10NG000	transformer holder for mounting into bottom
	131344	Z10NG000	transformer holder for mounting into back
4	99108	Z10M200E	power supply cable 2 m
13	132954	Z10V100E	connecting node + end protector
P	265355	Z10C5007	wireless receiver for Servo-Drive Flex
	123015	Z1P5020	separate switch, grey
	123016	Z1P5020	separate switch, white
	304165	Z10K300A	synchronization cable 3 m, light grey




• set Servo-Drive Flex includes:


- the Flex unit
- connecting node
- counterpart for door
- 3 distance backstops
- mounting template
- cover panel fastener
- hole cover cap

- for electric opening of handleless furniture and built-in refrigerators inside
- Flex is designed for opening of built-in appliances, such as refrigerators (up to 178 cm), freezers (158 cm) or dishwashers
- combined refrigerators have two doors, one for a refrigerator and one for a freezer; each door is equipped with one Flex drive and can be opened separately


- in case of bigger and heavier refrigerator fronts, two drive units can reliably and synchronously open them
- in case of built-in dishwashers, the drive unit should be placed at the centre of the dishwasher
- space needed above (below) the appliance is at least 60 mm
- Flex is always placed on the opposite side of the hinges

- must be supplied with transformer, power cable and transformer holder (129576, 99108, 131344), in case these items are not already part of the kitchen








Door gap dimensions



Worktop overlap (APU)



X	30 mm
Y	10 mm
Z	0 mm




Servo-Drive Uno for standing waste bins

code	Blum code	description
130787	Z10NA30EE	Servo-Drive Uno complete set for 1 (bottom) drawer

- electric opening set for drawers with a waste bin
- by gently tapping the front of the slide by knee or toe, the slide with waste bin is easily opened
- integrated protection against opening, in case someone is leaning on the furniture, it prevents unintentional opening
- Uno set in standby mode consumes only 3.5 kWh per year
- minimal space in the body needed for the Uno set is the cabinet rails length plus 35 mm





Movento Tip-On Blumotion (TOB)

former

code	Blum code	description
275379	760H2700M	270 mm / 40 kg
275380	760H3000M	300 mm / 40 kg
275381	760H3200M	320 mm / 40 kg
275383	760H3500M	350 mm / 40 kg
275384	760H3800M	380 mm / 40 kg
275385	760H4000M	400 mm / 40 kg
275386	760H4200M	420 mm / 40 kg
275387	760H4500M	450 mm / 40 kg
275388	760H4800M	480 mm / 40 kg
275389	760H5000M	500 mm / 40 kg
275390	760H5200M	520 mm / 40 kg
275391	760H5500M	550 mm / 40 kg
275392	760H6000M	600 mm / 40 kg
275404	766H4500M	450 mm / 60 kg
275405	766H4800M	500 mm / 60 kg
275406	766H5000M	520 mm / 60 kg
275407	766H5200M	550 mm / 60 kg
275408	766H5500M	580 mm / 60 kg
275409	766H6000M	600 mm / 60 kg
275410	766H6500M	650 mm / 60 kg
275411	766H7000M	700 mm / 60 kg
275412	766H7500M	750 mm / 60 kg

Set of modules for TOB

length NL (mm)	weight ¹⁾	code	Blum code
270 - 320	up to 10 kg	284456	T60L7140
	10-20 kg	275343	T60L7040
350 - 650	up to 20 kg	275344	T60L7540 ²⁾
	5-40 kg	275345	T60L7340
	35-70 kg	275347	T60L7570

¹⁾ total slide weight including all-wooden drawer

²⁾ not possible to combine with a high load guide (60 kg)

Accessories

description	code	Blum code
front attachment, left	159816	T51.7601
front attachment, right	159817	T51.7602
TOB gap adjusting template	275419	65.5631

N Movento Tip-On Blumotion (TOB)

new

code	Blum code	description
349919	760H2700S	270 mm / 40 kg
349920	760H3000S	300 mm / 40 kg
349921	760H3200S	320 mm / 40 kg
349922	760H3500S	350 mm / 40 kg
349923	760H3800S	380 mm / 40 kg
349924	760H4000S	400 mm / 40 kg
349925	760H4200S	420 mm / 40 kg
349926	760H4500S	450 mm / 40 kg
349930	760H4800S	480 mm / 40 kg
349927	760H5000S	500 mm / 40 kg
349931	760H5200S	520 mm / 40 kg
349928	760H5500S	550 mm / 40 kg
349929	760H6000S	600 mm / 40 kg
349932	766H4500S	450 mm / 60 kg
349933	766H4800S	500 mm / 60 kg
349934	766H5000S	520 mm / 60 kg
349935	766H5200S	550 mm / 60 kg
349936	766H5500S	580 mm / 60 kg
349938	766H6000S	600 mm / 60 kg
349939	766H6500S	650 mm / 60 kg
349940	766H7000S	700 mm / 60 kg
349941	766H7500S	750 mm / 60 kg

Synchronization


description	code	Blum code
linkage ³⁾	282277	T60.1125W
one-piece linkage	293824	T60.300D

³⁾ linkage length is 1,125 mm; suitable for body width max. 1,400 mm

Easily and better: Blumotion S – one for three

Variability for the implementation of 3 motion technologies with only one guide rail, optimal damping function tailored to the respective technology – Blumotion, Servo-Drive and Tip-On Blumotion.





Movento BLUMOTION

former			new	
code	Blum code	description	code	Blum code
159772	760H2500B	250 mm / 40 kg	349918	760H2500S
159773	760H2700B	270 mm / 40 kg	349919	760H2700S
159774	760H3000B	300 mm / 40 kg	349920	760H3000S
159824	760H3200B	320 mm / 40 kg	349921	760H3200S
159775	760H3500B	350 mm / 40 kg	349922	760H3500S
159776	760H3800B	380 mm / 40 kg	349923	760H3800S
159777	760H4000B	400 mm / 40 kg	349924	760H4000S
159778	760H4200B	420 mm / 40 kg	349925	760H4200S
159779	760H4500B	450 mm / 40 kg	349926	760H4500S
159780	760H4800B	480 mm / 40 kg	349930	760H4800S
159781	760H5000B	500 mm / 40 kg	349927	760H5000S
159782	760H5200B	520 mm / 40 kg	349931	760H5200S
159783	760H5500B	550 mm / 40 kg	349928	760H5500S
159825	760H6000B	600 mm / 40 kg	349929	760H6000S
159784	766H4500B	450 mm / 60 kg	349932	766H4500S
159785	766H4800B	500 mm / 60 kg	349933	766H4800S
159786	766H5000B	520 mm / 60 kg	349934	766H5000S
159787	766H5200B	550 mm / 60 kg	349935	766H5200S
159788	766H5500B	580 mm / 60 kg	349936	766H5500S
159789	766H6000B	600 mm / 60 kg	349938	766H6000S
159790	766H6500B	650 mm / 60 kg	349939	766H6500S
159791	766H7000B	700 mm / 60 kg	349940	766H7000S
159792	766H7500B	750 mm / 60 kg	349941	766H7500S

Movento Tip-On

code	Blum code	description
159793	760H2500T	250 mm / 40 kg
159794	760H2700T	270 mm / 40 kg
159795	760H3000T	300 mm / 40 kg
159796	760H3200T	320 mm / 40 kg
159797	760H3500T	350 mm / 40 kg
159798	760H3800T	380 mm / 40 kg
159799	760H4000T	400 mm / 40 kg
159800	760H4200T	420 mm / 40 kg
159801	760H4500T	450 mm / 40 kg
159802	760H4800T	480 mm / 40 kg
159803	760H5000T	500 mm / 40 kg
159804	760H5200T	520 mm / 40 kg
159805	760H5500T	550 mm / 40 kg
159806	760H6000T	600 mm / 40 kg
159807	766H4500T	450 mm / 60 kg
159808	766H4800T	500 mm / 60 kg
159809	766H5000T	520 mm / 60 kg
159810	766H5200T	550 mm / 60 kg
159811	766H5500T	580 mm / 60 kg
159812	766H6000T	600 mm / 60 kg
159813	766H6500T	650 mm / 60 kg
159814	766H7000T	700 mm / 60 kg
159815	766H7500T	750 mm / 60 kg


- opening by light tap, light running, soft and silent closing
- its peculiarity is a purely mechanic course of motion
- extra large and high fronts
 - optional synchronization even allows to additionally increase the space for a large trigger range
- for proper running, it is necessary to provide:
 - Movento guide designed for Tip-On Blumotion
 - front mounting (L + R)
 - suitable TOB module according to the depth and weight of the whole drawer
 - adapters (2 pcs)
 - synchronization linkage
- template 275419 should be used to correctly set and adjust the depth

Accessories

description	code	Blum code
front attachment, left	159816	T51.7601
front attachment, right	159817	T51.7602
depth adjustment	159818	298.7600
side stabilization for slide length up to 400 mm	159821	ZS7M400MU
side stabilization for slide length up to 600 mm	159822	ZS7M600MU
side stabilization for slide length up to 750 mm	159823	ZS7M750MU

Accessories

description	code	Blum code
front attachment, left	159816	T51.7601
front attachment, right	159817	T51.7602
synchronization pinions	227606	T57.7400
synchronization bar	227607	ZST.1160W
depth adjustment	159818	298.7600
side stabilization for slide length up to 400 mm	159821	ZS7M400MU
side stabilization for slide length up to 600 mm	159822	ZS7M600MU
side stabilization for slide length up to 750 mm	159823	ZS7M750MU



Tandem partial extension slide

30 kg with BLUMOTION

code	Blum code	slide length (mm)	drawer length (mm)	inner drawer length ¹⁾ (mm)
13528	550H2700B	270	260	276
13529	550H3000B	300	290	306
13530	550H3500B	350	340	356
13531	550H4000B	400	390	406
13532	550H4500B	450	440	456
13533	550H5000B	500	490	506
13534	550H5500B	550	540	556


- partial slide TANDEM with damping when closing
- load capacity 30 kg
- including integrated BLUMOTION
- attachment using front fasteners
- further information in the Blum catalogue after registration at www.blum.cz

¹⁾ applies to the side thickness of 16 mm; if a different dimension is used, this formula must be used: length of inner drawer = drawer length + thickness of material for sides




Accessories

description	code	Blum code
Tandem front fitting, left	13469	T51.1700.04
Tandem front fitting, right	13470	T51.1700.04
Tandem stabilization for drawers with length of up to 410 mm ¹⁾	130826	ZST.410TT
Tandem stabilization for drawers with length of up to 600 mm ¹⁾	130827	ZST.650TT
298.1000, drawer front adjustment	13693	295.1000



¹⁾ for body width 1,400 mm, to be shortened





Tandem full extension slide

30 kg with BLUMOTION

code	Blum code	slide length (mm)	drawer length (mm)	inner drawer length ¹⁾ (mm)
13519	560H2500B	250	240	256
13521	560H2700B	270	260	276
13522	560H3000B	300	290	306
13461	560H3200B	320	310	326
13523	560H3500B	350	340	356
170365	560H3800B	380	370	386
13524	560H4000B	400	390	406
13520	560H4200B	420	410	426
13525	560H4500B	450	440	456
13493	560H4800B	480	470	486
13526	560H5000B	500	490	506
13527	560H5500B	550	540	556
158774	560H6000B	600	590	606

- TANDEM Plus full extension slide with damping when closing
- load capacity 30 kg
- including integrated BLUMOTION
- attachment using front fasteners
- for further information, see the Blum catalogue



50 kg with Blumotion


code	Blum code	slide length (mm)	drawer length (mm)	inner drawer length ¹⁾ (mm)
13499	566H4500B	450	440	456
13498	566H5000B	500	490	506
13251	566H5500B	550	540	556
14310	566H6000B	600	590	606
13253	566H6500B	650	640	656
13254	566H7000B	700	690	706
13252	566H7500B	750	740	756


- TANDEM Plus full extension slide with damping when closing
- load capacity 50 kg
- including integrated BLUMOTION
- attachment using front fasteners



Accessories

description	code	Blum code
Tandem front fitting, left	13469	T51.1700.04
Tandem front fitting, right	13470	T51.1700.04
Tandem stabilization for drawers with length of up to 410 mm ¹⁾	130814	ZST.410TV
Tandem stabilization for drawers with length of up to 600 mm ¹⁾	130824	ZST.600TV
Tandem stabilization for drawers with length of up to 750 mm ¹⁾	130825	ZST.750TV
298.1000, drawer front adjustment	13693	295.1000


¹⁾ for body width 1,400 mm, to be shortened



SLIDES

Tandem Tip-On

blum

Tandem partial extension slide

For Tip-On




code	Blum code	slide length (mm)
13453	550H2700.03	270
13450	550H3000.03	300
13454	550H3500.03	350
13451	550H4000.03	400
13452	550H4500.03	450
13456	550H5000.03	500
13455	550H5500.03	550
13458	550H6000.03	600
13457	550H6500.03	650


- TANDEM partial extension slide without damping when closing
- load capacity is reduced to about 20 kg when Tip-On is used
- synchronization for precise running is recommended for drawers wider than 600 mm
- attachment using front fasteners
- cutting of the linkage: LW – 277 mm
- for further information, see the Blum catalogue



ACCESSORIES

description	code	Blum code
Tandem front fitting, left	13469	T51.1700.04
Tandem front fitting, right	13470	T51.1700.04
Tip-On adapter for 3/4 slide	12228	T55.1150S
pinion for Tip-On	12226	T55.000R
linkage for shortening	12227	T55.889W
pinion set and linkage	293533	T55.1089ZR





Tandem full extension slide

For Tip-On

code	Blum code	slide length (mm)
13482	560H2500C	250
13487	560H2700C	270
13488	560H3000C	300
13489	560H3500C	350
13494	560H4000C	400
13492	560H4200C	420
13495	560H4500C	450
13496	560H5000C	500
13497	560H5500C	550
14352	560H6000C	600
170960	566H6500C	650
136588	566H7000C	700
132942	566H7500C	750






- TANDEM Plus full extension slide without damping when closing
- load capacity is reduced to about 20 kg when Tip-On is used
- synchronization for precise running is recommended for drawers wider than 600 mm
- attachment using front fasteners
- cutting of the linkage: LW – 277 mm
- for further information, see the Blum catalogue




ACCESSORIES

description	code	Blum code
Tandem front fitting, left	13469	T51.1700.04
Tandem front fitting, right	13470	T51.1700.04
Tip-On adapter for full extension slides	12229	T55.7150S
pinion for Tip-On	12226	T55.000R
linkage for shortening	12227	T55.889W
pinion set and linkage	293533	T55.1089ZR



❗ you can find the assembly manual on the Démos24Plus portal (www.demos-trade.com) or in the Blum catalogue (it is also always packed with the goods)



Metabox partial extension slide

height (mm)	length (mm)							
	270 mm, white		350 mm, white		400 mm, white		450 mm, white	
N" 56/78	13105	320N2700C15	13101	320N3500C15	13102	320N4000C15	13103	320N4500C15
"M" 86/110	13184	320M2700C15	13185	320M3500C15	13183	320M4000C15	13182	320M4500C15
"K" 117/142	×	×	13296	320K3500C15	13293	320K4000C15	13292	320K4500C15
"H" 150/174	×	×	13354	320H3500C15	13351	320H4000C15	13352	320H4500C15
external damping	14358	Z70.0320	14358	Z70.0320	14358	Z70.0320	14358	Z70.0320

height (mm)	450 mm, grey		500 mm, white		500 mm, grey		550 mm, white	
N" 56/78	×	×	13100	320N5000C15	13110	-	13104	320N5500C15
"M" 86/110	13195	320M4500C15	13180	320M5000C15	13196	320M5000C15	13181	320M5500C15
"K" 117/142	×	×	13291	320K5000C15	×	×	13290	320K5500C15
"H" 150/174	×	×	13353	320H5000C15	13358	×	13350	320H5500C15
external damping	14357	Z70.0320	14358	Z70.0320	14357	Z70.0320	14358	Z70.0320

- partial extension slide with raised side
- load capacity 25 kg
- adjustment in 2 directions
- creamy white (RAL9001) or grey (RAL9006)

- white or grey damping mechanism; latch always grey
- other colours available on request (minimum quantity must be ordered)
- for further information, see the Blum catalogue


Metabox full extension slide

height (mm)	length (mm)							
	270 mm, white		350 mm, white		400 mm, white		450 mm, white	
N" 56/78	13142	330N2700C15	13143	330N3500C15	×	330N4000C15	13151	330N4500C15
"M" 86/110	13260	330M2700C15	13261	330M3500C15	13259	330M4000C15	13258	330M4500C15
"K" 117/142	×	×	13324	330K3500C15	13325	330K4000C15	13326	330K4500C15
"H" 150/174	×	×	13385	330H3500C15	13386	330H4000C15	13387	330H4500C15

height (mm)	500 mm, grey		550 mm, white	
N" 56/78	13152	330N5000C15	13153	330N5500C15
"M" 86/110	13262	330M5000C15	13257	330M5500C15
"K" 117/142	13327	330K5000C15	13328	330K5500C15
"H" 150/174	13388	330H5000C15	13389	330H5500C15

- full extension slide with raised side
- load capacity 30 kg
- adjustment in 2 directions
- not possible to use a damping mechanism
- other colours available on request (quantity)
- for further information, see the Blum catalogue





Front attachment

mounting by	screw		Inserta screw		Expando		for pressing in	
front fastener	left	right	left	right	left	right	left	right
N	13112	13113	×	×	×	×	×	×
	ZSF.1510		×	×	×	×	×	×
M, K, H	13204	13205	13198	13199	13202	13203	13206	13207
	ZSF.1700		ZSF.1200		ZSF.130E		ZSF.1800	

Inner drawer

front fastener	left	right	Blum code
N	13428	13427	ZIF.3010
M	13434	13433	ZIF.3000
K	13430	13429	ZIF.3030
H	13432	13431	ZIF.3050


Front fastener cover cap for heights "M, K, H"

colour	code	Blum code
white	13209	ZAA.3500
grey	13212	

- for height "N", the cover cap is not produced
- can be printed with a logo, min. 1,000 pieces

Railing

colour	350 mm	400 mm	450 mm	500 mm	550 mm
white	13421	13422	13423	13424	13425
grey	×	×	×	13443	×
Blum code	ZRE.321S.ID	ZRE.371S.ID	ZRE.421S.ID	ZRE.471S.ID	ZRE.521S.ID



- ! you can find the assembly manual on the Démos24Plus portal (www.demos-trade.com) or in the Blum catalogue (it is also always packed with the goods)


Child safety latch

code	Blum code	description
13401	295.5500	safety latch




- suspension filing cabinet
- nominal length of 450 to 550 mm
- body width 275 to 600 mm


Metafile

code	Blum code	colour
12850	ZRM.5500	white
14293		grey



14357, 14358






SLIDES

standard




Standard full extension slide

code	Blum code	slide length (mm)	colour
13551	430E2500V	250	white
13553	430E3000V	300	white
13555	430E3500V	350	white
13557	430E4000V	400	white
13559	430E4500V	450	white
13561	430E5000V	500	white
13563	430E5500V	550	white
13565	430E6000V	600	white
13566	430E6500V	650	white
13567	430E7000V	700	white
13568	430E7500V	750	white
13569	430E8000V	800	white




Standard partial extension slide

code	Blum code	slide length (mm)	colour
13581	230M2500	250	white
13583	230M3000	300	white
13585	230M3500	350	white
13587	230M4000	400	white
13589	230M4500	450	white
13591	230M5000	500	white
13593	230M5500	550	white
13595	230M6000	600	white
13596	230M6500	650	white
13597	230E7000	700	white
13584	230E7500	750	white
13599	230E8000	800	white



Standard partial extension slide

code	Blum code	slide length (mm)	colour
13582	230M3000	300	brown
13586	230M3500	350	brown
13588	230M4000	400	brown
13590	230M4500	450	brown
13598	230M5000	500	brown
13592	230M5500	550	brown
13594	230M6000	600	brown



Digital tool for carpenters

Easy Assembly application – everything for mounting Blum products in your pocket, in a smartphone. Always up to date. Mounting plans, assembly videos. Virtual, interactive reality. Free for iOS and Android platforms.


Easy Assembly





Strong slides





StrongMax with narrow side 13 mm

StrongMax, height 89 mm	p.	2.76
StrongMax, height 121 mm	p.	2.77
StrongMax, height 185 mm	p.	2.78
StrongMax inner drawer solution	p.	2.79 - 2.80
StrongMax accessories	p.	2.81 - 2.82




StrongBox with double side

StrongBox, height 86 mm	p.	2.83 - 2.84
StrongBox, height 140 mm	p.	2.85 - 2.86
StrongBox, height 204 mm	p.	2.87 - 2.88
StrongBox inner drawer solution	p.	2.89 - 2.90
StrongBox accessories	p.	2.91 - 2.94



Hidden slides

StrongRide 3D synchro	p.	2.96
StrongRide 3D	p.	2.97
StrongRide 2D for handleless opening	p.	2.98
StrongRide 2D	p.	2.99
King Slide	p.	2.100



Ball bearing slides

with damping (45 kg)	p.	2.101 - 2.102
with damping and higher load capacity (75 kg)	p.	2.103
for handleless opening	p.	2.104
without damping	p.	2.105 - 2.106
mini slides and keyboard slides	p.	2.107



Roller bearing slides with a side

Strong	p.	2.109 - 2.110
FGV	p.	2.111




Roller bearing slides without a side

Strong	p.	2.108
FGV	p.	2.112




StrongMax full extension slides with a narrow double side



- dynamic load capacity up to 40 kg
- synchronised slides
- smooth and quiet running of the drawer
- high quality and long service life









N StrongMax, height 89 mm

length (mm)	grey	white
300	335008	334970
350	335009	334971
400	335010	334972
450	335011	334973
500	335013	334974
550	335014	334975

- load capacity 40 kg
- for wider drawers, we recommend using bottom supports (front, rear), p. 2.79
- drawer removal mechanism is integrated in the side
- adjustment of the drawer front horizontally and vertically
- adjustment of the drawer front inclination
- fittings for inner drawer and other accessories p. 2.79–2.80

The set includes:

sides – L + R, slide – L + R, back holder – L + R front holder – 2×, cover cap with Strong logo – 2×, screws for front fasteners



- NL = nominal length of the slide
- NL – 27 = inner depth of the drawer
- NL – 20 = bottom length
- NL + 8 = inner depth of the body
- LW = inner width of the body
- LW – 42 = rear panel width
- LW – 21 = bottom width

 cutlery trays on p. 9.77–9.78



SLIDES

StrongMax (121 mm)







N StrongMax, height 121 mm

length (mm)	grey	white
300	335016	334977
350	335017	334978
400	335018	334979
450	335019	334980
500	335021	334981
550	335022	334982

- load capacity 40 kg
- for wider drawers, we recommend using bottom supports (front, rear), p. 2.79
- drawer removal mechanism is integrated in the side
- adjustment of the drawer front horizontally and vertically
- adjustment of the drawer front inclination
- fittings for inner drawer and other accessories p. 2.79-2.80


The set includes:

sides - L + R, slide - L + R, back holder - L + R front holder - 2x, cover cap with Strong logo - 2x, screws for front fasteners



- NL = nominal length of the slide
- NL - 27 = inner depth of the drawer
- NL - 20 = bottom length
- NL + 8 = inner depth of the body
- LW = inner width of the body
- LW - 42 = rear panel width
- LW - 21 = bottom width

cutlery trays on p. 9.77-9.78







N StrongMax, height 185 mm

length (mm)	grey	white
300	335024	334984
350	335025	334985
400	335027	334986
450	335028	334987
500	335029	334988
550	335030	334989

- load capacity 40 kg
- for wider drawers, we recommend using bottom supports (front, rear), p. 2.79
- drawer removal mechanism is integrated in the side
- adjustment of the drawer front horizontally and vertically
- adjustment of the drawer front inclination
- fittings for inner drawer and other accessories p. 2.79–2.80

The set includes:

sides – L + R, slide – L + R, back holder – L + R front holder – 2×, cover cap with Strong logo – 2×, screws for front fasteners



- NL = nominal length of the slide
- NL – 27 = inner depth of the drawer
- NL – 20 = bottom length
- NL + 8 = inner depth of the body
- LW = inner width of the body
- LW – 42 = rear panel width
- LW – 21 = bottom width

cutlery trays on p. 9.77–9.78



SLIDES

StrongMax inner drawer



Blank cover cap with printing option

grey	white
363036	363034





Bottom supports

front	rear
362335	362336



- bottom support for wide drawers





Front profile holder


description	grey	white
H89	336109	336104
H121	336110	336105
H185	336111	336106



Front profile

description	grey	white
800 mm	336107	336112
1100 mm	336108	336113

- for cutting to size according to the body width
- profile length = inner width of the body – 87 mm
- profile height 100.5 mm




Handle profile

description	grey	white
800 mm	336115	336117
1100 mm	336114	336116

- for cutting to size according to the body width
- railing length for inner drawer with a height of 185 mm = inner width of the body – 55 mm
- profile dimensions 20 × 10 mm






① Railing set for raising a drawer

length (mm)	grey	white
300	359371	359377
350	359372	359378
400	359373	359379
450	359374	359380
500	359375	359381
550	359376	359382

- possibility to use at any height and for any quantity
- can be combined with all StrongMax heights
- front drawer mounting as with standard railings,
rear panel mounting with special fasteners
- profile dimensions 23 × 13 mm



② Profile for inner division

length (mm)	grey	white
800	359367	359368
1100	359822	359823


- for cutting to size according to the drawer dimensions
- length of cross divider profile = inner width of the body – 47 mm
- length of longitudinal divider profile = slide length (NL) – 40 mm
- profile dimensions 20 × 10 mm




③ Profile handle for inner division

code	description
359365	grey
359366	white

- for attaching cross divider to longitudinal railing
- inner division is not recommended to be used without railings





④ Cross connector of profiles for inner division

code	description
359830	grey
359829	white




⑤ Profile end cap for inner division

code	description
359827	grey
359828	white




⑥ Dividing panel


code	description
359369	grey
359370	white



⑦ Dividing profile

code	description
359824	grey
359825	white







StrongBox, height 86 mm

length NL (mm)	white	grey
270	179252	146752
300	179253	146753
350	179254	146754
400	179255	146755
450	179256	146756
500	179257	146757
550	179258	146758

- load capacity 35 kg
 - minimum inner height of the hole for the drawer installation is 105 mm
 - possibility to adjust the front horizontally and vertically
 - cutlery tray width is 60 mm smaller than the inner body width and 26 mm shorter than the nominal drawer length (at 50 mm cutlery tray height)
- 🔗 fittings for inner drawer – p. 2.92-2.93
inner division – p. 2.94



The set includes:

- side plates – L + R, slide – L + R, back holder – L + R
- front holder – 2×, cover cap with Strong logo – 2×
- screws for front holders – 4×




- NL = nominal length of the slide
- NL - 26 = inner depth of the drawer
- NL - 7 = bottom length
- NL + 10 = inner depth of the body
- LW = inner width of the body
- LW - 89 = rear panel width
- LW - 75 = bottom width





🔗 templates on p. 2.94, cutlery trays from p. 9.76, anti-slip underlays on p. 9.74-9.78




drilling holes for lengths 270 mm and 300 mm



drilling holes for lengths from 350 mm to 550 mm





SLIDES

StrongBox (140 mm)






StrongBox, height 140 mm

length NL (mm)	white	grey
270	179259	146759
300	179260	146760
350	179261	146761
400	179262	146762
450	179263	146763
500	179264	146764
550	179265	146765

- load capacity 35 kg
- minimum inner height of the hole for the drawer installation is 165 mm
- possibility to adjust the front horizontally and vertically
- fittings for inner drawer – p. 2.92-2.93
- inner division – p. 2.94








The set includes:


- side plates – L + R, slide – L + R, back holder – L + R
- front holder – 2×, cover cap with Strong logo – 2×
- screws for front holders – 4×



- NL = nominal length of the slide
- NL - 26 = inner depth of the drawer
- NL - 7 = bottom length
- NL + 10 = inner depth of the body
- LW = inner width of the body
- LW - 89 = rear panel width
- LW - 75 = bottom width

• templates on p. 2.92, cutlery trays from p. 9.76, anti-slip underlays on p. 9.74-9.78





SLIDES


StrongBox (204 mm)



StrongBox, height 204 mm, with one railing

length NL (mm)	white	grey
270	276473	276474
300	276475	276476
350	276477	276478
400	276480	276481
450	276482	276483
500	276484	276485
550	276486	276487

- horizontal, vertical and front inclination adjustment with railing
- minimum inner height of the hole for the drawer installation is 225 mm
- fittings for inner drawer – p. 2.91-2.93
- raised sides and inner division on p. 2.91-2.92




The set includes:

- side plates – L + R, slide – L + R, back holder – L + R
- front holder – 2×, top railing – 1 pair, cover cap with Strong logo – 2×,
- screws for front holders – 4×

StrongBox, height 204 mm, with two railings


length NL (mm)	white	grey
270	179266	146768
300	179267	146769
350	179268	146770
400	179269	146771
450	179270	146772
500	179271	146773
550	179273	146774

- the above notes apply










The set includes:

- side plates – L + R, slide – L + R, back holder – L + R
- front holder – 2×, top railing – 1 pair, centre railing – 1 pair, cover cap with Strong logo – 2×, front holder screws – 4×



- NL = nominal length of the slide
- NL - 26 = inner depth of the drawer
- NL - 7 = bottom length
- NL + 10 = inner depth of the body
- LW = inner width of the body
- LW - 89 = rear panel width
- LW - 75 = bottom width

templates on p. 2.94, cutlery trays from p. 9.76, anti-slip underlays on p. 9.74-9.78



! if one railing is used, only one hole is to be drilled




StrongBox accessories for inner drawer

Front profile holder

description	white	grey
H86	328812	179238
H140	328811	179239
H204 ¹⁾	328814	179240

¹⁾ the H204 fastener must be ordered together with railing, see p. 2.93, or a handle
for inner drawer, see below



Front profile, length 1,100 mm


white	grey
179235	179234


- for all side heights (86, 140, 204 mm)
- profile length = inner width of the body – 87 mm




Inner drawer handle for height H204

white	grey
328820	179241







H86 Front profile cutting = inner width of the body - 87 mm




H140 Front profile cutting = inner width of the body - 87 mm




H204 Front profile cutting = inner width of the body - 87 mm, Front railing cutting = inner width of the body - 71 mm





Raised sides, single


length (mm)	grey	white
270	146809	179283
300	146810	179284
350	146811	179285
400	146812	179286
450	146813	179287
500	146814	179288
550	146815	179289



- suitable for StrongBox accessories, height 204 mm, with one railing

Raised sides, double


length (mm)	grey	white
270	146790	179274
300	146791	179275
350	146792	179276
400	146793	179277
450	146794	179278
500	146795	179279
550	146796	179280



- suitable for StrongBox accessories, height 204 mm, with one railing


Raised sides, acrylic

length (mm)	acrylic side plate	acrylic side plate holder	
		grey	white
400	146819	179348	328813
450	146820	179348	328813
500	146821	179348	328813
550	146822	179348	328813



- for 270-350 mm lengths, acrylic side plates are not available






StrongBox inner drawer division

Cross divider 1,100 mm

code	description
179249	grey
179250	white


- for cutting to size according to the body width (profile length = inner width of the body – 100 mm)
- Profile height 111 mm, thickness 7 mm
- only in combination with a raised single or double side



Set of cross divider end pieces

code	description
179251	grey
328819	white

- for clicking-in on the cross divider
- only in combination with a raised single or double side




Dividing panel for cross divider

code	description
146807	grey
179281	white

- for better overview and organisation of high drawers
- mounting by clicking-in on the cross divider





Longitudinal railing sets

length (mm)	grey		white	
	top railing	centre railing	top railing	centre railing
270	283738	283752	283739	283753
300	283740	283754	283741	283755
350	283742	283756	283743	283757
400	283744	283758	283745	283759
450	283746	283760	283747	283761
500	283748	283762	283749	283763
550	283750	283764	283751	283765

- the set includes front fittings for both screw and dowel
- individual components of the set can also be ordered on our portal

Cross railing, length 1,100 mm

code	description
179244	grey
179245	white

- railing for cutting to size for inner division or for inner drawer with a height of 204 mm with a handle
- length of railing for inner division = inner width of the body – 60 mm
- railing length for inner drawer with a height of 204 mm = inner width of the body – 71 mm

T attachment for cross railing

code	description
179246	grey
328824	white

- for attaching cross railing to longitudinal railing

Railing cross connector

code	description
179247	grey
328822	white

Railing end cap



code	description
179248	grey
328818	white

Dividing panel for railing

code	description
221269	grey
328821	white

- for drawer with a height of 140 mm
- suspension on cross railing






Blank cover cap with printing option

code	description
363035	grey
363033	white

- cover cap printable upon request
- price list on request



Mounting template for front

code	description
179242	front marker

- to mark a mounting hole for the front mounting




Template for railings

code	description
179243	template for railing

- to measure the holes for railing attachment




StrongRide slides with synchronization



- higher load capacity (40 kg)
- smooth and quiet running
- side stability for wider drawers

StrongRide 3D hidden slides with synchronization



2

New
series
of hidden
slides

- synchronized central part of the slide
- higher load capacity (40 kg)
- smooth and quiet running
- better side stability for wider drawers








StrongRide hidden full extension slide with damping and synchronization

code	length NL (mm)
334991	300
334992	350
334993	400
334994	450
334995	500
334996	550



- material thickness of sides up to 19 mm
- drawer adjustment horizontally ± 2 mm, vertically 0 to +3 mm
- possibility of depth adjustment 0 to +3 mm



Drawer dimensions and drilling


NL = nominal length of the slide

NL - 10 = outer depth of the drawer

NL + 8 = min. recommended body depth

LW = inner width of the body

LW - 49 = inner width of the drawer



SLIDES






StrongRide 3D hidden slides



StrongRide hidden full extension slide with damping

code	length NL (mm)
238136	300
238140	350
238141	400
238142	450
238143	500
238144	550

- load capacity 30 kg
- material thickness of sides up to 19 mm
- drawer adjustment horizontally ± 2 mm, vertically 0 to +3 mm
- possibility of depth adjustment 0 to +3 mm




Drawer dimensions and drilling


NL = nominal slide length and also outer depth of the drawer

NL + 18 mm = recommended minimum body depth LW = inner width of the body

LW - 49 = inner width of the drawer



StrongRide 2D hidden slides for handleless opening







2

StrongRide hidden full extension slide for handleless opening


code	length NL (mm)
254290	300
247891	350
247892	400
247893	450
247894	500
247895	550

- load capacity 30 kg
- material thickness of sides up to 19 mm
- drawer adjustment horizontally ± 2 mm, vertically 0 to +3 mm



Drawer dimensions and drilling

NL = nominal slide length and also outer depth of the drawer
NL + 18 mm = recommended minimum body depth LW = inner width of the body
LW - 49 = inner width of the drawer





SLIDES





StrongRide 2D hidden slides



StrongRide hidden partial extension slide with damping

code	length NL (mm)
254774	300
254775	350
254776	400
254777	450
254778	500
254779	550

- load capacity 25 kg
- material thickness of sides up to 19 mm
- drawer adjustment horizontally ± 2 mm, vertically 0 to +3 mm





Drawer dimensions and drilling

NL = nominal slide length and also outer depth of the drawer

NL + 18 mm = recommended minimum body depth LW = inner width of the body

LW - 47 = inner width of the drawer









King Slide hidden slide with damping



code	length (mm)
134763	250
134764	300
134765	350
134766	400
134767	450
134768	500
134769	550
134770	600

- drawer sides thickness max. 16 mm, higher thickness requires milling
- load capacity up to 34 kg
- adjustable in three directions



Template for pre-drilling of drawer front and back

code	description
135334	PVC








**ball bearing full extension slides 45 kg
with damping**

- quiet and smooth running
- load capacity 45 kg according to the slide length and drawer width
- in dimensions of up to 400 mm – partial loss of the slide scope
- lifetime of more than 50.000 cycles




code	length of slide A (mm)	load capacity (kg)	B	C	D	E	F	G	H	I	J	K
92001T	300	20	238	×	×	×	×	156	119	×	×	×
92002T	350	25	305	×	×	×	×	200	128	×	×	×
92003T	400	30	378	96	×	×	×	256	128	208	×	×
92004T	450	35	430	128	×	×	×	294	128	256	×	×
92005T	500	40	482	96	64	×	×	344	128	304	×	×
92006T	550	45	533	96	64	192	×	394	128	224	352	×
92007T	600	35	584	128	96	192	×	444	128	224	352	×
92008T	700	35	685	128	96	192	64	544	128	224	352	496









Strong slide with mounting on the support

- quiet and smooth running
- load capacity 45 kg according to the slide length and drawer width
- in dimensions of up to 400 mm – partial loss of the slide scope
- lifetime of more than 50.000 cycles



code	length of slide A (mm)	load capacity (kg)	B	C	D	E	F	G	H	I	J	K
92011T	300	20	238	×	×	×	×	156	119	×	×	×
92012T	350	25	305	×	×	×	×	200	128	×	×	×
92013T	400	30	378	96	×	×	×	256	128	208	×	×
92014T	450	35	430	128	×	×	×	294	128	256	×	×
92015T	500	40	482	96	64	×	×	344	128	304	×	×
92016T	550	45	533	96	64	192	×	394	128	224	352	×
92017T	600	25	584	128	96	192	×	444	128	224	352	×
92018T	700	35	685	128	96	192	64	544	128	224	352	496






ball bearing full extension slides 75 kg with damping

Strong slide with mounting on the side


- side mounting
- quiet and smooth running
- load capacity 75 kg according to the slide length and drawer width
- lifetime of more than 50,000 cycles
- slide height 52 mm



code	load capacity (kg)	slide length (mm)	sliding length (mm)	C (mm)	D (mm)	E (mm)	F (mm)
92032T	70	510	453	128	144	256	×
92033T	65	560	502	160	176	224	320
92034T	60	610	552	192	176	224	352
92035T	60	660	604	192	208	224	416
92036T	55	710	651	240	240	224	416




ball bearing full extension slides 45 kg with push mechanism




2


Strong Kick slide – for handleless opening

- ball bearing full extension slide with push (handleless) mechanism
- load capacity up to 45 kg
- a gap of 3-4 mm is required to activate the PTO mechanism
- lifetime of more than 50,000 cycles
- high-quality push mechanism, reliable and long-term operation



code	slide length (mm)	minimum internal clearance (mm)	load capacity (kg)	slide length (mm)	B (mm)	C (mm)	D (mm)	E (mm)	H (mm)	I (mm)	J (mm)	K (mm)
132269	350	360	35	350	356	96	×	×	256	192	×	×
132270	400	410	40	400	406	128	×	×	294	224	×	×
132271	450	460	45	450	457	96	64	×	344	288	×	×
132272	500	510	45	500	508	96	64	192	394	224	352	×
132273	550	560	40	550	559	128	64	192	444	224	352	448
132274	600	610	40	600	610	128	96	192	494	224	352	480





ball bearing full extension slides without damping




Strong slide with mounting on the side

code	length (mm)
92000	250
92001	300
92002	350
92003	400
92004	450
92005	500
92006	550
92007	600
92008	650
92009	700
92010	800




- quiet and smooth running
- load capacity 45 kg according to the slide length and drawer width
- lifetime of more than 50,000 cycles

L	A	B	C	D	E	F	A'	B'	C'	L1 – sliding length (mm)	load capacity (kg)
250	35	×	×	×	×	160	35	×	160	250	15
300	35	64	224	×	×	×	35	96	192	300	20
350	35	64	224	×	×	×	35	128	256	350	25
400	35	64	224	288	×	×	35	128	320	400	30
450	35	64	224	352	×	×	35	160	352	450	35
500	35	64	224	352	416	×	35	192	416	500	40
550	35	64	224	352	416	×	35	224	448	550	45
600	35	64	224	352	480	×	35	224	512	600	35
650	35	64	224	352	512	×	35	256	544	650	35
700	35	64	224	352	480	608	35	288	608	700	35
800	35	64	224	352	480	672	35	256	704	800	30




ball bearing full extension slides without damping



2




Strong slide with mounting on the support


code	length (mm)
92011	300
92012	350
92013	400
92014	450
92015	500
92016	550
92017	600
92018	700
92019	800



- quiet and smooth running
- load capacity 45 kg according to the slide length and drawer width
- lifetime of more than 50,000 cycles

L	A	B	C	D	E	F	A'	B'	C'	L1 – sliding length (mm)	load capacity (kg)
250	35	×	×	×	×	160	35	×	160	250	15
300	35	64	224	×	×	×	35	96	192	300	20
350	35	64	224	×	×	×	35	128	256	350	25
400	35	64	224	288	×	×	35	128	320	400	30
450	35	64	224	352	×	×	35	160	352	450	35
500	35	64	224	352	416	×	35	192	416	500	40
550	35	64	224	352	416	×	35	224	448	550	45
600	35	64	224	352	480	×	35	256	512	600	35
650	35	64	224	352	480	×	35	256	544	650	35
700	35	64	224	352	480	608	35	288	608	700	35
800	35	64	224	352	480	672	35	352	704	800	30






Strong ball bearing partial extension slide


code	length (mm)	sliding (mm)	loss of length (mm)
92601	182	133	49
92602	214	141	73
92603	278	202	76
92604	342	213	129
92605	406	294	112
92606	438	342	96


- load capacity 10 kg / pair
- mounting in groove 17 mm, milled in the drawer
- slide secured in the groove with M4 screw



Strong ball bearing slide under the keyboard

code	description
92050	350 mm, load capacity 15 kg, black






Strong roller bearing partial extension slide


load capacity 25 kg

length (mm)	white	black	AV (mm)
250	91708	×	87
300	91701	91720	87
350	91702	91721	87
400	91703	91722	97
450	91704	91723	97
500	91705	91724	97
550	91706	91725	117
600	91707	91726	117



External damper

code	description
11330V	for roller bearing slides







Strong roller bearing slides with a side




height (mm)		54		86		118		150		railing	
		grey	white	grey	white	grey	white	grey	white	grey	white
length (mm)	270	×	×	286656	286646	×	×	286662	286623	×	×
	300	×	×	286657	286647	×	×	286663	286624	×	×
	350	×	×	286660	286648	×	×	286664	286625	×	×
	400	×	286676	286658	286649	×	286652	286665	286626	286668	286629
	450	286674	286672	286631	286638	×	286653	286633	286640	286635	286642
	500	286675	286673	286632	286639	×	286654	286634	286641	286636	286644
	550	×	×	286659	286650	×	286655	286666	286627	286669	286630
		×	×	286661	286651	×	×	286667	286628	286670	286671
external damper		11330M	11330M	11330M	11330M	×	11330M	11330M	11330M	×	×
cover caps		×	×	303899	303900	303899	303900	303899	303900	303899	303900




- railing mounting in the front using dowels $\varnothing$ 10 mm
- faster drawer assembly compared to using classic roller bearing slides


External damper

code	description
11330M	for metalboxes







H86




Bottom length = slide length - 2 mm



bottom width




bottom width




inner width of the body


H118




Bottom length = slide length - 2 mm



bottom width




bottom width




inner width of the body


H150




Bottom length = slide length - 2 mm




bottom width



bottom width



inner width of the body




FGV roller bearing slides with a side

height (mm)		53	85	117	150	railing ¹⁾
		white	white	white	white	white
length (mm)	270	93944	93950	93951	93955	×
	350	93945	93931	93952	93956	×
	400	93946	93932	93953	93957	93921
	450	93947	93933	93940	93942	93922
	500	93948	93934	93941	93943	93923
	550	93949	93935	93954	93958	93924

- drawer adjustment horizontally and vertically ± 1.5 mm
- load capacity 25 kg

¹⁾ it is necessary to buy fastener 93998 with the railing




External damper for roller bearing slide with a side

code	description
198919	white
198920	grey


- complete set including assembly manual
- easy mounting




code	description
93998	longitudinal railing fastener






! front and back mounting dimensions H53, H85, H117, H150






FGV roller bearing slides

length (mm)	white	black	AV (mm)
250	252225	×	87
300	91641	91651	87
350	91642	91652	87
400	91643	91653	97
450	91644	91654	97
500	91645	91655	97
550	91646	91656	117
600	91647	91657	117





SLIDES

InnoTech Atira drawer system with double sides



General technical parameters


Drawer system with double sides

material and finish	steel, powder white colour, anthracite, silver
number of sides	2 (54, 70 mm)
number of back heights	4 (57, 70, 144 and 176 mm)
number of heights of inner drawers	2 (70 and 144 mm)
nominal lengths	7 (260, 300, 350, 420, 470, 520 and 620 mm)
slide	Quadro V25, V6 and V6+
alignment of body sides thickness (16, 18 and 19 mm)	yes
load capacity of slides	10, 30 and 50 kg
Silent System integrated damping	yes
Push-to-Open mechanic system	yes
Push-to-Open Silent mechanic system	yes
Easys electronic opening system	yes

InnoTech Atira is an innovative drawer system with universal design and flexible use. Linear square contours with distinctive design stand out in furniture for kitchens and other interiors. Attractive colour designs and various deep drawer solutions for countless design variants: all based on one platform. A number of diverse organisers for efficient use of storage space. The unique drawer system InnoTech Atira highlights individual characteristics of the furniture. The drawer system runs on the proven robust Quadro slides.



ArciTech drawer system with double sides



2

Easy handling of heavy drawers – ArciTech makes this absolutely easy. Your space will have a modern design according to the latest trends. With ArciTech system, deep, wide and heavy drawers can be produced excellently. The stable Actro slide supports a load of up to 80 kg, while allowing for an incomparably lighter and softer motion of drawers. With ArciTech system, you will meet the highest demands for kitchen and living room furniture. As quiet as velvet. Strong. Flexible.

General technical parameters

Drawer system with double sides

material and finish	white, anthracite, silver, champagne, stainless steel
number of sides	3 (78, 94 and 126 mm)
number of back heights	7 (78, 94, 126, 186, 218, 250 and 282 mm)
number of heights of inner drawers	4 (94, 126, 186 and 218 mm)
nominal lengths	8 (270, 300, 350, 400, 450, 500, 550 and 650 mm)
slide	Actro
alignment of body sides thickness (16, 18 and 19 mm) thanks to slides	yes
load capacity of the full extension slide	10, 40, 60 and 80 kg
Silent System damping	yes
Push-to-Open mechanic opening system	no
Easys electromechanic opening system	yes
Push-to-Open Silent mechanic system	yes



With a unique functioning and synchronization, the Actro slide guides heavy drawers quietly and safely.



Load capacity from 10, 40 and 60 up to 80 kg – sufficient strength even for large and heavy drawers.



The variable platform concept provides a number of individual solutions – with slim and effective production using one drawer side system.



Excellent! ArciTech convinces with its design and quality. That is why the drawer system received IF product Design Award 2012 and LGA certificate of quality.



InnoTech Atira

drawer system with double sides

White – front

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.121)
- drawings for preparation of the body – see p. 2.134
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.129

Used abbreviations:

SiSy – Silent System (integrated damping)


P20s – Push-to-Open Silent (handleless opening with damping when closing)

P20 – Push-to-Open (handleless opening)

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
54	470	357689	x	x	357691	x	357690	x	
	260	357692	x	357717	357720	x	357704	x	
70	300	357693	357698	357718	357721	357726	357705	357711	
	350	357694	357699	357719	357722	357727	357706	357712	
	420	357695	357700	x	357723	357728	357707	357713	
	470	357696	357701	x	357724	357729	357709	357714	
	520	357697	357702	x	357725	357730	357710	357715	
	620	x	357703	x	x	357731	x	357716	
144	260	357732	x	357756	357759	x	357744	x	
	300	357733	357738	357757	357760	357765	357745	357750	
	350	357734	357739	357758	357761	357766	357746	357751	
	420	357735	357740	x	357762	357767	357747	357752	
	470	357736	357741	x	357763	357768	357748	357753	
	520	357737	357742	x	357764	357769	357749	357754	
176	620	x	357743	x	x	357770	x	357755	
	260	357771	x	357796	357799	x	357784	x	
	300	357772	357778	357797	357800	357806	357785	357790	
	350	357773	357779	357798	357801	357808	357786	357791	
	420	357774	357780	x	357802	357810	357787	357792	
	470	357775	357781	x	357803	357811	357788	357793	
	520	357777	357782	x	357805	357812	357789	357794	
	620	x	357783	x	x	357814	x	357795	

White – inner

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
70	260	357815	x	357839	357842	x	357827	x	
	300	357816	357821	357840	357843	357848	357828	357833	
	350	357817	357822	357841	357844	357849	357829	357834	
	420	357818	357823	x	357845	357850	357830	357835	
	470	357819	357824	x	357846	357851	357831	357836	
	520	357820	357825	x	357847	357852	357832	357837	
	620	x	357826	x	x	357853	x	357838	
144	260	x	x	x	x	x	x	x	
	300	x	x	x	x	x	x	x	
	350	357854	357858	357872	357873	357877	357863	357867	
	420	357855	357859	x	357874	357878	357864	357868	
	470	357856	357860	x	357875	357879	357865	357869	
	520	357857	357861	x	357876	357880	357866	357870	
	620	x	357862	x	x	357881	x	357871	




InnoTech Atira drawer system with double sides

2

possible extension							
reling		TopSide			DesignSide		
top	centre	metal	glass	adapter	side plates	front holder	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
360241	295227	294878	294855	294850	294976	187272	
360242	295228	294879	294856		294997		
360243	295229	294880	294857		294978		
360244	295230	294881	294858		294979		
360245	360264	294882	294859		294980		
360246	360265	294883	294860		294981		
360247	295233	294884	294861	294853	294982	187272	
360241	295227	294899	294862		294997		
360242	295228	294900	294864		294998		
360243	295229	294901	294865		294999		
360244	295230	294902	294867		295000		
360245	360264	294903	294868		295001		
360246	360265	294904	294869	294870	295002		
360247	295233	294905	294870		295003		



possible extension							
reling		TopSide			DesignSide		
top	centre	metal	glass	adapter	side plates	front holder	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	×	×	×	
×	×	×	×	294850	×	×	
×	×	×	×		×	×	
295234	×	295308	×		×	×	
295235	×	295309	×		×	×	
295236	×	295310	×		×	×	
295237	×	295311	×		×	×	
295238	×	295312	×	294870	×	×	



InnoTech Atira drawer system with double sides

Anthracite – front

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.121)
- drawings for preparation of the body – see p. 2.134
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.129

Used abbreviations:

SiSy – Silent System (integrated damping)


P20s – Push-to-Open Silent (handleless opening with damping when closing)

P20 – Push-to-Open (handleless opening)

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
54	470	357882	×	×	357884	×	357883	×	
	260	357885	×	357909	357912	×	357897	×	
70	300	357886	357891	357910	357913	357918	357898	357903	
	350	357887	357892	357911	357914	357919	357899	357904	
	420	357888	357893	×	357915	357920	357900	357905	
	470	357889	357894	×	357916	357921	357901	357906	
	520	357890	357895	×	357917	357922	357902	357907	
	620	×	357896	×	×	357923	×	357908	
144	260	357924	×	357950	357953	×	357937	×	
	300	357925	357930	357951	357954	357960	357938	357943	
	350	357926	357931	357952	357955	357961	357939	357945	
	420	357927	357932	×	357956	357962	357940	357946	
	470	357928	357933	×	357957	357963	357941	357947	
	520	357929	357934	×	357958	357964	357942	357948	
176	620	×	357936	×	×	357965	×	357949	
	260	357966	×	357991	357994	×	357979	×	
	300	357967	357972	357992	357995	358000	357980	357985	
	350	357968	357974	357993	357996	358001	357981	357986	
	420	357969	357975	×	357997	358002	357982	357987	
	470	357970	357976	×	357998	358003	357983	357988	
	520	357971	357977	×	357999	357004	357984	357989	
	620	×	357978	×	×	358005	×	357990	

Anthracite – inner

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
70	260	358006	×	358030	358033	×	358018	×	
	300	358007	358012	358031	358034	358039	358019	358024	
	350	358008	358013	358032	358035	358040	358020	358025	
	420	358009	358014	×	358036	358041	358021	358026	
	470	358010	358015	×	358037	358042	358022	358027	
	520	358011	358016	×	358038	358043	358023	358028	
	620	×	358017	×	×	358044	×	358029	
144	260	×	×	×	×	×	×	×	
	300	×	×	×	×	×	×	×	
	350	358045	358049	358063	358064	358068	358054	358058	
	420	358046	358050	×	358065	358069	358055	358059	
	470	358047	358051	×	358066	358070	358056	358060	
	520	358048	358052	×	358067	358071	358057	358061	
	620	×	358053	×	×	358072	×	358062	



InnoTech Atira drawer system with double sides

Silver – front

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.121)
- drawings for preparation of the body – see p. 2.134
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.129

Used abbreviations:

SiSy – Silent System (integrated damping)

P20s – Push-to-Open Silent (handleless opening with damping when closing)

P20 – Push-to-Open (handleless opening)

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
54	470	358073	×	×	358075	×	358074	×	
	260	358076	×	358100	358103	×	358088	×	
	300	358077	358082	358101	358104	358109	358089	358094	
	350	358078	358083	358102	358105	358110	358090	358095	
	420	358079	358084	×	358106	358111	358091	358096	
	470	358080	358085	×	358107	358112	358092	358097	
	520	358081	358086	×	358108	358113	358093	358098	
70	620	×	358087	×	×	358114	×	358099	
	260	358115	×	358139	358142	×	358127	×	
	300	358116	358121	358140	358143	358148	358128	358133	
	350	358117	358122	358141	358144	358149	358129	358134	
	420	358118	358123	×	358145	358150	358130	358135	
	470	358119	358124	×	358146	358151	358131	358136	
	520	358120	358125	×	358147	358152	358132	358137	
144	620	×	358126	×	×	358153	×	358138	
	260	358154	×	358179	358182	×	358166	×	
	300	358155	358160	358180	358183	358188	358167	358172	
	350	358156	358161	358181	358184	358189	358168	358173	
	420	358157	358162	×	358185	358190	358169	358174	
	470	358158	358163	×	358186	358191	358170	358176	
	520	358159	358164	×	358187	358192	358171	358177	
176	620	×	358165	×	×	358193	×	358178	

Silver – inner

total height	depth (mm)	load capacity							
		SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
70	260	358194	×	358218	358221	×	358206	×	
	300	358195	358200	358219	358222	358227	358207	358212	
	350	358196	358201	358220	358223	358228	358208	358213	
	420	358197	358202	×	358224	358229	358209	358214	
	470	358198	358203	×	358225	358230	358210	358215	
	520	358199	358204	×	358226	358231	358211	358216	
	620	×	358205	×	×	358232	×	358217	
144	260	×	×	×	×	×	×	×	
	300	×	×	×	×	×	×	×	
	350	358233	358237	358251	358252	358256	358242	358246	
	420	358234	358238	×	358253	358257	358243	358247	
	470	358235	358239	×	358254	358258	358244	358248	
	520	358236	358240	×	358255	358259	358245	358249	
	620	×	358241	×	×	358260	×	358250	



Fittings for inner drawers

Aluminium front profile holders

height (mm)	white	anthracite	silver
70	295276	295277	105554
144	295301	295302	288899



Aluminium front profile, length 2,000 mm, height 70 mm

white	anthracite	silver
294940	294941	288900



- formula for cutting of the inner drawer front: $LB - 2 \times EB - 57.5$

Cross railing for inner drawer front, height 144 mm or inner division, length 2,000 mm

white	anthracite	silver
294812	294813	289015



- formula for cutting of the inner drawer front: $LB - 2 \times EB - 90.5$
- formula for cutting of the inner division: $LB - 2 \times EB - 40.6$

Longitudinal railing for inner drawers

height (mm)	white	anthracite	silver
350	295234	295265	295203
420	295235	295266	295204
470	295236	295267	295205
520	295237	295268	295206
620	295238	295269	295207



Raised TopSide sides for inner drawers

height (mm)	white	anthracite	silver
350	295308	295313	295303
420	295309	295314	295304
470	295310	295315	295305
520	295311	295316	295306
620	295312	295317	295307
adapter	294850	294851	294849




Push-to-Open (P20) synchronization

code	description
318279	synchronization bar 2,000 mm
318281	synchronization coupling
318282	adapter – type A
318283	Adapter – type B
318284	double adapter – type A
318285	double adapter – type B




- synchronization is mounted rigidly on the back of the drawer
 - for drawers with Quadro slide, P20 mechanism and a width of more than 600 mm
 - maximum body width 2,000 mm
 - advantage for a sink cabinet (siphon!) and a unique solution
 - possible to use 2 drawers with one mutual front
 - using an adapter according to the type:
 - A for InnoTech on Quadro V6+ and for wooden drawers on Quadro V6 and Quadro V6+
 - B for InnoTech on Quadro V6
 - the double adapter is designed for 2 drawers with 1 front
- cutting dimensions on p. 2.180




Steel back

	white			anthracite			silver		
length (mm)	70	144	176	70	144	176	70	144	176
275	294660	294687	×	294673	294700	×	185438	185537	×
300	294661	294688	294713	294674	294701	294724	136410	185538	208683
350	294662	294689	294714	294675	294702	294725	185439	185539	208684
400	294663	294690	294715	294676	294703	294726	131149	160748	208812
450	294664	294691	294716	294677	294704	294727	136412	136415	208685
500	294665	294692	294717	294678	294705	294728	119283	119285	130298
550	294666	294693	294718	294679	294706	294729	185440	185540	208814
600	294667	294694	294719	294680	294707	294730	119284	119286	208686
700	294668	294695	295361	294681	294708	295362	181310	162350	209741
800	294669	294696	294720	294682	294709	294731	136413	119287	119290
900	294670	294697	294721	294683	294710	294732	146824	179047	146825
1000	294671	294698	294722	294685	294711	294733	136408	136414	187028
1200	294672	294699	294723	294686	294712	294734	144092	144091	187029



Take advantage of the ready TopSide and DesignSide raised sides offer made from Decoracryl tailored to your chosen Atira and ArciTech drawers.
Order via a simple ordering form in Sales support at www.demos-trade.com.
For further information, call the technical support help line.



SLIDES

InnoTech Atira white



Individual components

Inner height of the sides 54 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	slides ²⁾								back holders
	sides ¹⁾	SiSy 30 kg	SiSy 50 kg	P2Os 10 kg	P2Os 30 kg	P2Os 50 kg	P2O 30 kg	P2O 50 kg	
470	295208	130789 + 130790	×	×	352819 + 352820	×	208912 + 208913	×	295216

Inner height of the sides 70 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	slides ²⁾								
	sides ¹⁾	SiSy 30 kg	SiSy 50 kg	P2Os 10 kg	P2Os 30 kg	P2Os 50 kg	P2O 30 kg	P2O 50 kg	
260	295209	185713 + 185715	×	352800	352809	×	210459	×	
300	295210	185794 + 185795	186532	352803	352812	352872	210432	210449	
350	295211	185716 + 185717	107039	352804 + 352805	352815	352875	210433	210450	
420	295212	185718 + 185719	107123	×	352818	352878	210434	210451	
470	295213	130789 + 130790	294577 + 294578	×	352819 + 352820	352881	208912 + 208913	210452	
520	295214	131977 + 131978	294581 + 294582	×	352824	352884	210436	210394	
620	295215	×	294583 + 294584	×	×	352887	×	210395	

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ SiSy – Silent System (damping), P2Os – Push-to-Open Silent (handleless opening with damped closing), P2O – Push-to-Open (handleless opening)


• Fill the EB value in names above individual tables in the formula for calculation of bottom and back width.

🔧 fittings for inner drawers – p. 2.121

Extensions


	TopSide								
length (mm)	metal		glass		adapter		DesignSide including adapter		DesignSide front fastener
	144	176	144	176	144	176	144	176	
260	294878	294899	294855	294862	294850	294853	294976	294997	187272
300	294879	294900	294856	294864			294998	294998	
350	294880	294901	294873	294865			294999	294999	
420	294881	294902	294874	294867			295000	295000	
470	294882	294903	294859	294868			295001	295001	
520	294883	294904	294860	294869			295002	295002	
620	294884	294905	294877	294870			295003	295003	


🔧 drawings for preparation of the body – see p. 2.134



back holders			railing ³⁾	
70	144	176	top	centre
294825 + 294826	294829 + 294830	294833 + 294834	360241	295227
			360242	295228
			360243	295229
			360244	295230
			360245	360264
			360246	360265
			360247	295233

³⁾ ATTENTION! Railing for inner drawers is different! The centre one cannot be used at all.





Individual components

Inner height of the sides 54 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾							
		SiSy 30 kg	SiSy 50 kg	P2Os 10 kg	P2Os 30 kg	P2Os 50 kg	P2O 30 kg	P2O 50 kg	back holders
470	295239	130789 + 130790	×	×	352819 + 352820	×	208912 + 208913	×	295247

Inner height of the sides 70 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾							
		SiSy 30 kg	SiSy 50 kg	P2Os 10 kg	P2Os 30 kg	P2Os 50 kg	P2O 30 kg	P2O 50 kg	
260	295240	185713 + 185715	×	352800	352809	×	210459	×	
300	295241	185794 + 185795	186532	352803	352812	352872	210432	210449	
350	295242	185716 + 185717	107039	352804 + 352805	352815	352875	210433	210450	
420	295243	185718 + 185719	107123	×	352818	352878	210434	210451	
470	295244	130789 + 130790	294577 + 294578	×	352819 + 352820	352881	208912 + 208913	210452	
520	295245	131977 + 131978	294581 + 294582	×	352824	352884	210436	210394	
620	295246	×	294583 + 294584	×	×	352887	×	210395	

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ SiSy – Silent System (damping), P2Os – Push-to-Open Silent (handleless opening with damped closing), P2O – Push-to-Open (handleless opening)


• Fill the EB value in names above individual tables in the formula for calculation of bottom and back width.

 fittings for inner drawers – p. 2.121

Extensions


	TopSide								
length (mm)	metal		glass		adapter		DesignSide including adapter		DesignSide front fastener
	144	176	144	176	144	176	144	176	
260	294885	294906	294855	294862	294851	294854	294983	295004	187272
300	294886	294907	294856	294864			294984	295005	
350	294887	294908	294873	294865			294985	295006	
420	294888	294909	294874	294867			294986	295007	
470	294889	294910	294859	294868			294987	295008	
520	294890	294911	294860	294869			294988	295009	
620	294891	294912	294877	294870			294989	295010	

 drawings for preparation of the body – see p. 2.134



	back holders			railing ³⁾	
	70	144	176	top	centre
				360248	295258
				360249	295259
				360250	295260
294827 + 294828	294831 + 294832	294835 + 294836		360251	295261
				360252	360266
				360253	360267
				360254	295264

³⁾ ATTENTION! Railing for inner drawers is different! The centre one cannot be used at all.





Individual components

Inner height of the sides 54 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	slides ²⁾								
	sides ¹⁾	SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	back holders
470	288844	130789 + 130790	×	×	352819 + 352820	×	208912 + 208913	×	288845

Inner height of the sides 70 mm, slides EB 10.5 (for thickness of the sides of the body 18 mm)

length (mm)	slides ²⁾								
	sides ¹⁾	SiSy 30 kg	SiSy 50 kg	P20s 10 kg	P20s 30 kg	P20s 50 kg	P20 30 kg	P20 50 kg	
260	295184	185713 + 185715	×	352800	352809	×	210459	×	
300	288850	185794 + 185795	186532	352803	352812	352872	210432	210449	
350	288851	185716 + 185717	107039	352804 + 352805	352815	352875	210433	210450	
420	288852	185718 + 185719	107123	×	352818	352878	210434	210451	
470	288853	130789 + 130790	294577 + 294578	×	352819 + 352820	352881	208912 + 208913	210452	
520	288854	131977 + 131978	294581 + 294582	×	352824	352884	210436	210394	
620	295185	×	294583 + 294584	×	×	352887	×	210395	

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ SiSy – Silent System (damping), P20s – Push-to-Open Silent (handleless opening with damped closing), P20 – Push-to-Open (handleless opening)


• Fill the EB value in names above individual tables in the formula for calculation of bottom and back width.

 fittings for inner drawers – p. 2.121

Extensions


	TopSide								
length (mm)	metal		glass		adapter		DesignSide including adapter		DesignSide front fastener
	144	176	144	176	144	176	144	176	
260	294871	294892	294855	294862	294849	294852	294969	294990	187272
300	294872	294893	294856	294864			294970	294991	
350	294873	294894	294857	294865			294971	294992	
420	294874	294895	294858	294867			294972	294993	
470	294875	294896	294859	294868			294973	294994	
520	294876	294897	294860	294869			294974	294995	
620	294877	294898	294877	294870			294975	294996	


 drawings for preparation of the body – see p. 2.134



	back holders			railing ³⁾	
	70	144	176	top	centre
	106900 + 106902	106903 + 106904	106888 + 106889	295189	295196
				360256	295197
				360257	295198
				360258	295199
				360259	360268
				360260	360269
				295195	295202

³⁾ ATTENTION! Railing for inner drawers is different! The centre one cannot be used at all.





Push-to-Open Silent (P2Os) mechanism for handleless opening

P2Os mechanisms

code	code Hettich	slide length (mm)	slide load capacity (kg)	total weight (kg)	
352906	9240161	260-350	10	<10	
352907	9240162	260-520	30	8 - 20	
352908	9240163	260-520	30	10 - 30	
352909	9240164	300-620	50	20 - 50	

Synchronization linkage for shortening

code	code Hettich	description
318279	9236718	linkage 2,000 mm
318281	9221295	coupling for use on 2 drawers

Recommendation for drawers (front height up to approx. 150 mm)

length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
260											
300											
350											
420											
470											
520											
620											

Recommendations for high drawers (front height up to approx. 300 mm, light to medium load)¹⁾

length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
260											
300											
350											
420											
470											
520											
620											


Recommendations for high and heavy drawers (front height up to approx. 300 mm, high load, e.g. plates, etc.)¹⁾



length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
260											
300											
350											
420											
470											
520											
620											


Push-to-Open Silent weight range

<10	8 - 20	10 - 30	20 - 50
-----	--------	---------	---------

¹⁾ The recommendation applies to a standard use (i.e. the drawer front made of chipboard with th. of 18 mm, drawer loaded with usual contents). More detailed recommendations for non-standard dimensions and materials of whole drawer can be found in the online configurator.







Wholesale

Sides (packaging of 18 pieces)

length (mm)	white		anthracite		silver	
	left	right	left	right	left	right
260	294626	294627	294640	294641	294615	294617
300	294628	294629	294642	294643	294618	294619
350	294630	294631	294644	294645	294620	294621
420	294632	294633	294646	294647	294622	294623
470	294634	294635	294648	294649	288846	288847
520	294636	294637	294650	294651	288848	288849
620	294638	294639	294652	294653	294624	294625



EB 10.5 slides (for thickness of the sides of the body 19 mm)


length (mm)	Silent System (SiSy)						Push-to-Open Silent (P2Os)					
	10 kg		30 kg		50 kg		10 kg		30 kg		50 kg	
	left	right	left	right	left	right	left	right	left	right	left	right
260	x	x	185713	185715	x	x	352798	352799	352807	352808	x	x
300	x	x	185794	185795	294573	294574	352801	352802	352810	352811	352870	352871
350	x	x	185716	185717	294575	294576	352804	352805	352813	352814	352873	352874
420	x	x	185718	185719	294579	294580	x	x	352816	352817	352876	352877
470	x	x	130789	130790	294577	294578	x	x	352819	352820	352879	352880
520	x	x	131977	131978	294581	294582	x	x	352822	352823	352882	352883
620	x	x	x	x	294583	294584	x	x	x	x	352885	352886


Packaging of:

- V6 full extension slides, load capacity 30 kg – 20 pcs
- V6+ full extension slides, load capacity 50 kg – 16 pcs
- V6+ full extension slides, load capacity 50 kg, length 620 – 8 pcs

Cover caps

with Hettich logo			blank		
white	dark grey	grey	white	dark grey	grey
294841	294842	103718	294838	294839	294837





Front fasteners

code	description
103821	mounting by split dowel
106878	mounting by screws



Wooden back holders

height (mm)	white		anthracite		silver	
	left	right	left	right	left	right
70	294825	294826	294827	294828	106900	106902
144	294829	294830	294831	294832	106903	106904
176	294833	294834	294835	294836	106888	106889



Push-to-Open (P20)				
30 kg		50 kg		
left	right	right	left	
208902	208903	x	x	
208916	208917	294591	294592	
208914	208915	294589	294590	
208900	208901	294587	294588	
208912	208913	294585	294586	
208937	208938	294593	294594	
x	x	294595	294596	



Longitudinal railing

length (mm)	white		anthracite		silver		railing holder
	left	right	left	right	left	right	screw/dowel
260	294740	294739	294753	294754	295142	295143	119268 / 106881
300	294741	294742	294755	294756	288855	288856	
350	294743	294744	294757	294758	288857	288858	
420	294745	294746	294759	294760	288859	288860	
470	294747	294748	294761	294762	288861	288862	
520	294749	294750	294763	294764	288863	288864	
620	294751	294752	294765	294766	294737	294738	



 drawings for preparation of the body – see p. 2.134



SLIDES

InnoTech Atira accessories



Complete packed sets of InnoTech Atira

Packaging includes:

- 1 pair of side plates
- 1 pair of Quadro V6 slides
- 2 pcs of cover caps with Hettich logo
- 1 pair of back holders
- 1 pair of railing (high drawer)
- 2 pcs of front railing holders (high drawer)


code	length (mm)	height (mm)	colour	load capacity (kg)
348775	470	70	white	30
348776		144		
348777		70	anthracite	
348778		144		
348779		70	silver	
348780		144		

- the set is to be completed by front holders

Front fasteners


code	description
103821	mounting by split dowel
106878	mounting by screws






Drawings and tables for bottom and back cuttings

Front drawer, height 70 mm




description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	65,5	-

Inner drawer, height 70 mm




description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	65,5	-
E	LB - 2 × EB - 57,5	LB - 2 × EB - 57,5

Front drawer, height 70/144 mm




description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	144	-

Inner drawer, height 70/144 mm




description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	144	-
E	LB - 2 × EB - 57,5	LB - 2 × EB - 57,5
G	LB - 2 × EB - 90,5	LB - 2 × EB - 90,5

Front drawer, height 70/176 mm




description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	176	-

Front drawer, height 54 mm



description	wooden back	steel back
A	NL + 10	NL - 3
B	LB - 2 × EB - 51,5	LB - 2 × EB - 51,5
C	LB - 2 × EB - 63	-
D	53	-



White – front


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

total height (mm)	base side height	94 mm				126 mm				
	depth (mm)	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
94	270	354331	354332	x	x	x	x	x	x	
	300	354344	354345	x	x	x	x	x	x	
	350	354356	354357	x	x	x	x	x	x	
	400	x	354368	354378	x	x	x	x	x	
	450	x	354388	354398	x	x	x	x	x	
	500	x	354408	354418	354428	x	x	x	x	
	550	x	354438	354448	354458	x	x	x	x	
	650	x	354468	354478	354488	x	x	x	x	
126	270	x	x	x	x	354337	354339	x	x	
	300	x	x	x	x	354350	354351	x	x	
	350	x	x	x	x	354362	354363	x	x	
	400	x	x	x	x	x	354373	354383	x	
	450	x	x	x	x	x	354393	354403	x	
	500	x	x	x	x	x	354413	354423	354433	
	550	x	x	x	x	x	354443	354453	354463	
	650	x	x	x	x	x	354473	354483	354493	
186	270	x	354333	x	x	x	354340	x	x	
	300	x	354346	x	x	x	354352	x	x	
	350	x	354358	x	x	x	354364	x	x	
	400	x	354369	354379	x	x	354374	354384	x	
	450	x	354389	354399	x	x	354394	354404	x	
	500	x	354409	354419	354429	x	354414	354424	354434	
	550	x	354439	354449	354459	x	354444	354454	354464	
	650	x	354469	354479	354489	x	354474	354484	354494	
218	270	x	354334	x	x	x	354341	x	x	
	300	x	354347	x	x	x	354353	x	x	
	350	x	354359	x	x	x	354365	x	x	
	400	x	354370	354380	x	x	354375	354385	x	
	450	x	354390	354400	x	x	354395	354405	x	
	500	x	354410	354420	354430	x	354415	354425	354435	
	550	x	354440	354450	354460	x	354445	354455	354465	
	650	x	354470	354480	354490	x	354475	354485	354495	
250	270	x	354335	x	x	x	354342	x	x	
	300	x	354348	x	x	x	354354	x	x	
	350	x	354360	x	x	x	354366	x	x	
	400	x	354371	354381	x	x	354376	354386	x	
	450	x	354391	354401	x	x	354396	354406	x	
	500	x	354411	354421	354431	x	354416	354426	354436	
	550	x	354441	354451	354461	x	354446	354456	354466	
	650	x	354471	354481	354491	x	354476	354486	354496	
282	270	x	354336	x	x	x	354343	x	x	
	300	x	354349	x	x	x	354355	x	x	
	350	x	354361	x	x	x	354367	x	x	
	400	x	354372	354382	x	x	354377	354387	x	
	450	x	354392	354402	x	x	354397	354407	x	
	500	x	354412	354422	354432	x	354417	354427	354437	
	550	x	354442	354452	354462	x	354447	354457	354467	
	650	x	354472	354482	354492	x	354477	354487	354497	

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used (e.g. 94/186 = side height 94, back holder height 186).

	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	235126	x	x	226177	x	226171	x
	360208	x	x	226178	x		x
	360210	x	x	226179	x		x
	360211	226131	x	226180	x		x
	360212	226135	x	226181	x		x
	360213	226139	x	226182	x		x
	360214	226143	x	226183	x		x
	235038	226147	x	226184	x		x
	235126	x	x	226177	226185	226171	226175
	360208	x	x	226178	226186		
	360210	x	x	226179	226187		
	360211	226131	226151	226180	226188		
	360212	226135	226155	226181	226189		
	360213	226139	226159	226182	226190		
	360214	226143	226163	226183	226191		
	235038	226147	226167	226184	226255		
	235126	x	x	x	226185	x	226175
	360208	x	x	x	226186	x	
	360210	x	x	x	226187	x	
	360211	x	226151	x	226188	x	
	360212	x	226155	x	226189	x	
	360213	x	226159	x	226190	x	
	360214	x	226163	x	226191	x	
	235038	x	226167	x	226255	x	
	235126	x	x		x	x	x
	360208	x	x	x	x	x	x
	360210	x	x	x	x	x	x
	360211	x	x	x	x	x	x
	360212	x	x	x	x	x	x
	360213	x	x	x	x	x	x
	360214	x	x	x	x	x	x
	235038	x	x	x	x	x	x






White – inner

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

		base side height				94 mm				126 mm			
total height (mm)	depth (mm)												
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
94	270	354498	354499	x	x	x	x	x	x	x	x	x	x
	300	354506	354507	x	x	x	x	x	x	x	x	x	x
	350	354514	354515	x	x	x	x	x	x	x	x	x	x
	400	x	354522	354528	x	x	x	x	x	x	x	x	x
	450	x	354534	354540	x	x	x	x	x	x	x	x	x
	500	x	354546	354552	354558	x	x	x	x	x	x	x	x
	550	x	354564	354570	354576	x	x	x	x	x	x	x	x
	650	x	354582	354588	354594	x	x	x	x	x	x	x	x
126	270	x	x	x	x	354502	354503	x	x	x	x	x	x
	300	x	x	x	x	354510	354511	x	x	x	x	x	x
	350	x	x	x	x	354518	354519	x	x	x	x	x	x
	400	x	x	x	x	x	354525	354531	x	x	x	x	x
	450	x	x	x	x	x	354537	354543	x	x	x	x	x
	500	x	x	x	x	x	354549	354555	354561	x	x	x	x
	550	x	x	x	x	x	354567	354573	354579	x	x	x	x
	650	x	x	x	x	x	354585	354591	354597	x	x	x	x
186	270	x	354500	x	x	x	354504	x	x	x	x	x	x
	300	x	354508	x	x	x	354512	x	x	x	x	x	x
	350	x	354516	x	x	x	354520	x	x	x	x	x	x
	400	x	354523	354529	x	x	354526	354532	x	x	x	x	x
	450	x	354535	354541	x	x	354538	354544	x	x	x	x	x
	500	x	354547	354553	354559	x	354550	354556	354562	x	x	x	x
	550	x	354565	354571	354577	x	354568	354574	354580	x	x	x	x
	650	x	354583	354589	354595	x	354586	354592	354598	x	x	x	x
218	270	x	354501	x	x	x	354505	x	x	x	x	x	x
	300	x	354509	x	x	x	354513	x	x	x	x	x	x
	350	x	354517	x	x	x	354521	x	x	x	x	x	x
	400	x	354524	354530	x	x	354527	354533	x	x	x	x	x
	450	x	354536	354542	x	x	354539	354545	x	x	x	x	x
	500	x	354548	354554	354560	x	354551	354557	354563	x	x	x	x
	550	x	354566	354572	354578	x	354569	354575	354581	x	x	x	x
	650	x	354584	354590	354596	x	354587	354593	354599	x	x	x	x

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used (e.g. 94/186 = side height 94, back holder height 186).



	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	235126	x	x	226177	x	226171	x
	360208	x	x	226178	x		x
	360210	x	x	226179	x		x
	360211	226131	x	226180	x		x
	360212	226135	x	226181	x		x
	360213	226139	x	226182	x		x
	360214	226143	x	226183	x		x
	235038	226147	x	226184	x		x
	235126	x	x	226177	226185	226171	226175
	360208	x	x	226178	226186		
	360210	x	x	226179	226187		
	360211	226131	226151	226180	226188		
	360212	226135	226155	226181	226189		
	360213	226139	226159	226182	226190		
	360214	226143	226163	226183	226191		
	235038	226147	226167	226184	226255		




Anthracite – front

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

total height (mm)	base side height		94 mm				126 mm			
	depth (mm)	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
94	270	354611	354612	x	x	x	x	x	x	
	300	354623	354624	x	x	x	x	x	x	
	350	354635	354636	x	x	x	x	x	x	
	400	x	354648	354658	x	x	x	x	x	
	450	x	354668	354678	x	x	x	x	x	
	500	x	354688	354698	354708	x	x	x	x	
	550	x	354718	354728	354738	x	x	x	x	
	650	x	354748	354758	354768	x	x	x	x	
126	270	x	x	x	x	354617	354618	x	x	
	300	x	x	x	x	354629	354630	x	x	
	350	x	x	x	x	354642	354643	x	x	
	400	x	x	x	x	x	354653	354663	x	
	450	x	x	x	x	x	354673	354683	x	
	500	x	x	x	x	x	354693	354703	354713	
	550	x	x	x	x	x	354723	354733	354743	
	650	x	x	x	x	x	354753	354763	354773	
186	270	x	354613	x	x	x	354619	x	x	
	300	x	354625	x	x	x	354631	x	x	
	350	x	354637	x	x	x	354644	x	x	
	400	x	354649	354659	x	x	354654	354664	x	
	450	x	354669	354679	x	x	354674	354684	x	
	500	x	354689	354699	354709	x	354694	354704	354714	
	550	x	354718	354729	354739	x	354724	354734	354744	
	650	x	354749	354759	354769	x	354754	354764	354774	
218	270	x	354614	x	x	x	354620	x	x	
	300	x	354626	x	x	x	354632	x	x	
	350	x	354639	x	x	x	354645	x	x	
	400	x	354650	354660	x	x	354655	354665	x	
	450	x	354670	354680	x	x	354675	354685	x	
	500	x	354690	354700	354710	x	354695	354705	354715	
	550	x	354719	354730	354740	x	354725	354735	354745	
	650	x	354750	354760	354770	x	354755	354765	354775	
250	270	x	354615	x	x	x	354621	x	x	
	300	x	354627	x	x	x	354633	x	x	
	350	x	354640	x	x	x	354646	x	x	
	400	x	354651	354661	x	x	354656	354666	x	
	450	x	354671	354681	x	x	354676	354686	x	
	500	x	354691	354701	354711	x	354696	354706	354716	
	550	x	354720	354731	354741	x	354726	354736	354746	
	650	x	354751	354761	354771	x	354756	354766	354776	
282	270	x	354615	x	x	x	354622	x	x	
	300	x	354628	x	x	x	354634	x	x	
	350	x	354641	x	x	x	354647	x	x	
	400	x	354652	354662	x	x	354657	354667	x	
	450	x	354672	354682	x	x	354677	354687	x	
	500	x	354692	354702	354712	x	354697	354707	354717	
	550	x	354721	354732	354742	x	354727	354737	354747	
	650	x	354752	354762	354772	x	354757	354767	354777	

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used (e.g. 94/186 = side height 94, back holder height 186).

[illegible]




Anthracite – inner


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

		base side height				94 mm				126 mm			
total height (mm)	depth (mm)												
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
94	270	354778	354779	x	x	x	x	x	x	x	x	x	x
	300	354786	354787	x	x	x	x	x	x	x	x	x	x
	350	354794	354795	x	x	x	x	x	x	x	x	x	x
	400	x	354802	354808	x	x	x	x	x	x	x	x	x
	450	x	354814	354820	x	x	x	x	x	x	x	x	x
	500	x	354826	354832	354838	x	x	x	x	x	x	x	x
	550	x	354844	354850	354856	x	x	x	x	x	x	x	x
	650	x	354863	354869	354876	x	x	x	x	x	x	x	x
126	270	x	x	x	x	354782	354783	x	x	x	x	x	x
	300	x	x	x	x	354790	354791	x	x	x	x	x	x
	350	x	x	x	x	354798	354799	x	x	x	x	x	x
	400	x	x	x	x	x	354805	354811	x	x	x	x	x
	450	x	x	x	x	x	354817	354823	x	x	x	x	x
	500	x	x	x	x	x	354829	354835	354841	x	x	x	x
	550	x	x	x	x	x	354847	354853	354860	x	x	x	x
	650	x	x	x	x	x	354866	354872	354879	x	x	x	x
186	270	x	354780	x	x	x	354784	x	x	x	x	x	x
	300	x	354788	x	x	x	354792	x	x	x	x	x	x
	350	x	354796	x	x	x	354800	x	x	x	x	x	x
	400	x	354803	354809	x	x	354806	354812	x	x	x	x	x
	450	x	354815	354821	x	x	354818	354824	x	x	x	x	x
	500	x	354827	354833	354839	x	354830	354836	354842	x	x	x	x
	550	x	354845	354851	354857	x	354848	354854	354861	x	x	x	x
	650	x	354864	354870	354877	x	354867	354873	354880	x	x	x	x
218	270	x	354781	x	x	x	354785	x	x	x	x	x	x
	300	x	354789	x	x	x	354793	x	x	x	x	x	x
	350	x	354797	x	x	x	354801	x	x	x	x	x	x
	400	x	354804	354810	x	x	354807	354813	x	x	x	x	x
	450	x	354816	354822	x	x	354819	354825	x	x	x	x	x
	500	x	354828	354834	354840	x	354831	354837	354843	x	x	x	x
	550	x	354846	354852	354858	x	354849	354855	354862	x	x	x	x
	650	x	354865	354871	354878	x	354868	354874	354881	x	x	x	x

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.



	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	×	×	×	×	×	×	×
	235016	×	×	226177	×	226170	×
	235019	×	×	226178	×		×
	235022	×	×	226179	×		×
	235025	226130	×	226180	×		×
	360220	226134	×	226181	×		×
	360222	226138	×	226182	×		×
	235034	226142	×	226183	×		×
	235037	226146	×	226184	×		×
	235016	×	×	226177	226185	226170	226174
	235019	×	×	226178	226186		
	235022	×	×	226179	226187		
	235025	226130	226150	226180	226188		
	360220	226134	226154	226181	226189		
	360222	226138	226158	226182	226190		
	235034	226142	226162	226183	226191		
	235037	226146	226166	226184	226255		



Silver – front

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

total height (mm)	base side height	94 mm				126 mm				
	depth (mm)	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
94	270	354893	354894	x	x	x	x	x	x	
	300	354905	354906	x	x	x	x	x	x	
	350	354917	354918	x	x	x	x	x	x	
	400	x	354929	354939	x	x	x	x	x	
	450	x	354949	354959	x	x	x	x	x	
	500	x	354969	354979	354989	x	x	x	x	
	550	x	354999	355009	355019	x	x	x	x	
	650	x	355029	355040	355050	x	x	x	x	
126	270	x	x	x	x	354899	354900	x	x	
	300	x	x	x	x	354911	354912	x	x	
	350	x	x	x	x	354923	354924	x	x	
	400	x	x	x	x	x	354934	354944	x	
	450	x	x	x	x	x	354954	354964	x	
	500	x	x	x	x	x	354974	354984	354994	
	550	x	x	x	x	x	355004	355014	355024	
	650	x	x	x	x	x	355035	355045	355055	
186	270	x	354895	x	x	x	354901	x	x	
	300	x	354907	x	x	x	354913	x	x	
	350	x	354919	x	x	x	354925	x	x	
	400	x	354930	354940	x	x	354935	354945	x	
	450	x	354950	354960	x	x	354955	354965	x	
	500	x	354970	354980	354990	x	354975	354985	354995	
	550	x	355000	355010	355020	x	355005	355015	355025	
	650	x	355031	355041	355051	x	355036	355046	355056	
218	270	x	354896	x	x	x	354902	x	x	
	300	x	354908	x	x	x	354914	x	x	
	350	x	354920	x	x	x	354926	x	x	
	400	x	354931	354941	x	x	354936	354946	x	
	450	x	354951	354961	x	x	354956	354966	x	
	500	x	354971	354981	354991	x	354976	354986	354996	
	550	x	355001	355011	355021	x	355006	355016	355026	
	650	x	355032	355042	355052	x	355037	355047	355057	
250	270	x	354897	x	x	x	354903	x	x	
	300	x	354909	x	x	x	354915	x	x	
	350	x	354921	x	x	x	354927	x	x	
	400	x	354932	354942	x	x	354937	354947	x	
	450	x	354952	354962	x	x	354957	354967	x	
	500	x	354972	354982	354992	x	354977	354987	354997	
	550	x	355002	355012	355022	x	355007	355017	355027	
	650	x	355033	355043	355053	x	355038	355048	355058	
282	270	x	354898	x	x	x	354904	x	x	
	300	x	354910	x	x	x	354916	x	x	
	350	x	354922	x	x	x	354928	x	x	
	400	x	354933	354943	x	x	354938	354948	x	
	450	x	354953	354963	x	x	354958	354968	x	
	500	x	354973	354983	354993	x	354978	354988	354998	
	550	x	355003	355013	355023	x	355008	355018	355028	
	650	x	355034	355044	355054	x	355039	355049	355059	

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.

[illegible]




Silver – inner


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

base side height		94 mm				126 mm				
total height (mm)	depth (mm)	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
94	270	355060	355061	x	x	x	x	x	x	
	300	355068	355069	x	x	x	x	x	x	
	350	355076	355077	x	x	x	x	x	x	
	400	x	355084	355090	x	x	x	x	x	
	450	x	355096	355102	x	x	x	x	x	
	500	x	355108	355114	355120	x	x	x	x	
	550	x	355126	355132	355138	x	x	x	x	
	650	x	355144	355150	355156	x	x	x	x	
126	270	x	x	x	x	355064	355065	x	x	
	300	x	x	x	x	355072	355073	x	x	
	350	x	x	x	x	355080	355081	x	x	
	400	x	x	x	x	x	355087	355093	x	
	450	x	x	x	x	x	355099	355105	x	
	500	x	x	x	x	x	355111	355117	355123	
	550	x	x	x	x	x	355129	355135	355141	
	650	x	x	x	x	x	355147	355153	355159	
186	270	x	355062	x	x	x	355066	x	x	
	300	x	355070	x	x	x	355074	x	x	
	350	x	355078	x	x	x	355082	x	x	
	400	x	355085	355091	x	x	355088	355094	x	
	450	x	355097	355103	x	x	355100	355106	x	
	500	x	355109	355115	355121	x	355112	355118	355124	
	550	x	355127	355133	355139	x	355130	355136	355142	
	650	x	355145	355151	355157	x	355148	355154	355160	
218	270	x	355063	x	x	x	355067	x	x	
	300	x	355071	x	x	x	355075	x	x	
	350	x	355079	x	x	x	355083	x	x	
	400	x	355086	355092	x	x	355089	355095	x	
	450	x	355098	355104	x	x	355101	355107	x	
	500	x	355110	355116	355122	x	355113	355119	355125	
	550	x	355128	355134	355140	x	355131	355137	355143	
	650	x	355146	355152	355158	x	355149	355155	355161	

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.



	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	235018	x	x	226177	x	226169	x
	360226	x	x	226178	x		x
	360227	x	x	226179	x		x
	360228	226129	x	226180	x		x
	360229	226133	x	226181	x		x
	360230	226137	x	226182	x		x
	360231	226141	x	226183	x		x
	235040	226145	x	226184	x		x
	235018	x	x	226177	226185	226169	226173
	360226	x	x	226178	226186		
	360227	x	x	226179	226187		
	360228	226129	226149	226180	226188		
	360229	226133	226153	226181	226189		
	360230	226137	226157	226182	226190		
	360231	226141	226161	226183	226191		
	235040	226145	226165	226184	226255		



Champagne – front


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

		base side height				94 mm				126 mm			
total height (mm)	depth (mm)												
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
94	270	355173	355174	x	x	x	x	x	x	x	x	x	x
	300	355185	355186	x	x	x	x	x	x	x	x	x	x
	350	355197	355198	x	x	x	x	x	x	x	x	x	x
	400	x	355209	355219	x	x	x	x	x	x	x	x	x
	450	x	355229	355239	x	x	x	x	x	x	x	x	x
	500	x	355249	355259	355269	x	x	x	x	x	x	x	x
	550	x	355279	355290	355300	x	x	x	x	x	x	x	x
	650	x	355310	355320	355330	x	x	x	x	x	x	x	x
126	270	x	x	x	x	355179	355180	x	x	x	x	x	x
	300	x	x	x	x	355191	355192	x	x	x	x	x	x
	350	x	x	x	x	355203	355204	x	x	x	x	x	x
	400	x	x	x	x	x	355214	355224	x	x	x	x	x
	450	x	x	x	x	x	355234	355244	x	x	x	x	x
	500	x	x	x	x	x	355254	355264	355274	x	x	x	x
	550	x	x	x	x	x	355285	355295	355305	x	x	x	x
	650	x	x	x	x	x	355315	355325	355335	x	x	x	x
186	270	x	355175	x	x	x	355181	x	x	x	x	x	x
	300	x	355187	x	x	x	355193	x	x	x	x	x	x
	350	x	355199	x	x	x	355205	x	x	x	x	x	x
	400	x	355210	355220	x	x	355215	355225	x	x	x	x	x
	450	x	355230	355240	x	x	355235	355245	x	x	x	x	x
	500	x	355250	355260	355270	x	355255	355265	355275	x	x	x	x
	550	x	355280	355291	355301	x	355286	355296	355306	x	x	x	x
	650	x	355311	355321	355331	x	355316	355326	355336	x	x	x	x
218	270	x	355176	x	x	x	355182	x	x	x	x	x	x
	300	x	355188	x	x	x	355194	x	x	x	x	x	x
	350	x	355200	x	x	x	355206	x	x	x	x	x	x
	400	x	355211	355221	x	x	355216	355226	x	x	x	x	x
	450	x	355231	355241	x	x	355236	355246	x	x	x	x	x
	500	x	355251	355261	355271	x	355256	355266	355276	x	x	x	x
	550	x	355281	355292	355302	x	355287	355297	355307	x	x	x	x
	650	x	355312	355322	355332	x	355317	355327	355337	x	x	x	x
250	270	x	355177	x	x	x	355183	x	x	x	x	x	x
	300	x	355189	x	x	x	355195	x	x	x	x	x	x
	350	x	355201	x	x	x	355207	x	x	x	x	x	x
	400	x	355212	355222	x	x	355217	355227	x	x	x	x	x
	450	x	355232	355242	x	x	355237	355247	x	x	x	x	x
	500	x	355252	355262	355272	x	355257	355267	355277	x	x	x	x
	550	x	355282	355293	355303	x	355288	355298	355308	x	x	x	x
	650	x	355313	355323	355333	x	355318	355328	355338	x	x	x	x
282	270	x	355178	x	x	x	355184	x	x	x	x	x	x
	300	x	355190	x	x	x	355196	x	x	x	x	x	x
	350	x	355202	x	x	x	355208	x	x	x	x	x	x
	400	x	355213	355223	x	x	355218	355228	x	x	x	x	x
	450	x	355233	355243	x	x	355238	355248	x	x	x	x	x
	500	x	355253	355263	355273	x	355258	355268	355278	x	x	x	x
	550	x	355283	355294	355304	x	355289	355299	355309	x	x	x	x
	650	x	355314	355324	355334	x	355319	355329	355339	x	x	x	x

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.

	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	300855	x	x	226177	x	300935	x
	300856	x	x	226178	x		x
	300857	x	x	226179	x		x
	300858	300936	x	226180	x		x
	300859	300963	x	226181	x		x
	360238	300937	x	226182	x		x
	300861	300964	x	226183	x		x
	300862	300938	x	226184	x		
	300855	x	x	226177	226185	300935	300948
	300856	x	x	226178	226186		
	300857	x	x	226179	226187		
	300858	300936	300965	226180	226188		
	300859	300963	300958	226181	226189		
	360238	300937	300957	226182	226190		
	300861	300964	300966	226183	226191		
	300862	300938	300967	226184	226255		
	300855	x	x	x	226185	x	300948
	300856	x	x	x	226186	x	
	300857	x	x	x	226187	x	
	300858	x	300965	x	226188	x	
	300859	x	300958	x	226189	x	
	360238	x	300957	x	226190	x	
	300861	x	300966	x	226191	x	
	300862	x	300967	x	226255	x	
	300855	x	x	x	x	x	x
	300856	x	x	x	x	x	x
	300857	x	x	x	x	x	x
	300858	x	x	x	x	x	x
	300859	x	x	x	x	x	x
	360238	x	x	x	x	x	x
	300861	x	x	x	x	x	x
	300862	x	x	x	x	x	x






Champagne – inner

- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

base side height		94 mm				126 mm				
total height (mm)	depth (mm)	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
94	270	355340	355341	x	x	x	x	x	x	
	300	355348	355349	x	x	x	x	x	x	
	350	355356	355357	x	x	x	x	x	x	
	400	x	355364	355370	x	x	x	x	x	
	450	x	355376	355382	x	x	x	x	x	
	500	x	355388	355394	355400	x	x	x	x	
	550	x	355406	355412	355418	x	x	x	x	
	650	x	355424	355430	355436	x	x	x	x	
126	270	x	x	x	x	355344	355345	x	x	
	300	x	x	x	x	355352	355353	x	x	
	350	x	x	x	x	355360	355361	x	x	
	400	x	x	x	x	x	355367	355373	x	
	450	x	x	x	x	x	355379	355385	x	
	500	x	x	x	x	x	355391	355397	355403	
	550	x	x	x	x	x	355409	355415	355421	
	650	x	x	x	x	x	355427	355433	355439	
186	270	x	355342	x	x	x	355346	x	x	
	300	x	355350	x	x	x	355354	x	x	
	350	x	355358	x	x	x	355362	x	x	
	400	x	355365	355371	x	x	355368	355374	x	
	450	x	355377	355383	x	x	355380	355386	x	
	500	x	355389	355395	355401	x	355392	355398	355404	
	550	x	355407	355413	355419	x	355410	355416	355422	
	650	x	355425	355431	355437	x	355428	355434	355440	
218	270	x	355343	x	x	x	355347	x	x	
	300	x	355351	x	x	x	355355	x	x	
	350	x	355359	x	x	x	355363	x	x	
	400	x	355366	355372	x	x	355369	355375	x	
	450	x	355378	355384	x	x	355381	355387	x	
	500	x	355390	355396	355402	x	355393	355399	355405	
	550	x	355408	355414	355420	x	355411	355417	355423	
	650	x	355426	355432	355438	x	355429	355435	355441	

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.



	possible extension ¹⁾						
		TopSide		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	x	x	x	x	x	x	x
	300855	x	x	226177	x	300935	x
	300856	x	x	226178	x		x
	300857	x	x	226179	x		x
	300858	300936	x	226180	x		x
	300859	300963	x	226181	x		x
	360238	300937	x	226182	x		x
	300861	300964	x	226183	x		x
	300862	300938	x	226184	x	x	
	300855	x	x	226177	226185	300935	300948
	300856	x	x	226178	226186		
	300857	x	x	226179	226187		
	300858	300936	300965	226180	226188		
	300859	300963	300958	226181	226189		
	360238	300937	300957	226182	226190		
	300861	300964	300966	226183	226191		
	300862	300938	300967	226184	226255		



Stainless steel – front


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

total height (mm)	base side height		94 mm				126 mm			
	load capacity									
	depth (mm)		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
94	270		355503	355454	x	x	x	x	x	x
	300		355465	355466	x	x	x	x	x	x
	350		355477	355478	x	x	x	x	x	x
	400	x		355489	355499	x	x	x	x	x
	450	x		355509	355519	x	x	x	x	x
	500	x		355529	355539	355549	x	x	x	x
	550	x		355559	355569	355579	x	x	x	x
	650	x		355589	355599	355609	x	x	x	x
126	270	x	x	x	x	x	x	x	x	x
	300	x	x	x	x	x	x	x	x	x
	350	x	x	x	x	x	x	x	x	x
	400	x	x	x	x	x	355494	355504	x	
	450	x	x	x	x	x	355514	355524	x	
	500	x	x	x	x	x	355534	355544	355554	
	550	x	x	x	x	x	355564	355574	355584	
	650	x	x	x	x	x	355594	355604	355614	
186	270	x		355455	x	x	x	x	x	
	300	x		355467	x	x	x	x	x	
	350	x		355479	x	x	x	x	x	
	400	x		355490	355500	x	x	355495	355505	x
	450	x		355510	355520	x	x	355515	355525	x
	500	x		355530	355540	355550	x	355535	355545	355555
	550	x		355560	355570	355580	x	355565	355575	355585
	650	x		355590	355600	355610	x	355595	355605	355615
218	270	x		355456	x	x	x	x	x	
	300	x		355468	x	x	x	x	x	
	350	x		355480	x	x	x	x	x	
	400	x		355491	355501	x	x	355496	355506	x
	450	x		355511	355521	x	x	355516	355526	x
	500	x		355531	355541	355551	x	355536	355546	355556
	550	x		355561	355571	355581	x	355566	355576	355586
	650	x		355591	355601	355611	x	355596	355606	355616
250	270	x		355457	x	x	x	x	x	
	300	x		355469	x	x	x	x	x	
	350	x		355481	x	x	x	x	x	
	400	x		355492	355502	x	x	355497	355507	x
	450	x		355512	355522	x	x	355517	355527	x
	500	x		355532	355542	355552	x	355537	355547	355557
	550	x		355562	355572	355582	x	355567	355577	355587
	650	x		355592	355602	355612	x	355597	355607	355617
282	270	x		355458	x	x	x	x	x	
	300	x		355470	x	x	x	x	x	
	350	x		355482	x	x	x	x	x	
	400	x		355493	355503	x	x	355498	355508	x
	450	x		355513	355523	x	x	355518	355528	x
	500	x		355533	355543	355553	x	355538	355548	355558
	550	x		355563	355573	355583	x	355568	355578	355588
	650	x		355593	355603	355613	x	355598	355608	355618

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.

	possible extension ¹⁾				
		DesignSide		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	235017	226177	×	226172	×
	235020	226178	×		×
	235023	226179	×		×
	235026	226180	×		×
	235029	226181	×		×
	235032	226182	×		×
	235035	226183	×		×
	235039	226184	×	×	×
	235017	226177	226185	226172	226176
	235020	226178	226186		
	235023	226179	226187		
	235026	226180	226188		
	235029	226181	226189		
	235032	226182	226190		
	235035	226183	226191		
	235039	226184	226255		
	235017	×	226185	×	226176
	235020	×	226186	×	
	235023	×	226187	×	
	235026	×	226188	×	
	235029	×	226189	×	
	235032	×	226190	×	
	235035	×	226191	×	
	235039	×	226255	×	
	235017		×	×	×
	235020	×	×	×	×
	235023	×	×	×	×
	235026	×	×	×	×
	235029	×	×	×	×
	235032	×	×	×	×
	235035	×	×	×	×
	235039	×	×	×	×






Stainless steel – inner


- Set in the tables always includes:
 - 1 pair of side plates
 - 1 pair of slides
 - 2 pcs of cover caps with Hettich logo
 - 1 pair of front holders with split dowel / front sheet metal holders
 - 1 pair of back holders of appropriate height
- extension needs to be added (railing, TopSide or DesignSide)
- in case of inner drawers, the front sheet metal or the front railing shall be added according to the width and number of drawers (p. 2.155)
- drawings for preparation of the body – see p. 2.165-2.166
- mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

		base side height				94 mm				126 mm			
total height (mm)	depth (mm)												
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
94	270	355619	355620	x	x	x	x	x	x	x	x	x	x
	300	355627	355628	x	x	x	x	x	x	x	x	x	x
	350	355635	355636	x	x	x	x	x	x	x	x	x	x
	400	x	355643	355649	x	x	x	x	x	x	x	x	x
	450	x	355655	355661	x	x	x	x	x	x	x	x	x
	500	x	355667	355673	355679	x	x	x	x	x	x	x	x
	550	x	355685	355691	355697	x	x	x	x	x	x	x	x
	650	x	355703	355709	355715	x	x	x	x	x	x	x	x
126	270	x	x	x	x	x	x	x	x	x	x	x	x
	300	x	x	x	x	x	x	x	x	x	x	x	x
	350	x	x	x	x	x	x	x	x	x	x	x	x
	400	x	x	x	x	x	355646	355652	x	x	x	x	x
	450	x	x	x	x	x	355658	355664	x	x	x	x	x
	500	x	x	x	x	x	355670	355676	355682	x	x	x	x
	550	x	x	x	x	x	355688	355694	355700	x	x	x	x
	650	x	x	x	x	x	355706	355712	355718	x	x	x	x
186	270	x	355621	x	x	x	x	x	x	x	x	x	x
	300	x	355629	x	x	x	x	x	x	x	x	x	x
	350	x	355637	x	x	x	x	x	x	x	x	x	x
	400	x	355644	355650	x	x	355647	355653	x	x	x	x	x
	450	x	355656	355662	x	x	355659	355665	x	x	x	x	x
	500	x	355668	355674	355680	x	355671	355677	355683	x	x	x	x
	550	x	355686	355692	355698	x	355689	355695	355701	x	x	x	x
	650	x	355704	355710	355716	x	355707	355713	355719	x	x	x	x
218	270	x	355622	x	x	x	x	x	x	x	x	x	x
	300	x	355630	x	x	x	x	x	x	x	x	x	x
	350	x	355638	x	x	x	x	x	x	x	x	x	x
	400	x	355645	355651	x	x	355648	355654	x	x	x	x	x
	450	x	355657	355663	x	x	355660	355666	x	x	x	x	x
	500	x	355669	355675	355681	x	355672	355678	355684	x	x	x	x
	550	x	355687	355693	355699	x	355690	355696	355702	x	x	x	x
	650	x	355705	355711	355717	x	355708	355714	355720	x	x	x	x

¹⁾ To select the TopSide and DesignSide extensions, refer to the figure indicating which side height and back holder can be used. For example: 94/186 = side height 94, height of back holders 186.




	possible extension ¹⁾				
		Design side		DesignSide adapters	
	railing	94/186, 126/218	94/218, 126/250	94/186, 126/218	94/218, 126/250
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	×	×	×	×	×
	235017	226177	×	226172	×
	235020	226178	×	×	×
	235023	226179	×	×	×
	235026	226180	×	×	×
	235029	226181	×	×	×
	235032	226182	×	×	×
	235035	226183	×	×	×
	235039	226184	×	×	×
	235017	226177	226185	226172	226176
	235020	226178	226186	×	×
	235023	226179	226187	×	×
	235026	226180	226188	×	×
	235029	226181	226189	×	×
	235032	226182	226190	×	×
	235035	226183	226191	×	×
	235039	226184	226255	×	×



Fittings for inner drawers

Aluminium front profile holders

height (mm)	white	anthracite	silver	champagne / stainless steel
94	226259	237456	226258	226260
126	226262	340604	226261	226263
186	226265	237458	226264	226266
218	226268	237459	226267	226269



Aluminium front profile, length 2,000 mm, height 70 mm

height (mm)	white	anthracite	silver	champagne / stainless steel
70	301001	301000	297522	301002

- formula for cutting of the inner drawer front: $LB - 2 \times EB - 57.5$



Cross railing for high inner drawer front and inner division


length (mm)	white	anthracite	silver	champagne / stainless steel
2000	269640	269684	269671	300987

- formula for cutting of the inner division: $LB - 2 \times EB - 62$
- formula for cutting of the inner division: $LB - 2 \times EB - 34.5 \text{ mm}$



Steel back

length (mm)	white						anthracite					
	94	126	186	218	250	282	94	126	186	218	250	282
275	225680	225721	225760	225799	225838	225877	225694	225734	225773	225812	225851	225890
300	225681	225722	225761	225800	225839	225878	225695	225735	225774	225813	225852	225891
350	225682	225723	225762	225801	225840	225879	225696	225736	225775	225814	225853	225892
400	225683	225724	225763	225802	225841	225880	225697	225737	225776	225815	225854	225893
450	225684	225725	225764	225803	225842	225881	225698	225738	225777	225816	225855	225894
500	225685	225726	225765	225804	225843	225882	225699	225739	225778	225817	225856	225895
550	225686	225727	225766	225805	225844	225883	225700	225740	225779	225818	225857	225896
600	225687	225728	225767	225806	225845	225884	225701	225741	225780	225819	225858	225897
700	225688	225729	225768	225807	225846	225885	225702	225742	225781	225820	225859	225898
800	225689	225730	225769	225808	225847	225886	225703	225743	225782	225821	225860	225899
900	225690	225731	225770	225809	225848	225887	225704	225744	225783	225822	225861	225900
1000	225691	225732	225771	225810	225849	225888	225705	225744	225784	225823	225862	225901
1200	225693	225733	225772	225811	225850	225889	225706	225746	225785	225824	225863	225902



Steel back

	silver						champagne / stainless steel					
length (mm)	94	126	186	218	250	282	94	126	186	218	250	282
275	225666	225708	225747	225786	225825	225864	226411	226424	226437	226450	226463	226476
300	225667	225709	225748	225787	225826	225865	226412	226425	226438	226451	226464	226477
350	225669	225710	225749	225788	225827	225866	226413	226426	226439	226452	226465	226478
400	225670	225711	225750	225789	225828	225867	226414	226427	226440	226453	226466	226479
450	225671	225712	225751	225790	225829	225868	226415	226428	226441	226454	226467	226480
500	225672	225713	225752	225791	225830	225869	226416	226429	226442	226455	226468	226481
550	225673	225714	225753	225792	225831	225870	226417	226430	226443	226456	226469	226482
600	225674	225715	225754	225793	225832	225871	226418	226431	226444	226457	226470	226483
700	225675	225716	225755	225794	225833	225872	226419	226432	226445	226458	226471	226484
800	225676	225717	225756	225795	225834	225873	226420	226433	226446	226459	226472	226485
900	225677	225718	225757	225796	225835	225874	226421	226434	226447	226460	226473	226486
1000	225678	225719	225758	225797	225836	225875	226422	226435	226448	226461	226474	226487
1200	225679	225720	225759	225798	225837	225876	226423	226436	226449	226462	226475	226488





ArciTech white

Side height 78 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾				back holders
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
500	235106	×	352626+352627	352631	352634	235105

Side height 94 and 126 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾		slides ²⁾			
	94	126	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
270	235133	235141	352598	352601	×	×
300	235134	235142	352604	352605+352606	×	×
350	235135	235143	352608+352609	352611+352612	×	×
400	235136	235144	×	352614+352615	352619	×
450	235137	235145	×	352620+352621	352625	×
500	235138	235146	×	352626+352627	352631	352634
550	235139	235147	×	352635+352636	352640	352643
650	235140	235148	×	352646	352649	352652



length (mm)	back holders						railing
	94	126	186	218	250	282	
270	225911 + 225912	225917 + 225918	225923 + 225924	225929 + 225930	225935 + 225936	225941 + 225942	235126
300							360208
350							360210
400							360211
450							360212
500							360213
550							360214
650							235038

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162


- Fill the EB value in names above individual tables in the formula for calculation of bottom, back and other cuttings width.

Extensions

length (mm)	TopSide		DesignSide		DesignSide adapters		DesignSide connectors ³⁾
	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	
270	×	×	226177	226185	226171	226175	226192
300	×	×	226178	226186			
350	×	×	226179	226187			
400	226131	226151	226180	226188			
450	226135	226155	226181	226189			
500	226139	226159	226182	226190			
550	226143	226163	226183	226191			
650	226147	226167	226184	226255			

³⁾ only if custom material is selected

drawings for preparation of the body – see p. 2.165-2.166



ArciTech anthracite

Side height 78 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾				back holders
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
500	234963	×	352626+352627	352631	352634	234961

Side height 94 and 126 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾		slides ²⁾			
	94	126	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
270	235041	235065	352598	352601	×	×
300	235044	235067	352604	352605+352606	×	×
350	235047	235069	352608+352609	352611+352612	×	×
400	235050	235071	×	352614+352615	352619	×
450	235053	235074	×	352620+352621	352625	×
500	235056	235077	×	352626+352627	352631	352634
550	235059	235080	×	352635+352636	352640	352643
650	235062	235084	×	352646	352649	352652



length (mm)	back holders						railing
	94	126	186	218	250	282	
270	225913 + 225914	225919 + 225920	225925 + 225926	225931 + 225932	225937 + 225938	225943 + 225944	235016
300							235019
350							235022
400							235025
450							360220
500							360222
550							235034
650							

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162


- Fill the EB value in names above individual tables in the formula for calculation of bottom, back and other cuttings width.

Extensions

length (mm)	TopSide		DesignSide		DesignSide adapters		DesignSide connectors ³⁾
	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	
270	×	×	226177	226185	226170	226174	226192
300	×	×	226178	226186			
350	×	×	226179	226187			
400	226130	226150	226180	226188			
450	226134	226154	226181	226189			
500	226138	226158	226182	226190			
550	226142	226162	226183	226191			
650	226146	226166	226184	226255			

³⁾ only if custom material is selected

 drawings for preparation of the body – see p. 2.165-2.166



ArciTech silver

Side height 78 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾				back holders
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
500	234964	×	352626+352627	352631	235010	234962

Side height 94 and 126 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾		slides ²⁾			
	94	126	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
270	235043	235066	352598	352601	×	×
300	235046	235068	352604	352605-352606	×	×
350	235049	235070	352608+352609	352611+352612	×	×
400	235052	235073	×	352614+352615	352619	×
450	235055	235076	×	352620+352621	352625	×
500	235058	235079	×	352626+352627	352631	352634
550	235061	235082	×	352635+352636	352640	352643
650	235064	235086	×	352646	352649	352652

length (mm)	back holders						railing
	94	126	186	218	250	282	
270	225909 + 225910	225915 + 225916	225921 + 225922	225927 + 225928	225933 + 225934	225939 + 225940	235018
300							360226
350							360227
400							360228
450							360229
500							360230
550							360231
650							235040

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

- Fill the EB value in names above individual tables in the formula for calculation of bottom, back and other cuttings width.


Extensions

length (mm)	TopSide		DesignSide		DesignSide adapters		DesignSide connectors ³⁾
	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	
270	×	×	226177	226185	226169	226173	226192
300	×	×	226178	226186			
350	×	×	226179	226187			
400	226129	226149	226180	226188			
450	226133	226153	226181	226189			
500	226137	226157	226182	226190			
550	226141	226161	226183	226191			
650	226145	226165	226184	226255			

³⁾ only if custom material is selected

🔗 drawings for preparation of the body – see p. 2.165-2.166





ArciTech champagne

Side height 78 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾	slides ²⁾				back holders
		SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg	
500	234963	×	352626+352627	352631	235010	300984

Side height 94 and 126 mm, slides Actro EB 13 (for thickness of the sides of the body 18 mm)

length (mm)	sides ¹⁾		slides ²⁾			
	94	126	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
270	300864	300872	352598	352601	×	×
300	300865	300873	352604	352605 × 352606	×	×
350	300866	300874	352608+352609	352611+352612	×	×
400	300867	300875	×	352614+352615	352619	×
450	300868	300876	×	352620+352621	352625	×
500	300869	300877	×	352626+352627	352631	352634
550	300870	300878	×	352635+352636	352640	352643
650	300871	300879	×	352646	352649	352652

length (mm)	back holders						railing
	94	126	186	218	250	282	
270	226489 + 226490	226491 + 226492	226493 + 226494	226495 + 226496	226497 + 226498	226499 + 226500	300855
300							300856
350							300857
400							300858
450							300859
500							360238
550							300861
650							300862

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162


- Fill the EB value in names above individual tables in the formula for calculation of bottom, back and other cuttings width.

Extensions

length (mm)	TopSide		DesignSide		DesignSide adapters		DesignSide connectors ³⁾
	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	
270	×	×	226177	226185	226171	226175	226192
300	×	×	226178	226186			
350	×	×	226179	226187			
400	226131	226151	226180	226188			
450	226135	226155	226181	226189			
500	226139	226159	226182	226190			
550	226143	226163	226183	226191			
650	226147	226167	226184	226255			

³⁾ only if custom material is selected

 drawings for preparation of the body – see p. 2.165-2.166



ArciTech stainless steel

Side height 94 and 126 mm, Actro EB 13 slides

For thickness of the sides of the body 18 mm

length (mm)	sides ¹⁾		slides ²⁾			
	94	126	SiSy 10 kg	SiSy 40 kg	SiSy 60 kg	SiSy 80 kg
270	235042	×	352598	352601	×	×
300	235045	×	352604	352605-352606	×	×
350	235048	×	352608+352609	352611+352612	×	×
400	235051	235072	×	352614+352615	352619	×
450	235054	235075	×	352620+352621	352625	×
500	235057	235078	×	352626+352627	352631	352634
550	235060	235081	×	352635+352636	352640	352643
650	235063	235085	×	352646	352649	352652



length (mm)	back holders						railing
	94	126	186	218	250	282	
270	235103	235673	235090	235093	235096	235099	235017
300							235020
350							235023
400							235026
450							235029
500							235032
550							235035
650							235039

¹⁾ packaging includes cover caps with Hettich logo and front fasteners with split dowels

²⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162


- Fill the EB value in names above individual tables in the formula for calculation of bottom, back and other cuttings width.

Extensions

length (mm)	DesignSide		DesignSide adapters		DesignSide connectors ³⁾
	94/186; 126/218	94/218; 126/250	94/186; 126/218	94/218; 126/250	
270	226177	226185	226172	226176	226192
300	226178	226186			
350	226179	226187			
400	226180	226188			
450	226181	226189			
500	226182	226190			
550	226183	226191			
650	226184	226192			

³⁾ only if custom material is selected

📄 drawings for preparation of the body – see p. 2.165-2.166




Push-to-Open Silent (P2Os) mechanism for handleless opening

P2Os mechanisms

code	code Hettich	slide length (mm)	slide load capacity (kg)	total weight (kg)	
352767	9241038	270-350	10	<10	
352768	9241049	270-650	40	8-20	
352769	9241050	270-650	40	10-40	
352770	9241051	400-650	60/80	20-80	

Synchronization linkage for shortening

code	code Hettich	description
318279	9236718	linkage 2,000 mm
318281	9221295	coupling for use on 2 drawers



Recommendation for drawers (front height up to approx. 150 mm)

length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
270											
300											
350											
400											
450											
500											
550											
650											

Recommendations for high drawers (front height up to approx. 300 mm, light to medium load)¹⁾

length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
270											
300											
350											
400											
450											
500											
550											
650											

Recommendations for high and heavy drawers (front height up to approx. 300 mm, high load, e.g. plates, etc.)¹⁾

length (mm)	drawer width (mm)										
	275	300	350	400	500	600	700	800	900	1000	1200
270											
300											
350											
400											
450											
500											
550											
650											

Push-to-Open Silent weight range

<10

8 - 20

10 - 40

20 - 80

¹⁾ The recommendation applies to a standard use (i.e. the drawer front made of chipboard with th. of 18 mm, drawer loaded with usual contents). More detailed recommendations for non-standard dimensions and materials of whole drawer can be found in the online configurator.



Wholesale

Side height 94 (packaging of 15 pieces)

length (mm)	white		anthracite		silver		champagne		stainless steel	
	left	right	left	right	left	right	left	right	left	right
270	225559	225560	225596	225597	225522	225523	300968	300969	25631	225632
300	225561	225562	225598	225599	225524	225525	300886	900887	225634	225635
350	225563	225564	225600	225602	225526	225527	300949	300950	225636	225637
400	225566	225567	225603	225604	225528	225529	300940	300941	225638	225639
450	225568	225569	225605	225606	225530	225532	300944	300945	225640	225641
500	225570	225571	225607	225608	225533	225534	300946	300947	225642	225643
550	225572	225573	225610	225611	225535	225536	300970	300971	225644	225645
650	225574	225575	225612	225613	225537	225538	900888	300889	225647	225648

Side height 126 (packaging of 15 pieces)

length (mm)	white		anthracite		silver		champagne		stainless steel	
	left	right	left	right	left	right	left	right	left	right
270	225577	225578	225614	225615	225539	225540	300972	300973	×	×
300	225579	225580	225616	225617	225541	225542	300974	300975	×	×
350	225581	225582	225618	225619	225544	225545	300976	300977	×	×
400	225583	225584	225620	225622	225546	225547	300978	900979	225649	225650
450	225585	225586	225623	225624	225548	225549	300951	300952	225651	225652
500	225587	225589	225625	225626	225550	225551	300953	300954	225653	225654
550	225590	225591	225627	225628	225553	225554	300980	300981	225655	225656
650	225592	225593	225629	225630	225555	225556	300982	300983	225657	225658

EB 13 slides (for body sides thickness of 18 mm)

length (mm)	Silent System (SiSy)							
	10 kg		40 kg		60 kg		80 kg	
	left	right	left	right	left	right	left	right
270	352595	352596	352599	352600	×	×	×	×
300	352602	652603	352605	352606	×	×	×	×
350	352608	352609	352611	352612	×	×	×	×
400	×	×	352614	652615	352617	352618	×	×
450	×	×	352620	352621	352623	352624	×	×
500	×	×	352626	352627	352629	352630	352632	352633
550	×	×	352635	352636	352638	352639	352641	352642
650	×	×	352644	352645	352647	352648	352650	352651


Packaging of:

Up to length 500 per 15 pieces, 550 and 650 per 10 pieces (regardless of load capacity or type of slide).

¹⁾ mechanisms for handleless opening with damped closing Push-to-Open Silent, p. 2.162

Front fasteners

code	description
226203	mounting by split dowel
226204	mounting by screws



Cover caps


with Hettich logo						blank					
white	dark grey	aluminium look	chrome look	grey quartz	stainless steel	white	dark grey	aluminium look	chrome look	grey quartz	stainless steel
226199	226198	226202	226201	226518	226200	226194	226193	226197	226196	226517	226195

Wooden back holders

height (mm)	white		anthracite		silver		champagne / stainless steel	
	left	right	left	right	left	right	left	right
94	225911	225912	225913	225914	225909	225910	226489	226490
126	225917	225918	225919	225920	225915	225916	226491	226492
186	225923	225924	225925	225926	225921	225922	226493	226494
218	225929	225930	225931	225932	225927	225928	226495	226496
250	225935	225936	225937	225938	225933	225934	226497	226498
282	225941	225942	225943	225944	225939	225940	226499	226500


Railing

length (mm)	white		anthracite		silver		champagne		stainless steel		front railing fastener – screw/dowel
	left	right	left	right	left	right	left	right	left	right	
270	225961	225962	225959	225960	225957	225958	300959	300960	225963	225964	9127011 / 9127000
300	225969	225970	225967	225968	225965	225966	300890	300891	225971	225972	
350	225977	225978	225975	225976	225973	225974	300955	300956	225979	225980	
400	225985	225986	225983	225984	225981	225982	900892	300893	225987	225988	
450	225993	225994	225991	225992	225989	225990	300942	300943	225995	225996	
500	226001	226002	225999	226000	225997	225998	300894	300895	226003	226004	
550	226009	226010	226007	226008	226005	226006	300961	300962	226011	226012	
650	226017	226018	226015	226016	226013	226014	300896	300897	226019	226020	




Drawings and tables for bottom and back cuttings

Front drawer, height 94 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	84,5	-

Inner drawer, height 94 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	84,5	-
G	LB - 2 × EB - 62	LB - 2 × EB - 62
H	105,5	105,5

Front drawer, height 126 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	116,5	-

Inner drawer, height 126 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	116,5	-
G	LB - 2 × EB - 62	LB - 2 × EB - 62
H	105,5	105,5

Front drawer, height 94 and 126/186 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	176	-


Inner drawer, height 94 and 126/186 mm



description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	176	-
G	LB - 2 × EB - 62	LB - 2 × EB - 62
H	157	157
I	LB - 2 × EB - 66,5	LB - 2 × EB - 66,5




Front drawer, height 94 and 126/218 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	208	-

Inner drawer, height 94 and 126/218 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	208	-
G	LB - 2 × EB - 62	LB - 2 × EB - 62
H	157	157
I	LB - 2 × EB - 66,5	LB - 2 × EB - 66,5

Front drawer, height 94 and 126/250 mm




description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	240	-

Inner drawer, height 94 and 126/282 mm





description	wooden back	steel back
A	NL - 24,5	NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	272	-

Front drawer, height 78 mm



description	wooden back	steel back
A		NL - 21
B	LB - 2 × EB - 52,5	LB - 2 × EB - 52,5
C	LB - 2 × EB - 64	-
D	68,5	-



**Cutting dimensions**

ArciTech:

- cutting width (B) = $LB - 2 \times EB - 47 \text{ mm}$
- cutting depth = nominal length - 27 mm

InnoTech Atira:

- cutting width (B) = $LB - 2 \times EB - 47 \text{ mm}$
- cutting depth = nominal length - 8 mm

- EB (InnoTech + Atira) for sides thickness 18 mm = 10.5 mm
- EB (ArciTech) for sides thickness 18 mm = 13 mm


**Cutlery tray insert Orgatray 570, depth 500 mm – for ArciTech**

code	Hettich code	body width (mm)	packaging
226532	9134992	600	1 set
226533	9134993	800	1 set
226534	9134994	900	1 set

**Cutlery tray insert Orgatray 590, depth 470 mm – for InnoTech Atira**

code	Hettich code	body width (mm)	packaging
288715	9194891	600	1 set
288716	9194892	800	1 set
288717	9194893	900	1 set





MultiTech – single steel side system


Drawer set, height 54 mm

code	Hettich code	colour	length (mm)
104058	9127871	white	500
104059	9127872	white	500

- 10 sets in packaging

The drawer set includes:

- 1 set of drawer sides
- 1 set of cabinet rails (partial extension slide)



You can easily assemble the MultiTech drawer with the following elements:

- 1 drawer set, height 54 mm
- + 2 front fasteners (p. 2.171)
- + bottom and back, 16 mm

Drawer set, height 86 mm

code	Hettich code	colour	length (mm)
104067	9127877	white	275
104069	9127879	white	350
104071	9127881	white	400
104073	9127883	white	450
104075	9127885	white	500
104080	9127887	white	550

Drawer set, height 86 mm

code	Hettich code	colour	length (mm)
104068	9127878	silver	275
104070	9127880	silver	350
104072	9127882	silver	400
104074	9127884	silver	450
104077	9127886	silver	500
104081	9127888	silver	550

- 10 sets in packaging

The drawer set includes:

- 1 set of drawer sides
- 1 set of cabinet rails (partial extension slide)



You can easily assemble the MultiTech drawer with the following elements:

- 1 drawer set, height 86 mm
- + 2 front fasteners, (p. 2.171)
- + bottom and back, 16 mm



Drawer set, height 118 mm

code	Hettich code	colour	length (mm)
103977	9127891	white	275
103981	9127893	white	350
103983	9127895	white	400
103985	9127897	white	450
103987	9127899	white	500
103995	9127901	white	550

Drawer set, height 118 mm

code	Hettich code	colour	length (mm)
103982	9127894	silver	350
103984	9127896	silver	400
103986	9127898	silver	450
103988	9127900	silver	500
103996	9127902	silver	550

- 10 sets in packaging

Drawer set, height 150 mm

code	Hettich code	colour	length (mm)
104000	9127905	white	275
104002	9127907	white	350
104004	9127909	white	400
104006	9127911	white	450
104029	9127913	white	500
104031	9127915	white	550

Drawer set, height 150 mm

code	Hettich code	colour	length (mm)
104005	9127910	silver	400
104027	9127912	silver	450
104030	9127914	silver	500
104036	9127916	silver	550

- 10 sets in packaging

The drawer set includes:

- 1 set of drawer sides
- 1 set of cabinet rails (partial extension slide)



You can easily assemble the MultiTech drawer with the following elements:

- **1** drawer set, height 118 mm
- + **2** front fasteners
- + bottom and back, 16 mm


The drawer set includes:

- 1 set of drawer sides
- 1 set of cabinet rails (partial extension slide)



You can easily assemble the MultiTech drawer with the following elements:

- **1** drawer set, height 150 mm
- + **2** front fasteners (p. 2.171)
- + bottom and back, 16 mm



Drawer set, height 214 mm

code	Hettich code	colour	length (mm)
104041	9127921	white	450
104043	9127923	white	500
104045	9127925	white	550

- 5 sets in packaging

The drawer set includes:

- 1 set of drawer sides
- 1 set of cabinet rails (partial extension slide)

You can easily assemble the MultiTech drawer with the following elements:

- 1 drawer set, height 118 mm
- + 2 front fasteners (p. 2.171)
- + bottom and back, 16 mm



Silent System damping

code	Hettich code	packaging
210286	9137935	10 sets


- mounted on the right side, from body width 900 mm on both sides
- 2 sets must be ordered for usage on both sides



Front fasteners for inner drawer 150 mm

code	Hettich code	colour of plastic	packaging
106871	51491	white	10 sets
106872	51492	grey	10 sets





Front fasteners


code	Hettich code	description	package (pcs)
106856	54997	A) for screwing	20
106864	51477	B) with split dowels	20

- 2 pcs for 1 drawer
- for drawer heights 86, 118, 150 and 214 mm
- nickel-coated steel

Cover caps

code	Hettich code	colour	package (pcs)
105409	46096	white	20
105410	46097	grey	20

- set includes right and left fastener
- for drawer height 54 mm
- nickel-coated zinc casting




Set of longitudinal railing bars

code	Hettich code	colour	length (mm)
107339	51426	white	400
107341	51481	white	450
107339	51426	white	550
108471	51482	silver	450
107345	51484	silver	500

- 10 sets in packaging

The set includes:

- 2 longitudinal railing bars, steel with a powder colour finish
- 2 railing bar fasteners on front, with expanding bushing





- MultiTech drawers with side heights 86, 118 and 150 mm can be combined with longitudinal railing
- for drawer lengths 350, 400, 450, 500, and 550 mm
- load capacity 25 kg (partial extension slide)

Locking bar

code	Hettich code	packaging
107993	51500	1 set

- with five adjustable pins
- bar length 1,000 mm





Quadro full extension slide with 4D adjustment and a possibility of mechanic, handleless opening with damped closing

- Silent System – integrated damping ensures soft and quiet closing of the drawer
- convenient mounting by slide-on with 4D couplings
- intuitive height adjustment +2 mm, side adjustment ± 1.5 mm, depth adjustment ± 2 mm and inclination adjustment, all without tools
- can be combined with Push-to-Open Silent opening system
- load capacity according to EN 15338

Packaging in pairs
(now no front attachment is included, it must be ordered separately)

code	Hettich code	length (mm)	load capacity (kg)
361186	9245377	250	10
361187	9245378	280	
361188	9245379	300	
361189	9245380	320	
361190	9245381	350	
361191	9245382	250	30
361192	9245383	280	
361193	9245384	300	
361194	9245385	320	
361195	9245386	350	
361196	9245387	380	
361197	9245388	400	
361198	9245389	420	
361199	9245390	450	
361200	9245391	480	
361201	9245392	500	
361202	9245393	520	
361203	9245394	550	
361204	9245395	580	
361205	9245396	600	



Height adjustment



- precise height adjustment is located directly behind the front




Side adjustment



- by parallel adjustment of the indicator on the wheel you can enable synchronous setting on both sides



Inclination adjustment



- simply and easily pull out the drawer on the pulled out slide

Front couplings and inclination adjustment


code	Hettich code	usage	side
264378	9183185	front left	left
264379	9183186	front right	right
264380	9183187	inclination adjustment to the left	left
264381	9183190	inclination adjustment to the right	right



Depth adjustment



- reduce the gap to minimum without resting the front against the body



Quadro for all-wooden drawers

Quadro full extension slide with 4D adjustment and a possibility of mechanic, handleless opening with damped closing

- Silent System – integrated damping ensures soft and quiet closing of the drawer
- convenient mounting by slide-on with 4D couplings
- intuitive height adjustment +2 mm, side adjustment ± 1.5 mm, depth adjustment ± 2 mm and inclination adjustment, all without tools
- can be combined with Push-to-Open Silent opening system
- load capacity according to EN 15338



Front couplings and inclination adjustment


code	Hettich code	usage	side
264378	9183185	front left	left
264379	9183186	front right	right
264380	9183187	inclination adjustment to the left	left
264381	9183190	inclination adjustment to the right	right



Wholesale (front attachment must be ordered separately)

code	Hettich code	length (mm)	side	load capacity (kg)
361144	9245337	250	left	10
361145	9245338	250	right	
361146	9245339	280	left	
361147	9245340	280	right	
361148	9245341	300	left	
361149	9245342	300	right	
361151	9245343	320	left	
361152	9245344	320	right	
361153	9245345	350	left	
361154	9245346	350	right	
361155	9245347	250	left	
361156	9245348	250	right	
361157	9245349	280	left	
361158	9245350	280	right	
361159	9245351	300	left	
361160	9245352	300	right	
361161	9245353	320	left	
361162	9245354	320	right	
361163	9245355	350	left	
361164	9245356	350	right	
361165	9245357	380	left	30
361166	9245358	380	right	
361167	9245359	400	left	
361168	9245360	400	right	
361169	9245361	420	left	
361170	9245362	420	right	
361171	9245363	450	left	
361172	9245364	450	right	
361173	9245365	480	left	
361174	9245366	480	right	
361175	9245367	500	left	
361177	9245368	500	right	
361178	9245369	520	left	
361179	9245370	520	right	
361180	9245371	550	left	
361181	9245372	550	right	
361182	9245373	580	left	
361183	9245374	580	right	
361184	9245375	600	left	
361185	9245376	600	right	

Quadro for all-wooden drawers




Push-to-Open Silent (P2Os) mechanism for handleless opening

P2Os mechanisms

code	code Hettich	slide length (mm)	slide load capacity (kg)	total weight (kg)	
361235	9246312	250-350	10	<10	
361236	9246315	250-600	30	8-20	
361237	9246316	350-600	30	10-30	

Synchronization linkage for shortening

code	code Hettich	description
318279	9236718	linkage 2,000 mm
318281	9221295	coupling for use on 2 drawers



Recommendation for drawers (front height up to approx. 150 mm)

length (mm)	drawer width (mm)												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250-300													
320-350													
380-550													
580-600													

Recommendations for high drawers (front height up to approx. 300 mm, light to medium load)¹⁾

length (mm)	drawer width (mm)												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250-300													
320-350													
380-550													
580-600													

Recommendations for high and heavy drawers (front height up to approx. 300 mm, high load, e.g. plates, etc.)¹⁾

length (mm)	drawer width (mm)												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
250-300													
320-350													
380-550													
580-600													

Push-to-Open Silent weight range

<10

8 - 20

10 - 30

¹⁾ The recommendation applies to a standard use (i.e. the drawer front made of chipboard with th. of 18 mm, drawer loaded with usual contents). More detailed recommendations for non-standard dimensions and materials of whole drawer can be found in the online configurator.




Quadro full extension slides with 4D adjustment and mechanic handleless opening

- Push-to-Open mechanism for mechanic handleless opening without damping when closing
- convenient mounting by slide-on with 4D couplings
- intuitive height adjustment +2 mm, side adjustment ± 1.5 mm, depth adjustment ± 2 mm and inclination adjustment, all without tools
- load capacity according to EN 15338




code	Hettich code	length (mm)	load capacity (kg)
361207	9247737	250	30
361208	9247738	300	
361209	9247739	320	
361210	9247740	350	
361211	9247741	380	
361212	9247742	400	
361213	9247743	420	
361214	9247744	450	
361215	9247745	480	
361216	9247746	500	
361217	9247747	520	
361218	9247758	550	
361219	9247759	580	
361220	9248444	600	



⚠ limited side adjustment, inner drawer width not compatible with Quadro V6

Front couplings and inclination adjustment

code	Hettich code	usage	side
264378	9183185	front left	left
264379	9183186	front right	right
264380	9183187	inclination adjustment to the left	left
264381	9183190	inclination adjustment to the right	right



⚠ the listed dimensions apply to 1.5 mm gap only





Get acquainted with: InnoTech ATIRA drawer system

The new InnoTech Atira drawer system builds on tradition of favorite classic InnoTech system.

Atira offers all the benefits of the modular system InnoTech, and adds fresh design with characteristic edges.

InnoTech Atira offers a myriad of combinations:

- 3 finishes: luxurious silver, brilliant white, exclusive anthracite
- 7 side sizes in lengths from 260 mm to 620 mm
- 3 heights 70 mm, 144 mm and 176 mm
- 3 solutions for high drawers: with longitudinal reels, with TopSide fillings, with DesignSide attachments
- a wide range of OrgaTray and OrgaStore organizers

For more information visit www.hettich.com



White drawer with back height 176 mm with a double reling.



Anthracite high drawer 144 mm and DesignSide in decor of the fronts.



Low silver drawer height 70 mm with one from many cutlery inserts.




Characteristic drawer design: InnoTech Atira



German quality
you can trust

Technik für Möbel

Hettich



Quadro for wooden drawers, for sides thickness up to 19 mm

Quadro V6 full extension slide with integrated damping Silent System (SiSy), load capacity 30 kg

code	length (mm)	body depth (min. – mm)	drilling pitch b1 (mm)	drilling pitch b2 (mm)
317639	300	313	192	×
317640	350	363	192	×
317641	400	413	224	×
317642	450	463	256	×
317643	500	513	288	224

- **Silent System:** - integrated damping ensures soft and quiet closing of the drawer
- **for side thickness up to 19 mm**
- easy mounting by slide-on of the drawer on slides, with couplings for height adjustment without tools (+2 mm)
- load capacity acc. to EN 15338, class 3
- galvanised steel, suitable for wet environments



Quadro V6 full extension slide with integrated mechanism for handleless opening (Push-to-Open – P20), load capacity 30 kg

code	length (mm)	body depth (min. – mm)	drilling pitch b1 (mm)	drilling pitch b2 (mm)
343030	300	313	192	×
343031	350	363	192	×
343033	400	413	224	×
317644	450	463	256	×
317645	500	513	288	224

- **Push-to-Open:** mechanism for handleless opening of drawers without damping
- **for side thickness up to 19 mm**
- easy mounting by slide-on of the drawer on slides, with couplings for height adjustment without tools (+2 mm)
- load capacity acc. to EN 15338, class 3
- galvanised steel, suitable for wet environments
- synchronization for wide drawers can be added, p. 2.180




Quadro 25 partial extension slide with integrated damping Silent System (SiSy), load capacity 25 kg


code	length (mm)	body depth (min. – mm)	loss of sliding (EL – mm)	drilling pitch b1 (mm)
317646	300	313	50	160
317647	350	363	62	192
317648	400	413	74	224
317649	450	463	86	256
317650	500	513	98	288

- **Silent System:** - integrated damping ensures soft and quiet closing of the drawer
- convenient mounting by slide-on with latches and height adjustment without tools
- **for side thickness up to 19 mm**
- **flexible system:** the Quadro partial extension slide can be substituted with the Quadro full extension slide without changing the dimensions of the body, drawer or its front
- load capacity acc. to EN 15338, class 3
- galvanised steel, suitable for wet environments







Quadro V6 full extension slide



Quadro 25 partial extension slide





Quadro V6 full extension slide, load capacity 30 kg, for drawer sides thickness 16 mm

Quadro 4D V6 Silent System full extension slide, load capacity 30 kg

code	code Hettich	nominal length (mm)	minimum body depth (mm)	hole pitch b1 (mm)
104581	45284	280	293	160
104582	45285	300	313	192
104606	45286	320	333	192
104607	45287	350	363	192
104645	45288	380	393	224
104646	45289	400	413	224
104647	45290	420	433	224
104648	45291	450	463	256
104649	45292	480	493	256
104711	45293	500	513	288
104744	45294	520	533	288
104751	45295	550	563	288
104758	45296	580	593	352
104784	45297	600	613	352

- 1 set in package





- slide-on mounting – drawer is placed on the slides and is inserted to the body
- Silent System – damper integrated in the slide ensures soft and quiet closing of the drawer
- integrated safety latch prevents the drawer from opening accidentally
- perfect height and side stability
- robust steel rails ensure optimum guide of precise steel balls
- self-cleaning guide rails do not require any maintenance
- interchangeability – the partial extension slide can be replaced by a full extension slide without changing the dimensions of the cabinet, drawer body or front or drilling dimensions!


Couplings for full extension slides

code	Hettich code	description
104547	9144830	left coupling
104548	9144841	right coupling

- safe connection of Quadro slide and wooden drawer (slide-on mounting) with no tools
- smooth height adjustment +2 mm with notched wheel (without tools)
- after disassembly of the drawer, height adjustment remains
- black plastic



= minimum fastening position



Synchronization for Quadro V6, V6+ and 4D V6 slides

code	description
318279	P20 synchronization bar 2,000 mm
318281	P20 synchronization coupling
318282	P20 type A adapter
318283	P20 type B adapter
318284	P20 type A double adapter
318285	P20 type B double adapter

- synchronization is mounted rigidly on the back of the drawer
- for drawers with Quadro slide, P20 mechanism and a width of more than 600 mm
- maximum body width 2,000 mm
- advantage for a sink cabinet (siphon!) and a unique solution for 2 drawers with mutual front

Using adapter according to the type:

A for InnoTech on Quadro V6+ and for wooden drawers on Quadro V6 and Quadro V6+

B for InnoTech on Quadro V6



- double adapter is designed for 2 drawers with 1 mutual front



Synchronization set for specific slides

	slide	type of adapter	synchronization bar	coupling for two parts of synchronization	type of adapter for 2 drawers with mutual front
wooden drawer	Quadro V6	318282	318279	318281	218284
	Quadro V6+	318282			218284
	Quadro 4D V6	318282			218284
InnoTech and InnoTech Atira drawer	Quadro V6	318283			318285
	Quadro V6+	318282			218284

Quadro for wooden drawers



Wooden drawer

L		
EB 20		EB 23
Quadro V6 / V6+	Quadro V6 4D	QUADRO V6
LW - 88	LW - 92	LW - 94

InnoTech and InnoTech Atira

L			
EB	9,5	10,5	12,5
Quadro V6 / V6+			
	LW - 64	LW - 66	LW - 70



SLIDES





Quadro accessories for all-wooden drawers



Quadro slides locking for all-wooden drawers

- can be easily added
- for Quadro V6 and Quadro V6+, EB 20
- colours: white and grey
- self-locking when fully pulled out of the slide cabinet
- unlocking when pulled in with a defined force
- they will replace the adapters for slide cabinets used until now

code	Hettich code	description
362359	9242553	grey
362360	9242552	white




We also offer
board materials
for a comprehensive
assortment
of fittings.



Catalogue of board materials 2017



- ✓ clear design
- ✓ useful links to related products
- ✓ processing instructions
- ✓ maintenance instructions
- ✓ technical details and manufacturer's recommendations
- ✓ instructions and ordering conditions
- ✓ inspirational photos
- ✓ referential solutions



Ball bearing full extension slide with high load capacity



Full extension slide with load capacity 90 kg
StopControl fixation when closing


code	code Hettich	length (mm)	min. body depth (mm)	hole pitch b1 (mm)	hole pitch b2 (mm)	hole pitch C (mm)
104890	41389	300	304	125	-	333,5
104100	41391	350	354	175	-	283,5
104101	41392	400	404	111	114	333,5
104102	41393	450	454	136	139	383,5
104103	41394	500	504	161	164	433,5
104104	41395	550	554	186	189	483,5
104891	41396	600	604	211	214	533,5
104105	41397	650	654	236	239	583,5



Full extension slide with load capacity 136 kg
StopControl fixation when closing

code	code Hettich	length (mm)	min. body depth (mm)	hole pitch b1 (mm)	hole pitch C (mm)
184952	41367	310	312	127	217,5
106399	41368	360	362	178	268,5
106420	41369	410	412	228,5	319,5
184953	73287	460	462	279,5	370
106452	73288	510	512	330	421
208550	73289	560	562	381	471,5
106458	73290	610	612	432	522,5
106471	73291	660	662	482,5	573,5
106507	73292	710	712	533,5	624
106519	73293	760	762	584	675
104097	73294	810	812	635	725
104098	73295	860	862	686	776
104099	73296	910	912	736	827





Ball bearing partial extension slide KA 1730,



17 mm groove, load capacity 10 kg

- precise slide with slide stop and safety latch preventing roll-out
- the guide rails and the ball cage make up a complete inseparable unit
- smooth running and high side stability with precise guide
- the arrow marks the slide orientation
- with additional front support from drawer length 430 mm
- for drawers with grooved, rebated or flush fitted drawer bottom
- galvanised steel
- the cabinet rails are mounted from the front edge of the side
- drawer rails are mounted from the rear edge of the drawer





code	Hettich code	nominal length (mm)	drawer length (mm)	slide loss EL (mm)	hole pitch (mm)		body rail (mm)	drawer rail (mm)
					B1	C		
106758	79054	200	155-210	32	96	101	150	133
106760	79055	250	185-260	44	128	132	182	164
104011	30765	300	185-305	44	128	153	182	185
104881	71835	350	220-355	56	160	185	214	217
104012	30766	400	250-410	68	192	217	246	249
104014	30768	500	500	98	256	468	310	500

- 2 screws M4 × 9 are included in each set
- 20 sets in packaging



assembly manual






Ball bearing partial extension slide KA 270

27 mm groove, load capacity 12 kg

- precise slide with slide stop and safety latch preventing roll-out
- the guide rails and the ball cage make up a complete inseparable unit
- smooth running and high side stability with precise guide
- for drawers with grooved, rebated or flush fitted drawer bottom
- galvanised steel



code	Hettich code	nominal length (mm)	drawer length (mm)	slide loss EL (mm)	hole pitch (mm)		body rail (mm)	drawer rail (mm)
					b1	c		
103971	25155	350	230-350	56	160	190	214	222
104906	25156	550	350-550	80	288	296	342	328

- 2 screws M4 × 9 are included in each set
- 20 sets in packaging


Ball bearing full extension slide KA 5632,

load capacity 45 kg



- precise full extension slide with safety latch preventing roll-out
- the slide can be divided using a lever and the drawer simply removed from the body
- smooth running and high side stability with precise guide
- for drawers with grooved, rebated or flush fitted drawer bottom
- galvanised steel, blue passivated
- 1 set in package




code	Hettich code	drawer length (mm)	minimum body depth (mm)
106191	73276	250	254
106229	73277	300	304
106231	73278	350	354
106242	73279	400	404
106276	73280	450	454
106293	73281	500	504
106299	73282	550	554
106331	73283	600	604
106339	73284	650	654
104026	41355	700	704



assembly manual





Ball bearing full extension slide KA 4532

Silent System, load capacity 35 kg

- Silent System – integrated damping ensures soft and quiet closing of the drawer
- for drawers with grooved, rebated or flush fitted drawer bottom



code	Hettich code	drawer length (mm)	minimum body depth (mm)	hole pitch (mm)				packaging
				b1	b2	b3	c	
133031	9114271	300	304	x	x	x	171	10 sets
132546	9114273	350	354	64	x	x	220	10 sets
132333	9114274	400	404	64	x	x	254	10 sets
132334	9114275	450	454	96	x	x	294	10 sets
130802	9114276	500	504	96	64	x	344	10 sets



Ball bearing full extension slide KA 4532

Push-to-Open, load capacity 35 kg, built-in width 12.7 mm

- Push-to-Open – precise mechanism opens the drawer automatically and silently – just push lightly on its front
- the slide can be divided using a lever and the drawer simply removed from the body
- for wooden drawers with grooved, rebated or flush fitted drawer bottom
- galvanised steel



code	Hettich code	drawer length (mm)	minimum body depth (mm)	hole pitch (mm)				packaging
				b1	b2	b3	c	
141950	9114281	300	304	x	x	x	196	10 sets
133414	9114282	350	354	56	x	x	246	10 sets
133815	9114283	400	404	96	x	x	296	10 sets
133030	9114284	450	454	96	x	x	346	10 sets
130803	9114285	500	504	96	96	x	396	10 sets
171320	9114286	550	554	96	128	x	446	10 sets





Roll partial extension slide FR 402



load capacity 25 kg

- single-sided forced guide
- full overlay mounting
- integrated self-closing technique with double safety latch and roll-out lock
- automatic tolerance compensation ± 1 mm
- steel, white or brown powder colour





code	Hettich code	drawer length (mm)	minimum body depth (mm)	slide loss EL (mm)	hole pitch (mm)			
					b1	b2	B3	b4
103835	1061611	250	253	69	96	×	×	×
103750	1058344	300	303	69	96	×	×	×
103751	1058345	350	353	69	96	64	×	×
103752	1058346	400	403	69	96	128	×	×
103753	1058347	450	453	79	96	128	32	×
103754	1058348	500	503	86	96	128	64	32
103755	1058349	550	553	94	96	128	128	×
103756	1058350	600	603	104	96	128	128	×

- 20 sets in packaging



assembly manual






Roll full extension slide FR 6142

load capacity 50 kg




- full extension slide with overlap, with double-sided forced guide
- full overlay mounting
- integrated self-closing technique
- automatic tolerance compensation +2 mm
- steel, white or brown powder colour
- roll-out lock and lockable telescopic central rail



code	Hettich code	drawer length (mm)	minimum body depth (mm)	full extension slide with overlap OE (mm)	hole pitch (mm)			
					b1	b2	B3	b4
104112	41637	350	355	15	96	64	×	×
104159	41643	500	505	30	96	128	64	32
104208	41645	550	555	30	96	128	128	×



assembly manual



ACCESSORIES

Spacer profile for inner drawer

code	Hettich code	dimensions (mm)
103956	13952	25 × 484 × 50

- white plastic

