



Slides

that have
strength



 **Demos**

All for the furniture making



StrongRide Uni

NEW

Suitable for:



StrongMini Drawers

(in combination with front fasteners)



Wooden drawers

(when used with the front fastener – as an alternative to StrongRide)



One slide,
many possibilities!




StrongMini	4
StrongMax 16/18	6
StrongMax Push 16/18	8
StrongMax – accessories	10
StrongRide Uni	14
StrongRide 2D/3D/Push.....	16
StrongBox	18
StrongBox – accessories.....	20
StrongBall	24
Set components	26

StrongMini

NEW

Maximum space in a minimalist design



StrongMini at a glance:

- complete **drawer with soft closing slide**
- **side thickness of only 1 mm** – more usable space
- compact construction for modern furniture
- partial extension slide with soft closing – load capacity **up to 25 kg**
- full extension slide with soft closing – load capacity **up to 30 kg**
- length range: **270–550 mm**
- heights: **89/121/185 mm**
- colour options: **white and grey**, matching the StrongMax drawers
- for bottom panel thickness of **10/16/18 mm**
- the bottom and back panel are cut to identical dimensions
- mounting template compatible with the StrongMax system



StrongMini sets – partial extension slide

SET COMPONENTS

p. 26

length (mm)	89		121		185	
	white	grey	white	grey	white	grey
270	548486	548507	548493	548514	548500	548521
300	548487	548508	548494	548515	548501	548522
350	548488	548509	548495	548516	548502	548523
400	548489	548510	548496	548517	548503	548524
450	548490	548511	548497	548518	548504	548525
500	548491	548512	548498	548519	548505	548526
550	548492	548513	548499	548520	548506	548527


StrongMini sets – full extension slide

SET COMPONENTS


p. 26

length (mm)	89		121		185	
	white	grey	white	grey	white	grey
270	548528	548549	548535	548556	548542	548563
300	548529	548550	548536	548557	548543	548564
350	548530	548551	548537	548558	548544	548565
400	548531	548552	548538	548559	548545	548566
450	548532	548553	548539	548560	548546	548567
500	548533	548554	548540	548561	548547	548568
550	548534	548555	548541	548562	548548	548569



StrongMini
89 mm




StrongMini
121 mm



StrongMini
185 mm



Drawer and cabinet body depth



NL = Nominal slide length

NL - 20 = bottom panel length

NL + 5 = inner depth of the cabinet body

LW = inner width of the cabinet body

LW - 14.5 = rear panel width

LW - 14.5 = bottom panel width


LT = total inner depth of the cabinet body

StrongMax 16/18

Strength of construction – confidence for years



- modern, elegant design
- quiet and smooth drawer travel thanks to synchronised slides
- side thickness **13 mm**
- **3D** front adjustment
- load capacity **up to 40 kg**
- tested for **100,000 cycles**
- heights: **89/121/185/249 mm**
- length range: **300–650 mm**
- colour options: **grey, white, black**
- for bottom panel thicknesses of **16/18 mm**
- quick and easy installation
- excellent price-to-quality ratio
- optional extras: glass sides, glass front, railing



StrongMax 16 sets

SET
COMPONENTS p. 26

with glass sides

length (mm)	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	502969	502937	x	502977	502945	x	502985	502953	x	x	x	x
350	502970	502938	x	502978	502946	x	502986	502954	x	x	x	x
400	502971	502939	x	502979	502947	x	502987	502955	x	x	x	x
450	502972	502940	503004	502980	502948	503012	502988	502956	503020	502993	502961	503025
500	502973	502941	503005	502981	502949	503013	502989	502957	503021	502994	502962	503026
550	502974	502942	x	502982	502950	x	502990	502958	x	502995	502963	x
600	502975	502943	x	502983	502951	x	502991	502959	x	502996	502964	x
650	502976	502944	x	502984	502952	x	502992	502960	x	502997	502965	x

185		
white	grey	black
x	x	x
x	x	x
x	x	x
502998	502966	503027
502999	502967	x
x	502968	x
x	x	x
x	x	x

StrongMax 18 sets


SET
COMPONENTS p. 26

with glass sides


length (mm)	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	503062	503030	x	503070	503038	x	503078	503046	x	x	x	x
350	503063	503031	x	503071	503039	x	503079	503047	x	x	x	x
400	503064	503032	x	503072	503040	x	503080	503048	x	x	x	x
450	503065	503033	503094	503073	503041	503096	503081	503049	503098	503086	503054	503100
500	503066	503034	503095	503074	503042	503097	503082	503050	503099	503087	503055	503101
550	503067	503035	x	503075	503043	x	503083	503051	x	503088	503056	x
600	503068	503036	x	503076	503044	x	503084	503052	x	503089	503057	x
650	503069	503037	x	503077	503045	x	503085	503053	x	503090	503058	x

185		
white	grey	black
x	x	x
x	x	x
x	x	x
503091	503059	503102
503092	503060	503103
503093	503061	x
x	x	x
x	x	x


StrongMax 16/18
89 mm





StrongMax 16/18
121 mm




StrongMax 16/18
185 mm



StrongMax 16/18
249 mm



NL = Nominal slide length
NL - 20 = bottom panel length
NL + 5 = inner depth of the cabinet body
 LW = inner width of the cabinet body
LW - 42 = back panel width
LW - 21 = bottom panel width
 LT = total inner depth of the cabinet body



StrongMax Push 16/18

Zero handles – maximum benefits


NEW



LIFETIME
GUARANTEE



- **Push-to-Open** mechanism for handleless opening drawer opening
- load capacity **up to 40 kg**
- designed for **StrongMax sides**
- mounting template compatible with the StrongMax system
- modern, elegant design
- quiet and smooth drawer travel thanks to synchronised sliders
- thickness of the sides: **13 mm**
- 3D front adjustment
- tested for **100,000 cycles**
- heights: **89/121/185/249 mm**
- lengths: **300–550 mm**
- colour options: **grey, white, black**
- for bottom panel thicknesses of **16/18 mm**
- quick and easy installation
- excellent price-to-quality ratio
- optional extras: glass sides, glass front, railing



StrongMax Push 16 sets

SET
COMPONENTS

p. 26

with glass sides

length (mm)	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	551320	551344	x	551326	551350	x	551332	551356	x	x	x	x
350	551321	551345	x	551327	551351	x	551333	551357	x	x	x	x
400	551322	551346	x	551328	551352	x	551334	551358	x	x	x	x
450	551323	551347	551368	551329	551353	551370	551335	551359	551372	551341	551365	551376
500	551324	551348	551369	551330	551354	551371	551336	551360	551373	551342	551366	551377
550	551325	551349	x	551331	551355	x	551337	551361	x	551343	551367	x

185		
white	grey	black
x	x	x
x	x	x
x	x	x
551338	551362	551374
551339	551363	551375
551340	551364	x

StrongMax Push 18 sets

SET
COMPONENTS


p. 26

with glass sides


length (mm)	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	550076	550100	x	550082	550106	x	550088	550112	x	x	x	x
350	550077	550101	x	550083	550107	x	550089	550113	x	x	x	x
400	550078	550102	x	550084	550108	x	550090	550114	x	x	x	x
450	550079	550103	550124	550085	550109	550126	550091	550115	550128	550097	550121	550132
500	550080	550104	550125	550086	550110	550127	550092	550116	550129	550098	550122	550133
550	550081	550105	x	550087	550111	x	550093	550117	x	550099	550123	x

185		
white	grey	black
x	x	x
x	x	x
x	x	x
550094	550118	550130
550095	550119	550131
550096	550120	x


StrongMax Push 16/18
89 mm






StrongMax Push 16/18
121 mm



StrongMax Push 16/18
185 mm




StrongMax Push 16/18
249 mm



NL = Nominal slide length
 NL - 20 = bottom panel length
 NL + 5 = inner depth of the cabinet body
 LW = inner width of the cabinet body
 LW - 42 = back panel width
 LW - 21 = bottom panel width
 LT = total inner depth of the cabinet body


StrongMax – accessories

Glass front for laminated particle board 16 cabinet bodies



width (mm)	height 89 (mm)	height 121 (mm)	height 185 (mm)	colour
500	401956	402264	402267	clear
600	401957	402265	402268	
800	401958	402266	402269	
900	403173	403174	403175	

Glass front for laminated particle board 18 cabinet bodies



width (mm)	height 89 (mm)	height 121 (mm)	height 185 (mm)	colour
500	529801	529804	529807	clear
600	529802	529805	529808	
800	529803	529806	529809	

Front-profile holders for glass fronts



height (mm)	grey	white	black
89	401948	401944	401952
121	401949	401945	401953
185	401950	401946	401954

Front-profile holders




description	grey	white	black
H89	336109	336104	400404
H121	336110	336105	400405
H185	336111	336106	400406

Front profile for glass front



code	width (mm)	colour
401947	1,100	white
401951		grey
401955		black

Front profile



length (mm)	grey	white	black
800	336107	336112	×
1,100	336108	336113	400408

- can be shortened to match the cabinet body width
- panel length = inner width of the cabinet body – 87 mm
- panel height 100.5 mm


Front handle railing



length (mm)	grey	white	black
800	336115	336117	×
1,100	336114	336116	400410

- can be shortened to match the cabinet body width
- railing length for internal drawer at height 185 mm = internal cabinet width – 55 mm
- profile dimensions 20 × 10 mm

Railing set for drawer height extension



length (mm)	grey	white	black
300	×	359377	×
350	×	359378	×
400	359373	359379	×
450	359374	359380	400398
500	359375	359381	400399
550	359376	359382	×

- can be used at any height and in any quantity
- combines with all StrongMax heights
- mounts to the drawer front in the same way as standard railings, and to the rear panel using special brackets
- profile dimensions 23 × 13 mm

Profile for internal divider



length (mm)	grey	white
1,100	359822	359823

- can be shortened to match the drawer dimensions
- profile length for cross divider = internal cabinet body width – 47 mm
- profile length for longitudinal divider = slide length (NL) – 40 mm
- profile dimensions 20 × 10 mm

Divider panel



code	colour
359369	grey
359370	white


Profile holder for internal divider



code	colour
359365	grey
359366	white

- for attaching the cross divider to the longitudinal railing
- internal dividers are not recommended for use without railings

Cover cap without logo – printable



grey	white	black
363036	363034	400403

Rear base support



code	description
362336	base/rear support

- base support for wide drawers

Front base support for wooden fronts



code	description
362335	front

- base support for wide drawers

Base support for internal drawers



code	description
376287	front internal drawers

- base support for wide drawers

Drawer mounting templates

Marking the drilling hole for StrongMax 16/18 front fixing



code	description
512874	for heights 89/121 mm

code	description
512876	for heights 185 mm

Washer



code	description
503409	StrongMax reducer for 18 mm bottom panel on 16 mm board material

- reduces an 18 mm bottom panel to a 16 mm board
- with locking feature for added stability
- 4–6 pieces required per drawer

Cabinet-mounting template for drawers



code
396273



- Marking template

- stainless steel material
- bidirectional use
- the holes on the front side are designed to mark the rear-pin position for StrongRide slides
- can also be used to mark drilling holes for hinge mounting plates
- designed for slides:
 - StrongMax / StrongMini
 - StrongBox
 - StrongRide / StrongRide Uni
 - Strong ball bearing slides
 - Strong roll runner slides with and without side panel



Examples of use:

- marking the drilling hole for the concealed-slide mounting pin for Strong slides



Examples of use:

- marking the drilling holes for StrongMax and StrongRide slides



StrongRide Uni


NEW

Easy installation at a reasonable price





StrongRide Uni at a glance:

- full or partial extension slide
- quiet and smooth operation thanks to integrated soft closing
- load capacity **up to 30 kg**
- tested for **50,000 cycles**
- for material thickness of **up to 18 mm**
- length range: **270–550 mm**
- a single mounting standard for various drawer types
- main application: wooden drawers
- quick and easy installation



StrongRide Uni

slider length (mm)	partial-extension slide	full-extension slide
270	541775	541782
300	541776	541783
350	541777	541784
400	541778	541785
450	541779	541786
500	541780	541787
550	541781	541788



Drawer dimensions and drilling pattern

NL = nominal length of the slide


NL - 10 = bottom panel length

NL + 5 = recommended minimum depth of the cabinet body

LW = inner width of the cabinet body

SKW - 42 = inner width of the drawer

LT = total inner depth of the cabinet body





StrongRide 2D/3D/Push

Concealed technology for stable slides











StrongRide at a glance:

- load capacity **up to 40 kg**
- tested for **60,000 cycles**
- for material thicknesses of **16/18/19 mm**
- length range: **300–550 mm**
- drawer adjustment: horizontal ± 2 mm, vertical 0 to +3 mm
- depth adjustment from 0 to +3 mm in 3D systems
- maximum recommended drawer width is $1.6 \times$ the slide length, and $1.2 \times$ in the synchronised 2D system



StrongRide

length (mm)	3D concealed full- extension slide with soft closing and synchronised movement	3D concealed full- extension slide with soft closing	2D Push concealed full-extension slide with synchronised movement	2D concealed partial-extension slide with soft closing
300	334991	238136	399221	254774
350	334992	238140	399222	254775
400	334993	238141	399223	254776
450	334994	238142	399224	254777
500	334995	238143	399225	254778
550	334996	238144	399226	254779



Drawer dimensions and drilling pattern

NL = Nominal slide length

NL - 10 = external drawer depth

NL + 8 = recommended minimum cabinet body depth

LW = inner width of the cabinet body

LW - 49 = inner width of the drawer

LT = total inner depth of the cabinet body


StrongBox

Comfort and freedom of configuration



StrongBox at a glance:

- full-extension slide with soft closing
- load capacity **up to 35 kg**
- for bottom panel thickness of **16 mm**
- horizontal and vertical drawer-front adjustment
- length range: **270–550 mm**
- colours: **white, grey, titanium**
- tested for **60,000 cycles**
- variants: **86 mm, 140 mm, 204 mm** with round railing, **204 mm** with rectangular railing
- wide range of accessories



StrongBox sets

86 mm






length (mm)	white	grey	titanium
270	179252	146752	×
300	179253	146753	×
350	179254	146754	×
400	179255	146755	×
450	179256	146756	400301
500	179257	146757	400302
550	179258	146758	×

140 mm

length (mm)	with round railing		with rectangular railing		
	white	grey	white	grey	titanium
270	179259	146759	402576	402583	×
300	179260	146760	402577	402584	×
350	179261	146761	402578	402585	×
400	179262	146762	402579	402586	×
450	179263	146763	402580	402587	400290
500	179264	146764	402581	402588	400291
550	179265	146765	402582	402589	×

204 mm


length (mm)	with single round railing		with two round railings		with single rectangular railing			with two rectangular railings		
	white	grey	white	grey	white	grey	titanium	white	grey	titanium
270	276473	276474	179266	146768	404258	404265	×	402590	402597	×
300	276475	276476	179267	146769	404259	404266	×	402591	402598	×
350	276477	276478	179268	146770	404260	404267	×	402592	402599	×
400	276480	276481	179269	146771	404261	404268	×	402593	402600	×
450	276482	276483	179270	146772	404262	404269	402573	402594	402601	400310
500	276484	276485	179271	146773	404263	404270	402574	402595	402602	400313
550	276486	276487	179273	146774	404264	404271	×	402596	402603	×



NL = nominal length of the slide
 NL - 7 = bottom panel length
 NL + 10 = inner depth of the cabinet body
 LW = inner width of the cabinet body
 LW - 89 = rear panel width
 LW - 75 = bottom panel width
 LT = total inner depth of the cabinet body


StrongBox – accessories

Front holder for internal drawer with round front railing



description	white	grey
H86	328812	179238
H140 with single railing	328811	179239
H204 with single railing	328814	179240
H204 with two railings	291439	293609

Front holder for internal drawer with rectangular front railing



description	white	grey
H86	328812	179238
H140 with single railing	328811	179239
H204 with single railing	402673	402674
H204 with two railings	402675	402676


Front profile, length 1,100 mm



white	grey	titanium
179235	179234	402667


- for all side panel heights (86, 140, 204 mm)
- panel length = inner width of the cabinet body – 87 mm

Rectangular front railing, 1,100 mm




white	grey
402668	402669

Handle for internal drawer with round railing, height H204



white	grey
328820	179241

Round side railing sets for drawer height extension



length (mm)	grey		white	
	upper railing	centre railing	upper railing	centre railing
270	283738	283752	283739	283753
300	283740	283754	283741	283755
350	283742	283756	283743	283757
400	283744	283758	283745	283759
450	283746	283760	283747	283761
500	283748	283762	283749	283763
550	283750	283764	283751	283765

- set includes front fittings for both screw and wall-plug fixing
- individual set components can also be ordered separately via our online portal
- separate front railing holders for screw fixing
 - white 246699
 - grey 246700
- separate front holders for wall-plug fixing
 - white 246795
 - grey 246796

Longitudinal square railing sets for drawer height extension



length (mm)	height 140 mm		height 204 mm with single railing		height 204 mm with two railings	
	white	grey	white	grey	white	grey
270	402604	402611	402625	402632	402646	402653
300	402605	402612	402626	402633	402647	402654
350	402606	402613	402627	402634	402648	402655
400	402607	402614	402628	402635	402649	402656
450	402608	402615	402629	402636	402650	402657
500	402609	402616	402630	402637	402651	402658
550	402610	402617	402631	402638	402652	402659

- the set also includes back fasteners
- combines with the 86 mm StrongBox version



Front mounting template



code	description
179242	front marker

- for marking the hole for the front fixing

Railing template



code	description
179243	railing template

- for marking out the holes for the railing fixings

StrongBox – accessories

Cross divider 1,100 mm



code	colour
179250	white

- can be shortened to match the cabinet width (profile length = internal cabinet body width – 100 mm)
- profile height 111 mm, thickness 7 mm
- for use only in combination with a single or double height-extension side panel

Cross divider end cap set



code	colour
328819	white

- clips onto the cross divider
- for use only in combination with a single or double height-extension side panel


Partition wall for cross divider



code	colour
179281	white

- for better visibility and organisation in tall drawers
- clip-on mounting onto the cross divider

Cover cap without logo – printable



code	colour
363035	grey
363033	white

- cover cap print available on request
- price list available on request

Raised sides, single



length (mm)	grey	white
450	×	179287
500	146814	179288

- suitable for StrongBox accessories of height 204 mm with single railing

Raised sides, double



length (mm)	grey	white
450	×	179278
500	146795	179279

- suitable for StrongBox accessories of height 204 mm with single railing

Cross and longitudinal round railing, length 1,100 mm



code	colour
179244	white
179245	grey

- the railing can be shortened to suit the internal divider or the H204 internal drawer with handle
- railing length for internal divider = internal cabinet body width – 60 mm
- railing length for H204 internal drawer = internal cabinet body width – 71 mm

Cross and longitudinal round railing, length 1,100 mm



code	colour
402677	white
402678	grey

Fixing bracket for round cross railing



code	colour
328824	white
179246	grey

- for fixing the cross railing to the longitudinal railing

Fixing bracket for rectangular cross railing



code	colour
402680	white
402681	grey

- for fixing the cross railing to the longitudinal railing

Round cross railing divider connector



code	colour
328822	white
179247	grey

Rectangular longitudinal railing end cap



code	colour
359828	white
359827	grey


Round longitudinal railing end cap



code	colour
328818	white
179248	grey

StrongBall

Proven solutions for everyday use



StrongBall at a glance:

- quiet and smooth operation
- colours: **silver, black**
- versions: full-extension, full-extension with soft closing, push, push with soft closing
- S3 load capacity **up to 35 kg**
- S5 load capacity **up to 120 kg**
- lengths **250–1,200 mm**
- height **45 mm (120 kg variant – 52 mm)**
- tested for 50,000 cycles



Set components

Slides

slide length	StrongMax 16/18 with soft closing p. 7	StrongMax Push 16/18 p. 9	StrongRide Uni p. 15	
			partial-extension slide	full-extension slide
300	374229	546614	541776	541783
350	374230	546615	541777	541784
400	374231	546616	541778	541785
450	374232	546617	541779	541786
500	374233	546618	541780	541787
550	374234	546619	541781	541788
600	502825	x	x	x
650	502824	x	x	x

StrongMini side panels

p. 5

slide length	89		121		185	
	white	grey	white	grey	white	grey
270	541733	541754	541740	541761	541747	541768
300	541734	541755	541741	541762	541748	541769
350	541735	541756	541742	541763	541749	541770
400	541736	541757	541743	541764	541750	541771
450	541737	541758	541744	541765	541751	541772
500	541738	541759	541745	541766	541752	541773
550	541739	541760	541746	541767	541753	541774

StrongMax 18 side panels

p. 7

slide length	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	502846	502867	x	502860	502881	x	502853	502874	x	x	x	x
350	502845	502866	x	502859	502880	x	502852	502873	x	x	x	x
400	502844	502865	x	502858	502879	x	502851	502872	x	x	x	x
450	502843	502864	502885	502857	502878	502899	502850	502871	502892	502904	502909	502914
500	502842	502863	502884	502856	502877	502898	502849	502870	502891	502905	502910	502915
550	502841	502862	x	502855	502876	x	502848	502869	x	502906	502911	x
600	503109	503115	x	503111	503117	x	503113	503119	x	502907	502912	x
650	503110	503116	x	503112	503118	x	503114	503120	x	502908	502913	x

StrongMax 18 side panel with glass

185		
white	grey	black
x	x	x
x	x	x
x	x	x
502931	502933	502935
502932	502934	502936
502928	502929	x
x	x	x
x	x	x

StrongMax 16 side panels

p. 7

slide length	89			121			185			249		
	white	grey	black	white	grey	black	white	grey	black	white	grey	black
300	374196	374211	x	374201	374216	x	374206	374221	x	x	x	x
350	374197	374212	x	374202	374217	x	374207	374222	x	x	x	x
400	374198	374213	x	374203	374218	x	374208	374223	x	x	x	x
450	374183	374189	502805	374185	374191	502819	374187	374193	502812	502826	502831	502836
500	374184	374190	502804	374186	374192	502818	374188	374194	502811	502827	502832	502837
550	374199	374214	x	374204	374219	x	374209	374224	x	502828	502833	x
600	503121	503127	x	503123	503129	x	503125	503131	x	502829	502834	x
650	503122	503128	x	503124	503130	x	503126	503132	x	502830	502835	x

StrongMax 16 side panel with glass

185		
white	grey	black
x	x	x
x	x	x
x	x	x
502922	502924	
502923	502925	
502919	502920	x
x	x	x
x	x	x

Lifetime guarantee on StrongMax 16/18 products

**Trust once.
Enjoy it for life.**



What does "lifetime guarantee" mean in practice?

The **lifetime guarantee** provides **free** replacement of defective components from the **StrongMax 18 and 16** slide product line in the event of failure due to a **materials** defect or **manufacturing defect**. The guarantee remains valid for the lifetime of the first piece of furniture in which the StrongMax range products are used. This means that if they are subsequently reinstalled in different furniture, the lifetime guarantee ceases to apply. If during the guarantee period the original product is no longer available, we will automatically deliver another suitable replacement.

✓ The lifetime guarantee applies to all StrongMax orders placed from 1 January 2025.

What can the guarantee be used for?

- Functioning of the slides (noise, soft closing not working, dragging during movement, incorrect opening or closing operation, etc.).
- Side panels – functioning of the front adjustment, slide attachment, functioning of the back holder.
- Front fittings – cracking over time without the application of excessive force, cracking of the adjustment screw without the application of excessive force, failure to hold in the side panel.

What is the guarantee NOT applicable to?

- The furniture itself, its material or quality of workmanship.
- Slides damaged by incorrect installation, excessive load, or use contrary to the original intended purpose.
- Scratched or otherwise damaged side panels through normal use or impact.
- Costs of dismantling, installation, or any other related work and transport.

How do I claim under the lifetime guarantee?

The owner of the furniture submits the claim to its manufacturer, who in turn submits it to Démos trade or to the retailer from whom the StrongMax product was purchased.

Submitting a claim:



- Use the claim form available on the www.demos24plus.com portal.
- If you do not use the portal, contact us by email at reklamace@demos-trade.com or at one of our sales outlets.
- We will assess the claim and, if we recognise it as valid under the lifetime guarantee, we will send a new product to your address.
- The replacement is then arranged between you and your customer.

How long does processing take?

The claims process has a standard assessment period of 30 days.

Why can we trust the StrongMax 16 and 18 products?

To ensure maximum quality and a long product lifespan, we have carried out testing to the most stringent industry standards:

- Our slides are tested in accordance with **TÜV** standards.
- The tests were conducted under our own name and cover load, number of cycles, and durability.




All information and the latest news
can be found on our portal

www.demos24plus.com



StrongMini

- 25–30 kg
- 1 mm



StrongRide Uni

- 25–30 kg



StrongMax 16/18 StrongMax 16/18 Push

- 40 kg
- 13 mm



StrongRide 2D/3D/Push

- 40 kg



StrongBox

- 35 kg



StrongBall

- S3 – 35 kg
- S5 – 45–120 kg