

12

09.2

fittings for offices, home offices, student rooms





COMPLETE DOCUMENTATION FOR CONTAINER PRODUCTION

Schematics, all parts kits, outputs for CNC machinery, 3D models, all in one place on demos24plus.com.



TECHNICAL SUPPORT

Not sure about the fittings and the choice of assembly? Call +420 596 223 455 or email help@demos-trade.com and we will be happy to help you.



PORTAL

A customer portal for on-line shopping, order overview, placing custom production orders and checking their status, information about stock and your prices and much more in one place.



DELIVERY TO YOUR DOOR

All orders will be delivered to your hands.

contents




MILADESIGN LEHMANN





contents



09 16

What is in this chapter?

A brief introduction of manufacturers, products or important values from this chapter.

In the chapter you will find **Strong and Lehmann** locks, **Strong and Miladesign** bases, **BBP** containers. They are sorted by **product line** (locks, containers, bases, cable exit...). The chapter focuses on complete office equipment for corporate and home offices, student rooms, study rooms and other work spaces.

Explanations of some terms







Office fittings, home offices, student rooms

We have included in this chapter all products that are suitable or directly intended for the production of office desks and cabinets (except for hinges). The main ones are listed on the next page, bases, locks, containers, cable exit / cable management. If you are looking for chargers and connection points, these can be found in chapter K06 Lighting and electrification.

14

10

12

Bases



Leg systems and various interlocking profiles for desks allowing the creation of various sets (straight, L, cross, large conference, etc.). The connection profiles can also serve as holders or tunnels for cable guiding.

Locks



There is no need to explain what the locks are used for, so we will concentrate on a coarse list of what you can find in the catalogue. Ordinary locks with fixed insert or better locks with replaceable insert for drawers, cabinets, containers, sliding doors and more. Coin locks for public areas. And the highest range of electronically controlled locks, whether with keypad or fingerprint sensor.

Containers



We are not talking about boxes for moving things, but office boxes for storing things. Containers under desks have their place even in the age of electronic documentation and you will find a plethora of them in our offer.

Cable management




There are more and more cables in offices, study places, and generally in workplaces. In addition to clarity, it is also important to keep them safely stored. This is helped by a group of products generally known as cable management. Cable exit can also be included in this group.

What are the TOP products?

We have prepared a selection of the most interesting things you will find in the catalogue.

So our backs don't hurt

The importance of alternating between sitting and standing when working in an office is not new information. As a result, positioning bases have become a common feature in workrooms and offices. Our electrically adjustable StrongLegs series were quickly adopted by customers for their quality and reliability.



More news in the chapter



Central design bases

We also think about those who want to have an original, imaginative and different interior. We have included the following Miladesign design bases. They are different, imaginative, original.

09.26

03

04

14

05

06

07

15

08

09 16

10

11

12

17

office fittings, home offices, student rooms





It can also be done manually

Do you want to make sure that even a power outage won't prevent you from alternating between sitting and standing? That's why we offer mechanically adjustable Miladesign EKO bases. Quality is guaranteed as well as combinability with fixed

09.18



Unobtrusive locking

In furniture made of dark decor, the locks always shone quite a lot. This may change if you use our new black variants. The lock does not distract the eye, is unobtrusive and allows the furniture decor to stand out.

09.41



Captura - top locking

Lehmann company is deservedly a leader in the industry. They are the trend setters and innovators in furniture locking. Captura universal electronic lock with easy installation virtually anywhere and on any material, with the possibility of connecting up to 350 cards to one lock in FREE or FIX mode.

09.84



Mini lock

Small StrongLocks series drawer lock with a drilling of only 12 mm in nickel or black design. Even the internal dimensions of the lock are much smaller than normal and so it can be used even in very small, concealed drawers.

09.41

Videos and further information on these new products can be found here:



StrongLegs electric adjustable base




Straight


code	colour
392523	silver RAL 9006 matt
392522	white RAL 9016 matt
392524	black RAL 9005 matt

- version with two engines
- height: 610-1,260 mm
- tabletop length: 1,200-1,900 mm
- tabletop depth: 700-800 mm
- tabletop load capacity: 120 kg with even load on the tabletop
- engine speed: 32 mm/s
- noise level: < 45 dB
- leg profile: 80×50 mm
- three levels of anti-collision protection sensitivity setting
- · child safety latch
- USB 1× A/C rechargeable










StrongLegs electric adjustable base

Corner

code	colour
392518	silver RAL 9006 matt
392515	white RAL 9016 matt
392520	black RAL 9005 matt

- version with three engines
- height: 610-1,260 mm
- tabletop length:
 - for 90° 1,470-1,970 mm
 - for 180° 1,900-3,100 mm
- tabletop depth: 700-800 mm
- tabletop load capacity: 150 kg with even load on the tabletop
- engine speed: 32 mm/s
- noise level: < 45 dB
- leg profile: 80 × 50 mm
- three levels of anti-collision protection sensitivity setting
- · child safety latch
- USB 1× A/C rechargeable
- angle adjustment in the range of 90-180°





13 02

03

04

05

06

07

15

08

11

17

12

09.10

12345 Item in stock 12345 Item on demand

14

09 16

10

StrongLegs table bases



Support structure (legs)

profile (mm)	tabletop depth (mm)	silver	black	white
50 × 50	600	501404	501409	501416
50 × 50	800	501405	501410	501417
E0 0E	600	501406	501411	501418
50 × 25	800	501407	501413	501419
50 × 25 closed	800	501408	501415	501420



RAL 9006




RAL 9005

RAL 9016

- the complete construction consists of 1 set of bases and 2 pcs of connecting bars
- height adjustment: 722-735 mmfasteners included in the delivery
















profile (mm)	A (mm)	B (mm)	C (mm)
50 × 50 × 600	587	400	343
50 × 50 × 800	787	600	543



profile (mm)	A (mm)	B (mm)	C (mm)	
50 × 25 × 600	587	400	343	
50 × 25 × 800	787	600	543	




profile (mm)	A (mm)	B (mm)	C (mm)	
50 × 25 × 800	787	600	543	

StrongLegs table bases

Connecting bars

tabletop length (mm)	silver	black	white	A (mm)	B (mm)	number of holes ^{1]}
1200	400045	400046	400047	1110	×	2
1400	400049	400050	400051	1310	400	3
1600	400053	400054	400055	1510	500	3

^{1]} for mounting the tabletop










Folding desk base

code	description
503406	chrome
503402	black

- quality metal locking mechanism
- packed as a complete set for one table







13 02

03

04

14

05

06

15

80

09 16

10

11

17

12

09.12 12345 Item in stock 12345 Item on demand

MOBI-Q bases MILADESIGN

Open construction 50 × 50

tabletop depth (mm)	name	height (mm)	adjust- ment (mm)	silver	anthracite	black	white	recommended number of connecting bars
600	MQ7306			229305	229301	229304	229303	
700	MQ7307	715		229310	229306	229309	229308	2
800	MQ7308		+15	229315	229311	229314	229313	
1200	MQ7312		+15	229320	229316	229319	229318	
1400	MQ7314				229325	229321	229324	229323
1600	MQ7316			229330	229326	229329	229328	



connecting channels and accessories can be found on page 09.16 with overlap S = 0 mm (info on page 09.16 with connecting bars)





[•] legs from the profile 50×50 mm

Open construction 60 × 30

tabletop depth (mm)	name	height (mm)	adjustment (mm)	silver	anthracite	black	white	recommended number of connecting bars	
600	MQ7606				230989	230985	230988	230987	
700	MQ7607			230994	230990	230993	230992	2	
800	MQ7608	715	. 15	230999	230995	230998	230997		
1200	MQ7612		+15	231004	231000	231003	231002		
1400	MQ7614			231009	231005	231008	231007	4	
1600	MQ7616			231014	231010	231013	231012		



• legs from the profile 60 × 30 mm

connecting channels and accessories can be found on page 09.16


with overlap S = 0 mm (info on page 09.16 with connecting bars)





Closed construction 60 × 30

tabletop depth (mm)	name	height (mm)	adjustment (mm)	silver	anthracite	black	white	recommended number of connecting bars
600	MQ7906			231019	231015	231018	231017	
700	MQ7907	715		231024	231020	231023	231022	2
800	MQ7908		4.5	231029	231025	231028	231027	
1200	MQ7912			+15	259351	259352	259353	259354
1400	MQ7914			259356	259357	259358	259359	4
1600	MQ7916		-	259361	259362	259363	259364	



• legs from the profile $60 \times 30 \text{ mm}$

• for one pair of bases, we recommend 2 pcs of connecting bars to ensure the stability of the structure

 $\hfill \square$ connecting channels and accessories can be found on page 09.16

with overlap S = 0 mm (info on page 09.16 with connecting bars)







09.14

02 13

03

04

14

05

06

07

15

08

09 16

10

11

17

12

12345 Item in stock

12345 Item on demand

MOBI-Q bases MILADESIGN

Open construction triangular profile 50 × 50 × 50

tabletop depth (mm)	name	height (mm)	adjustment (mm)	silver	anthracite	black	white	recommended number of connecting bars
600	MQ 5506	715		259276	259277	259278	259279	
700	MQ 5507			259281	259282	259283	259284	2
800	MQ 5508		+15	259286	259287	259288	259289	
1200	MQ 5512	710	+10	259291	259292	259293	259294	
1400	MQ 5514			259296	259297	259298	259299	4
1600	MQ 5516			259301	259302	259303	259304	



 \square connecting channels and accessories can be found on page 09.16 with overlap S = 0 mm (info on page 09.16 with connecting bars)





Closed construction triangular profile 50 \times 50 \times 50

tabletop depth (mm)	name	height (mm)	adjust- ment (mm)	silver	anthracite	black	white	recommended number of connecting bars
600	MQ 5506-Z			259321	259322	259323	259324	
700	MQ 5507-Z	715	+15	259326	259327	259328	259329	2
800	MQ 5508-Z			252558	259332	259333	259334	



connecting channels and accessories can be found on page 09.16 with overlap S = 0 mm (info on page 09.16 with connecting bars)




MOBI-Q bases - connecting bars and accessories

Fixed bar

table length (mm)	name	silver	anthracite	black	white
800	MB08	217962	219082	219586	220092
1000	MB10	217963	219083	219587	220093
1200	MB12	217964	219084	219588	220094
1400	MB14	217965	219085	219589	220095
1600	MB16	217966	219086	219590	220096
1800	MB18	244383	268701	283615	283617
2000	MB20	479486	479487	479488	479489

- the bar length is always 100 mm shorter than the indicated tabletop length
- when using a corner leg, it is recommended to select connecting bar with regulation
- D length of the tabletop according to the selected connecting channel
- S overlap of the tabletop over the table frame, overlap indicated for each base



Bar with regulation

table length (mm)	name	silver	anthracite	black	white
800-1200	MBR08-12	217967	219087	219591	220097
1200 - 1800	MBR12-18	283420	283421	283422	283424
1600-2200	MBR16-22	278210	283646	283648	283647
1000 2200	INDITIO EE	2,0210	200040	200040	200071



• the bar length is always 100 mm shorter than the indicated tabletop length

MWS support

length (mm)	name	silver	anthracite	black	white
151	MWS15	217969	219089	219593	220099
340	MWS35	217970	219090	219594	220100

· ensures stability for bases without rims or channels





Corner leg MOBI-Q

leg profile (mm)	name	silver	anthracite	black	white
50 × 50 × 50	MQ 5501-N	259366	259367	259368	259369
50 × 50	MQ 7301-N	259371	259372	259373	259374
60 × 30	MQ 7601-N	259376	259377	259378	259379

12345 Item on demand

• height: 715 -730 mm





13

03

01

02

04

14

05

06

07

15

09 16

10

11

17

12 09.16


Centre table parts for MOBI-Q bases

- used to connect several bases in a row
- · creating a long table
- consists of one pair of bases, one or more crosspieces and legs




Crosspieces

table depth (mm)	name	silver	anthracite	black	white	number of legs required
600	MQ957/06	503381	503384	503383	503382	
700	MQ957/07	503385	503388	503387	503386	1
800	MQ957/08	503389	503392	503391	503390	
1200	MQ957/12	259381	259382	259383	259384	
1400	MQ957/14	259386	259387	259388	259389	2
1600	MQ957/16	259391	259392	259393	259394	



Legs

leg profile (mm)	name	silver	anthracite	black	white
50 × 50	MQ957/55-N	259396	259397	259398	259399
60 × 30	MQ957/63-N	259401	259402	259403	259404



Hanging cable channel for MOBI-Q

dimensions (mm)	name	silver	anthracite	black	white
548 × 60	MK55	217971	219091	219595	220101
948 × 60	MK95	217972	219092	219596	220102

- · hanging on a connecting bar
- suitable for rigid and flexible connecting bars



Type C - fixed

tabletop depth (mm)	name	height (mm)	adjustment (mm)	silver	anthracite	black	white
700-800	EC201	701	15	503341	503344	503343	503342
600	EC203	701	15	503345	503348	503347	503346

connecting channels and accessories can be found on page 09.18

- with overlap S = 38 mm (info on p. 09.18 with connecting channels)
- the complete assembly consists of one pair of base and one pair of connecting bars



Type C – manually height adjustable

tabletop depth (mm)	name	height (mm)	silver	anthracite	black	white
700-800	EC201R	660-760	503333	503336	503335	503334
600	EC203R	000-700	503337	503340	503339	503338

connecting channels and accessories can be found on page 09.18

- with overlap S = 38 mm (info on p. 09.18 with connecting channels)
- the complete assembly consists of one pair of base and one pair of connecting bars



Connecting bars

tabletop length D (mm)	name	silver	anthracite	black	white
800	EC201B-08	503349	503367	503361	503355
1000	EC201B-10	503350	503368	503362	503356
1200	EC201B-12	503351	503369	503363	503357
1400	EC201B-14	503352	503370	503364	503358
1600	EC201B-16	503353	503371	503365	503359
1800	EC201B-18	503354	503372	503366	503360


- the connecting bar length is always 166 mm shorter than the indicated tabletop length
- for use with models EC201/203 (R) only one piece of connecting bar at a time



Connecting bars with regulation

tabletop length D (mm)	name	silver	anthracite	black	white
1000-1300	EC21BR-10-13	503373	503376	503375	503374
1400-1800	EC21BR-14-18	503377	503380	503379	503378

- the connecting bar length is always 166 mm shorter than the indicated tabletop length
- for use with models EC201/203 (R) only one piece of connecting bar at a time



- D length of the tabletop according to the selected connecting channel
- $\ensuremath{\mathsf{S}}$ overlap of the tabletop over the table frame, overlap indicated for each base

01

13

03

02

04

14

05

06

07

15

08

09 16

10

11

17

12

09.18

12

12345 Item in stock **12345** Item on demand

Type C and T

tabletop depth (mm)	name	type	height (mm)	adjustment (mm)	silver	anthracite	black	white
700, 000	ST201S	С			217625	218756	219250	219756
700-800	ST202S	Т	715	+15	217626	218757	219251	219757
600	ST203S	С			217627	218758	219252	219758

possibility of using metal channels and accessories from p. 09.20

- the base also includes a removable cover (from the outside) used, for example, as a cable duct
- $\hfill \hfill \hfill$
- also ready for wooden rim, connecting fittings see p. 09.20



Corner legs


type of connection	name	connecting angle	height (mm)	adjustment (mm)	silver	anthracite	black	white
wooden rim	ST201GB	90°	000	680 +90	217646	218777	219271	219777
connecting channel	ST201GK/90	90°	000		217643	218774	219268	219774

• when using a corner leg, it is necessary to select a channel for the table 200 mm shorter or a variant of the connecting channel with regulation




Fixed

tabletop length D (mm)	name	silver	anthra- cite	black	white
800	ST201K-08	217628	218759	219253	219759
900	ST201K-09	217629	218760	219254	219760
1000	ST201K-10	217630	218761	219255	219761
1100	ST201K-11	217631	218762	219256	219762
1200	ST201K-12	217632	218763	219257	219763
1300	ST201K-13	217633	218764	219258	219764
1400	ST201K-14	217634	218765	219259	219765
1500	ST201K-15	217635	218766	219260	219766
1600	ST201K-16	217636	218767	219261	219767
1700	ST201K-17	217637	218768	219262	219768
1800	ST201K-18	217638	218769	219263	219769









- D length of the tabletop according to the selected connecting channel
- S overlap of the tabletop over the table frame, overlap indicated for each base

With regulation

tabletop length D (mm)	name	silver	anthracite	black	white
1400-1800	ST201KR 14 - 18	217639	218770	219264	219770
1800-2200	ST201KR 18-22	217640	218771	219265	219771

• the channel length should be 130 mm shorter than the indicated tabletop length

only for bases on p. 09.19



Support

name	silver	anthracite	black	white
ST201KW	217641	218772	219266	219772

- length: 197 mm
- it is used for small table constructions instead of a connecting channel or wooden rim
- when using a support, it is necessary to take into account the deteriorated stability of the table





Connecting fittings for wooden rim

code	name	tabletop thickness (mm)	number (pcs) for complete set	
15092	cam screw-in dowel M6	×	6	
229902	connecting fittings	15 / 16		
229903 cam		18 / 19		





13

03

01

02

04

14

05

06

15

07

09 16

10

11

17

12

09.20

12345 Item in stock 12345 Item on demand

ST table bases MILADESIGN

Type C and T - fixed

tabletop depth (mm)	name	type	height (mm)	adjustment (mm)	silver	anthracite	black	white
700-800	ST227	С		217678	218809	219303	219809	
700-800	ST226	Т	715	+15	217677	218808	219302	219808
600	ST227/60	С			217679	218810	219304	219810

connecting channels and accessories can be found on page 09.22

- with overlap S = 5 mm (info on p. 09.22 with connecting channels)
- very strong and stable type of base with removable inner covers (attached by magnets)



Type C - manually height adjustable

tabletop depth (mm)	name	type	height (mm)	silver	anthracite	black	white
700-800	ST227R	С		217684	218815	219309	219815
	ST226R	Т	650-850	217683	218814	219308	219814
600	ST227/60R	С		217685	218816	219310	219816

$\hfill \Box$ connecting channels and accessories can be found on p. 09.22

- with overlap S = 5 mm (info on p. 09.22 with connecting channels)
- height adjustment is locked with screws
- very strong and stable type of base with removable inner covers (attached by magnets)



ST table bases - connecting bars and channels

Connecting channel

tabletop length D (mm)	name	silver	anthracite	black	white
800	ST951/08	217763	218898	219388	219894
1000	ST951/10	217764	218899	219389	219895
1200	ST951/12	217765	218900	219390	219896
1400	ST951/14	217766	218901	219391	219897
1500	ST951/15	217767	218902	219392	219898
1600	ST951/16	217768	218903	219393	219899
1700	ST951/17	217769	218904	219394	219900
1800	ST951/18	217770	218905	219395	219901

- the channel length is always 150 mm shorter than the indicated tabletop length
- when using a corner leg, it is recommended to select a connecting channel with regulation




With regulation

tabletop length D (mm)	name	silver	anthracite	black	white
800-1200	ST951	217771	218906	219396	219902
1300 - 1800	ST952	217772	218907	219397	219903
1900-2200	ST954	217773	218908	219398	219904

• the channel length is always 150 mm shorter than the indicated tabletop length



- D length of the tabletop according to the selected connecting channel
- S overlap of the tabletop over the table frame, overlap indicated for each base



Corner leg for 90° angle

name	leg (mm)	silver	anthracite	black	white
ST501+ST955/4 × 90°	ø 50 height 680-770	353367	353368	394251	394252
ST502+ST955/4 × 90°	50 × 50 height 715-730	342186	353369	394254	394255



Support

length (mm)	name	silver	anthra- cite	black	white
196	ST953	217774	218909	219399	219905

- used for small table frames instead of a connecting channel
- when using a support, it is necessary to take into account the deteriorated stability of the table



Support for container

tabletop depth (mm)	name	height (mm)	silver	anthracite	black	white
700-800	ST227KG	171	503329	503332	503331	503330





02 13

03

04

05

06

07

15

0

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand **09.22**

Type C and T - fixed

tabletop depth (mm)	name	type	height (mm)	adjustment (mm)	silver	anthracite	black	white		
700-800	ST201E	С			217647	218778	219272	219778		
700-000	ST202E	T 715	715	715	T 715	+15	217648	218779	219273	219779
600	ST203E	С			217649	218780	219274	219780		

• only for wooden rim and fill from LDF (laminated)







Connecting fittings for wooden rim

code	name	for tabletop thickness (mm)	quantity (pcs)
15092	cam screw-in dowel M6	×	
229902	connecting fittings cam	15 / 16	6
229903	connecting numgs cam	18 / 19	







Base with the possibility of folding the tabletop

code	name	height (mm)	adjustment (mm)	colour
218096	ST847MU (with castors and brake)		×	silver
219154		715		anthracite
219659		/ 15		black
220164				white

- suitable for tabletops with max. dimensions 1,100 \times 700 mm up to 1,600 \times 800 mm the folding mechanism can only be locked in two positions horizontally and vertically



accessories for table bases

Support for modesty panel

148 × 250	ST313/1	217824	219449
dimensions (mm)	name	silver	black

• 2 pcs of support are needed for attaching the panel



Fastener for table divider

dimensions (mm) 120 × 90	name LN 3801	silver 349148	black 349211	_
dimanaiana (mm)		ollyge	blook	

· serves to hold the divider between desks





Keypad drawer with slide and mouse pad

code	colour
92100	black
92101	grey

• dimensions: 560 × 370 mm







02

13

03

04

05

06

15 07

09 16

10

11

17

12

09.24 12345 Item in stock 12345 Item on demand

accessories for table bases

Suspension holder for PC cabinets

code	name	dimensions (mm)	colour
217827	ST103	210 × 475 × 595	silver
218962	31103	210 ^ 475 ^ 595	anthracite
217828	CT102D	010 475 405 500	silver
218963	ST103R	210 × 475 × 405-580	anthracite



Trolley for PC cabinets

code	name	dimensions (mm)	colour
217825	ST101	210 × 475 × 115	silver
218960	51101	210 ^ 4/ 5 ^ 115	anthracite



Plastic trolley for PC cabinets

code	description
103198	grey

- max. inner width: 260 mm
- min. inner width: 150 mm
- length: 300 mm



EX design central table legs

Three arms

code	name	colour	max. dimensions of tabletop with th. 18 mm	height (mm)	weight (kg)
403025	EX 72080-3	silver	Ø 1200	720	14
403026		anthracite			
403027		black			
403028		white			

- design matching bases can be found on p. 14.12
- detailed technical parameters can be found on the online portal www.demos24plus.com



Four arms

code	name	colour	max. dimensions of tabletop with th. 18 mm	height (mm)	weight (kg)
403029	EX 72080-4	silver	Ø 1200 1000 × 1000	720	19
403030		anthracite			
403031		black			
403032		white			

- design matching bases can be found on p. 14.12
- detailed technical parameters can be found on the online portal www.demos24plus.com



13

03

02

04

05

06

15

08

09 16

10

11

17

12

09.26 12345 Item in stock 12345 Item on demand

StrongLegs central table legs



Strong central table leg 450 × 450 mm

code	surface	height (mm)	max. tabletop dimensions (mm)	weight (kg)
275179	- brushed stainless steel	730	850 × 850	15
351389		1100	600 × 600	16,3

- adjustment + 4 mm
- bottom part made from solid steel + stainless steel cover
- package by pieces (3 packages)
- the stated maximum tabletop dimensions are for 18 mm thickness and these dimensions are at the table's stability limit
- central table legs are not suitable for use in assemblies one next to another (a risk of height misalignment of top tabletops)



Strong central table leg 450 × 450 mm

code	description	height (mm)	max. tabletop dimensions (mm)	weight (kg)
356739	black	720	800 × 800	17,1
356740	grey	732		

- legs from 70 × 70 mm profile
- individual parts made of solid steel
- the stated maximum tabletop dimensions are for 18 mm thickness and these dimensions are at the table's stability limit
- central table legs are not suitable for use in assemblies one next to another (a risk of height misalignment of top tabletops)



Strong central table leg, ø 450 mm

code	description	height (mm)	max. tabletop dimensions (mm)	weight (kg)
356737	black	732	Ø 900	13
356738	grey	132	Ø 800	

- leg from profile ø 60 mm
- individual parts made of solid steel
- the stated maximum tabletop dimensions are for 18 mm thickness and these dimensions are at the table's stability limit



StrongLegs central table legs

Double 700 × 400 mm

code	surface	height (mm)	max. tabletop dimensions (mm)	weight (kg)
275180	brushed stainless steel	730	1 400 × 900	25
351390		1100	1 200 × 700	27,5

- adjustment + 4 mm
- bottom part made from solid steel + stainless steel cover
- package by pieces (3 packages)
- the stated maximum tabletop dimensions are for 18 mm thickness and these dimensions are at the table's stability limit



Double 740 × 450 mm

code	description	height (mm)	max. tabletop dimensions (mm)	weight (kg)
349276	black	732	1600 × 800	33
349245	grey	132	1000 ^ 600	

- legs from 70 × 70 mm profile
- individual parts made of solid steel
- the stated maximum tabletop dimensions are for 18 mm thickness and these dimensions are at the table's stability limit



02

13

03

04

14

05

06

15

07

09 16

10

11

17

12

09.28

12345 Item in stock 12345 Item on demand

BD and BM central table legs

BD 004

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
86317	black RAL 9005	730	400 × 400	700 × 700	10
85374	matt stainless steel		(Ø 60)	700 * 700	18

- can also be produced in any other RAL colour
- for this leg, it is also possible to use an adapter for gluing a glass tabletop (adapter order code is 160042)
- the leg can be shortened as required

- the bottom base is made of cast iron and its surface has a rough structure
- 1,100 mm height available on the online portal Démos trade



BM 030

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
144362	black RAL 9005				
144363	grey RAL 9006	720	430 × 430	800 × 800	17
144365	chrome		(Ø 76)		
144364	matt stainless steel				

- can also be produced in any other RAL colour
- for this leg, it is also possible to use an adapter for gluing a glass tabletop (adapter order code is 160042)
- the leg can be shortened as required

- the bottom base is made of cast iron and its surface has a rough structure
- 1,100 mm height available on the online portal Démos trade



BM 013

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
85372	black RAL 9005				23
86310	grey RAL 9006	700	600 × 420	1 000 × 600 (Ø 800)	
144326	chrome	720	(Ø 76)		
86318	matt stainless steel				

- can also be produced in any other RAL colour
- for this leg, it is also possible to use an adapter for gluing a glass tabletop (adapter order code is 160042)
- the leg can be shortened as required


- the bottom base is made of cast iron and its surface has a rough structure
- 1,100 mm height available on the online portal Démos trade



01

BM 010

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
85373	black RAL 9005				
85313	grey RAL 9006	700	800 × 420	1 000 000	00
97931	chrome	720	(2 × Ø 76)	1 600 × 800	36
85320	matt stainless steel				



- the bottom base is made of steel sheet metal with a final finish
- 1,100 mm height available on the online portal Démos trade



BM 029

• can also be produced in any other RAL colour

tabletop (adapter order code is 160042)

- for this leg, it is also possible to use an adapter for gluing a glass

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
84003	black RAL 9005			800 × 800	19
84007	grey RAL 9006	700			
86325	chrome	720	430 × 430 (80 × 80)		
144357	matt stainless steel	1 100	(00 100)		
144358	black RAL 9005			700 × 700	22

- can also be produced in any other RAL colour
- the bottom base is made of cast iron and its surface has a rough structure
- the leg can be shortened as required
- 1,100 mm height available on the online portal Démos trade



BM 027

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
144345	black RAL 9005	720	400 × 400	800 × 800	10
144346	grey RAL 9006		(80 × 80)		19

- · can also be produced in any other RAL colour
- the leg can be shortened as required
- the bottom base is made of cast iron and its surface has a rough structure
- 1,100 mm height available on the online portal Démos trade



• central table legs are not suitable for use in assemblies one next to another (a risk of height misalignment of top tabletops)

09.30 12345 Item in stock 12345 Item on demand

13

03

04

14

05

06

15

08

09 16

11

12

17

BM central table legs

BM 025

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)
144338	black RAL 9005			Ø 800	18
144337	grey RAL 9006		Ø 430 (Ø 76) Ø 600 (Ø 76)		
97959	matt stainless steel	720			
221701	black RAL 9005			Ø 900	22
229895	grey RAL 9006				
97956	matt stainless steel		(.5.70)		



• 1,100 mm height available on the online portal Démos trade



- can also be produced in any other RAL colour
 for this log, it is also possible to use an adapter.
- for this leg, it is also possible to use an adapter for gluing a glass tabletop (adapter order code is 160042)
- the leg can be shortened as required

BM 012

code	surface	height (mm)	base (mm) (leg)	max. dimensions of tabletop with th. 18 mm (mm)	weight (kg)	
85325	black RAL 9005	720 -	Ø 400 (Ø 76)	Ø 750	19	
85326	grey RAL 9006					
85327	chrome					
144323	black RAL 9005		. = 5			
144322	grey RAL 9006		Ø 550 (Ø 76)	Ø 1 100	23	
144316	chrome		(2 70)			
85322	black RAL 9005	1 100	Ø 400 (Ø 76)	Ø 600	22	

- can also be produced in any other RAL colour
- for this leg, it is also possible to use an adapter for gluing a glass tabletop (adapter order code is 160042)
- the leg can be shortened as required

- the bottom base is made of cast iron and its surface has a rough structure
- $\bullet \quad$ 1,100 mm height available on the online portal Démos trade



Strong locks



locks with replaceable insert

drawer lock	p. 09.33
cabinet lock with cam	p. 09.34
push lock	p. 09.35
extending bar lock	p. 09.36
espagnolette lock	p. 09.36
knob	p. 09.37
glass door lock	p. 09.37
central lock	p. 09.39
inserts	p. 09.40



locks with integrated insert

drawer lock	p. 09.41
push lock	p. 09.42
extending bar lock	p. 09.43
espagnolette lock	p. 09.43
glass door lock	p. 09.42
central lock	p. 09.44
coin lock	p. 09.45



electronic locks

chip lock p. 09.46 fingerprint lock p. 09.47 p. 09.47 lock with keypad lock with keypad and card p. 09.47

12

09.32

13 02

03

04

14

05

06

15

80

09 16

10

11

17

StrongLocks locks with replaceable insert



- locking system where the lock and the replaceable cylinder insert need to be ordered as individual items
- thanks to the replaceable cylinder insert, it is possible to choose identical or different key combinations
- up to 1,500 different key combinations in stock
- this system includes master and removal keys
- cylinder diameter: 18 mm

Drawer lock


code	orientation	cylinder length (mm)	surface treatment
403221	right		
403222	left	22	
403223	centre		chrome
403224	right		CHIOTHE
403225	left	32	
403226	centre		


- · the set includes lock and rosette
- it is necessary to buy a replacement insert, see p. 09.40





TIP: use one or more 403227 spacers for use in thin materials






Drawer lock in plastic case

code	orientation	cylinder length (mm)	surface treatment
403539	centre	22	plastic


- the set includes lock and rosette
- it is necessary to buy a replacement insert, see p. 09.40








Drawer lock spacer



code	description
403227	plastic

the spacer is stackable

Angled striker plate 27 mm



code	description
134636	nickel

cother angled striker plates p. 09.80

Replaceable insert



p. 09.40

13

StrongLocks locks with replaceable insert


Slam lock


code	orientation	cylinder length (mm)	surface treatment
403228	centre	22	chrome

- when inserting or removing the cylinder insert, it is necessary to push the tongue into the lock (unlocked position)
- · the set includes lock, rosette and striker plate
- 1 it is necessary to buy a replacement insert, see p. 09.40










Cabinet lock with cam

code	orientation	cylinder length (mm)	surface treatment
403239	right	22	chrome

- the set includes lock, rosette and striker plate
- 1 it is necessary to buy a replacement insert, see p. 09.40








Cabinet lock with hook cam

code	orientation	cylinder length (mm)	surface treatment
403240	right	22	chrome


- the set includes lock, rosette and striker plate
- $oldsymbol{\Theta}$ it is necessary to buy a replacement insert, see p. 09.40







Angled striker plate 27 mm




code	description
134636	nickel

other angled striker plates p. 09.40

12345 Item in stock

Mortise striker plate



code	description	
223468	nickel, length: 75 mm	

Replaceable insert



Replaceable insert
p. 09.40

12345 Item on demand **09.34**

03

04

14

05

06

07

15

09 16

10

11

17

12

StrongLocks locks with replaceable insert




Push lock with tailpiece

code	orientation	cylinder length (mm)	surface treatment
403232	right	22	chrome

- the set includes lock, rosette and striker plate
- 1 it is necessary to buy a replacement insert, see p. 09.40









Push lock with hooked cam

code	orientation	cylinder length (mm)	surface treatment	
403233	right	22	chrome	

- the set includes lock, rosette and striker plate
- it is necessary to buy a replacement insert, see p. 09.40









Sliding door lock


code	orientation	cylinder length (mm)	surface treatment	
403248	right	22	chrome	

- the set includes lock, rosette and striker plate
- it is necessary to buy a replacement insert, see p. 09.40










StrongLocks locks with replaceable insert

Extending bar lock

code	orientation	cylinder length (mm)	bar (mm)	surface treatment
403603		t 22	2× 1000	- chrome
403604	right		2× 1200	
403605	right		1× 1000 1× 1200	

- set includes: lock 1 pc, rosette 1 pc, bar holders 4 pcs, striker plates 2 pcs, extending bars 2 pcs, adapter for full overlay doors 2 pcs
- ① it is necessary to buy a replacement insert, see p. 09.40
- possibility to buy a collision stop (p. 10.77) or other striker plate to prevent opening of the second leaf






Espagnolette lock

	code	orientation	cylinder length (mm)	bar (mm)	surface treatment
_	403606			2× 1000	
	403607	right 22	2× 1200	chrome	
	403608		22	1× 1000 1× 1200	Cilionie

- set includes: lock 1 pc, rosette 1 pc, bar holders 4 pcs, bottom hook 1 pc, top hook 1 pc, pins 2 pcs, holder cover 4 pcs, striker plate 1 pc, bars 2 pcs
- it is necessary to buy a replacement insert, see p. 09.40



12345 Item in stock **12345** Item on demand **09.36**

02 13

03

04

~~

14

05

06

07 15

__

09 16

10

11

17

12

StrongLocks locks with replaceable insert




Knob

code	orientation	cylinder length (mm)	surface treatment
403247	right-left	22	chrome

- the knob controls the cam, the knob can be locked in its current position only by turning the key (position locked/unlocked)
- the knob can be removed after removing the insert with the tool on card L00042 $\,$
- it is necessary to buy a replacement insert, see p. 09.40






Glass door lock attachable


code	orientation	surface treatment	for glass thickness (mm)	
403234	single glass	chrome	4-7	
403235	right for 2 leaves	CHIOINE	4-7	


- set includes: lock 1 pc, plastic spacer 1 pc, plastic screws 2 pcs, striker plate 1 pc
- it is necessary to buy a replacement insert, see p. 09.40











StrongLocks locks with replaceable insert


Glass door lock


code	orientation	surface treatment	for glass thickness (mm)
403237	single glass	obromo 4 14	4-14
403238	right for 2 leaves	chrome	4-14

- set includes: lock 1 pc, striker plate 1 pc, set of accessories 1 pc
- · drilling diameter: 26 mm
- it is necessary to buy a replacement insert, see p. 09.40












Sliding glass door lock with ratchet bar


code	orientation	surface treatment	for glass thickness (mm)
403236	right	chrome	4-9

- set includes: lock 1 pc, ratchet 1 pc
- for glass thickness 4-9 mm
- it is necessary to buy a replacement insert, see p. 09.40









02 13

01

03

04

′~

14

05

06

07

15

08

09 16

10

11

17

12

09.38

12345 Item in stock 12345 Item on demand


StrongLocks locks with replaceable insert



Central lock with accessories

code	orientation	cylinder length (mm)	surface treatment
403229	centre	22	chrome


- the set includes: lock 1 pc, bar holders 2 pcs, striker plates for wooden drawer 4 pcs, pins 4 pcs
- system without blocking the opening of more than one drawer
- $m{0}$ it is necessary to buy a replacement insert, see p. 09.40
- it is necessary to purchase a locking bar





Locking bar

code	length (mm)
403230	600
403231	800



Replaceable insert




p. 09.40

Central lock counterpart

code	description
11248	plastic

- · for wooden drawer
- mounting on the side of the drawer
- central lock pin slides into the bottom groove






Central lock counterpart

code	description
11299	lacquered metal

- for roll runner slides with side
- mounting on the base of the drawer





StrongLocks replaceable inserts for locks

With two hinged keys

Different key combinations with the master key option

code	insert number from the series
403184	S0001-S0500
403185	S0501-S1000

The above-mentioned codes include only one insert with two keys from the series in description, e.g. when ordering 5 pcs of 403184, you will receive 5 randomly selected inserts from the series \$0001-\$0500



Identical key combinations with the master key option

code	insert number
403187	S0001
403188	S0002
403189	S0003
403190	S0004
403191	S0005
403192	S0006
403193	S0007
403194	S0008
403195	S0009
403196	S0010

1	
code	insert number
403197	S0011
403198	S0012
403199	S0013
403200	S0014
403201	S0015
403202	S0016
403203	S0017
403204	S0018
403205	S0019
403206	S0020

 the code is only for one combination of insert and keys, e.g. when ordering 5 pcs of 403187, you will receive 5 identical inserts with identical keys in the S0001 combination



Identical key combinations without the master key option

code	insert number
403207	S1001
403208	S1002
403209	S1003
403210	S1004
403211	S1005
403212	S1006
403213	S1007
403214	S1008
403215	S1009
403216	S1010



Different key combinations without the master key option

code	insert number from the series
403186	S1001-S1500



Master key

code	for series	
403217	S0001-S0500	
403218	S0501-S1000	

- · for unlocking all inserts from a given series
- · the replaceable insert cannot be removed with this key



Removal key

code	for series
403220	S0001-S1500

- for removing the replaceable insert from the unlocked lock
- this key cannot unlock the lock



Raw key

code	for series
484907	S0001-S1500

• to create a copy of the key as needed



12345 Item in stock **12345** Item on demand **09.40**

13

01

02

03

04

05

06

15

07

08

09 16

10

11

17

12

Strong locks with integrated cylinder insert



- cylinder insert is integrated in the lock
- without a master key system
- the average number of different combinations is 120

Drawer lock

code	description	surface treatment
505146	various key combinations	
505147	same key combinations	chrome
505148	various key combinations - hinged key	
503394	various key combinations	black
503396	same key combinations	DIACK


• includes: lock 1 pc, keys 2 pcs, rosette 1 pc







505146 503394



91202, 135084

Drawer lock - mini


code	description	surface treatment
505149	various key combinations	chrome
505150		black

• includes: lock 1 pc, rosette 1 pc, keys 2 pcs, striker plate 1 pc, spacer 2 pcs (1 mm)





505149 505150




Sliding door lock

303336	chrome – various key combinations
code	description

• includes: lock 1 pc, mortise striker plate 1 pc, rosette 1 pc, keys 2 pcs










Strong locks with integrated cylinder insert

Attachable lock for two glass doors


code	description
92167	chrome – various key combinations

- includes: lock, M4 screws 2 pcs, plastic spacer 1 pc, striker plate for the cabinet body 1 pc, keys 2 pcs
- for glass thickness 4-8 mm










Push lock


code	description
91216	chrome – various key combinations

• includes: lock 1 pc, rosette 1 pc, keys 2 pcs









02 13

03

04

14

05

06

07

15

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

14

09.42

Strong locks with integrated cylinder insert





Extending bar lock

code	description	bar (mm)
403592	chrome – various key combinations	2× 1000
403593		2× 1200
403594		1× 1000 1× 1200


- includes: lock 1 pc, rosette 1 pc, bars 2 pcs, bar fasteners 4 pcs, striker plates for the cabinet body 2 pcs, keys 2 pcs
- the possibility to buy a collision stop (p. 10.77) or other striker plate to prevent the opening of the second leaf
















Espagnolette lock


code	description	bar (mm)
392482	chrome – various key combinations	2× 1000
392483		2× 1200
392484		1× 1000 1× 1200

 includes: lock 1 pc, rosette 1 pc, bars 2 pcs, bar fasteners 2 pcs, end bar fasteners 2 pcs, hooks 2 pcs, dowel pins for the cabinet body 2 pcs, striker plate for the cabinet body 1 pc, keys 2 pcs









02





Strong locks with integrated cylinder insert

Central lock

code	description	
91201	lock with bar 600 mm, chrome	
303335	lock with bar 800 mm, chrome	

- includes: lock, rosette 1 pc, bar fasteners 2 pcs, additional dowel pins 12 mm with securing screws 4 pcs, bar 600 mm/800 mm 1 pc, key 2 pcs, drawers counterparts 4 pcs
- · this lock does not have a blocking function to prevent opening of more than one drawer
- the locking bar must be milled into the cabinet body






22-28 25-35 21×6

Additional adjustable pin

91214 9 mm	91214	9 mm
------------	-------	------

• the package includes a separate adjustable pin and a screw (they do not have to be connected)






Central lock counterpart

11248	plastic
-------	---------

- for wooden drawer
- mounting on the side of the drawer
- central lock pin slides into the bottom groove






Central lock counterpart

11299	lacquered metal

- for roll runner slides with a side (Metabox)
- · mounting on the base of the drawer





13

03

04

14

05

06

07

15

0

09 16

10

.,

11

17

12

09.44

12345 Item in stock 12345 Item on demand





Coin lock


code	description	
290283	right (5 CZK, 1 EUR, 1 Zł, 100 HUF)	
285184	master key for coin lock	


- up to 700 different key combinations
- only the right option
- contents of the package: lock 1 pc, key 2 pcs, coin trap 1 pc











StrongLocks electronic lock

Chip lock

- · mounting on the inside of the door
- · the lock does not interfere with the design of the furniture
- · easy switching between modes:
 - manual the lock is locked by using the card
 - automatic the lock is locked automatically after 6 seconds
- · the lock operates at a frequency of 125 kHz

code	description
351115	chip electronic lock
351116	chip
396042	user card




- one lock can be used for up to 50 different user cards (e.g. 1 × master card and 49 user cards)
- · one master card can be used for X locks
- one user card can be used for X locks
- the lock remembers the card, not the card the lock
- in the event of low batteries, the lock cannot be opened in case of emergency
- · simple and quick assembly
- · programmable without the need to disassemble the lock
- power supply: 3 pcs of AA batteries (not included in the package)
- tested battery life for min. 10,000 openings (depending on the batteries used)
- integrated antenna in the body of the lock
- optimal for boards with thickness up to 20 mm
- · low battery voltage indicator
- signalisation by a long beep sound when the card is held over the reader
- we recommend replacing the batteries at shorter intervals
- · we recommend using only alkaline batteries
- · voltage input cannot exceed 6 V
- · locks should be installed min. 20 cm apart from one another
- package: programming card 1 pc, user cards 2 pcs, lock 1 pc, striker plate 1 pc


Programming instructions











13 02

01

03

04

05

15

17

12

09.46

12345 Item in stock 12345 Item on demand 14

StrongLocks electronic locks




Fingerprint lock


403644	right-left
code	orientation

- the lock can work in FIX or FREE (public) mode see the description below
- the protrusion on the finger reader makes finding the ideal position of the finger easier
- 4× AA batteries (not included in the package)
- USB connector for emergency power supply in case of battery depletion
- package includes: fingerprint reader 1 pc, lock 1 pc, cable 1 pc, striker plate 1 pc, screws 6 pcs
- · up to 10 admin fingerprints
- up to 90 user fingerprints

FIX mode

- · for one or more users
- the user sets their own fingerprints to control the lock








FREE (public) mode


- · suitable for public spaces
- the user selects any free locker with this lock, sets the fingerprint and the lock is locked
- after unlocking the lock, the fingerprints are deleted from the lock's memory and the cabinet is ready for another user



Lock with keypad

403645	right-left
code	orientation

- 3× AA batteries (not included in the package)
- password: 4-15 characters
- FAKE PIN technology to confuse any unwanted user. Enter any numbers before
 entering the lock code, then enter the unlock code. This will significantly
 impair the ability to gain access to unlock.
- alarm goes off after the fourth incorrect entry
- the lock can work in FIX or FREE (public) mode
- USB connector for emergency power supply in case of battery depletion
- package includes: keypad 1 pc, lock 1 pc, cable 1 pc, striker plate 1 pc, screws 9 pcs







Chip card lock with keypad

code	orientation
403647	right-left
code	description
404836	chip card


- · possibility to open with code or card
- Mifare technology
- the lock can work in FIX or FREE (public) mode
- USB connector for emergency power supply in case of battery depletion
- 4× AA batteries (not included in the package)
- FAKE PIN technology to confuse any unwanted user. Enter any numbers before entering the lock code, then enter the unlock code. This will significantly impair the ability to gain access to unlock.
- · alarm goes off after the fourth incorrect entry
- package includes: keypad 1 pc, lock 1 pc, cable 1 pc, screws 6 pcs, cam 1 pc, chip cards 3 pcs



65








StrongLocks electronic locks


Electronic knob lock with keypad

code	orientation
403650	right

- by entering the code the lock is unlocked, then the knob can be turned
- the password consists of 4-15 characters
- 2× AAA batteries (not included in the package)
- FAKE PIN technology to confuse any unwanted user. Enter any numbers before entering the lock code, then enter the unlock code. This will significantly impair the ability to gain access to unlock.
- · alarm goes off after the fourth incorrect entry
- package includes: lock 1 pc, cam 1 pc, adapter for mounting into wood 1 pc, screws 4 pcs, reset cable 1 pc, striker plate 1 pc
- USB connector for emergency power supply in case of battery depletion
- the lock has a concealed hole for emergency unlocking master key on request
- the lock can also be installed on sheet metal drawing at ww.demos-trade.com









Fingerprint lock with knob

code	orientation
403652	right

- by pressing the finger the lock is unlocked, then the knob can be turned
- 2× AAA batteries (not included in the package)
- alarm goes off after the fourth incorrect entry
- package includes: lock 1 pc, adapter for mounting into wood 1 pc, screws 4 pcs, cam 1 pc, striker plate 1 pc, disassembly stick for removing the cover cap of the master key hole 1 pc
- the lock has a concealed hole for emergency unlocking master key on request
- the lock can also be installed on sheet metal drawing at ww.demos-trade.com







02

13

01

03

04

14

05

06

07

15

08

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand **09.48**

Lehmann locks




Main advantages of the Lehmann locks


- · high-quality workmanship
- made in Germany
- usual production time of items not in stock: 3-4 weeks
- wide assortment of locks including special solutions

Replaceable inserts

- we offer 1,000 different key combinations in stock, **more on demand**
- the option of assembling groups of locks with the same key
- · master key system



right lock



Example of lock orientation:

- 1 centre lock
- 2 left lock
- 3 right lock
- A locking
- B unlocking

Lehmann locks

	mechanical locks	drawer lock cabinet lock push lock extending bar lock espagnolette lock tambour door lock sliding door lock knob glass door lock central lock inserts coin lock lock with dial sheet metal door lock	p. 09.55 p. 09.57 p. 09.67 p. 09.59 p. 09.61 p. 09.63 p. 09.65 p. 09.70 p. 09.67 p. 09.51 p. 09.71 p. 09.73 p. 09.75 p. 09.82
--	------------------	--	---



electronic locks

management system	p. 09.83
Captura	p. 09.84
M410 with keypad	p. 09.85

U/

09 16


T LEHMANN°

Central container lock 421

code	orientation	cylinder length (mm)	surface treatment
L00010	right	20	nickel


A functioning complete set must include:

- rosette 16.5 mm, 1 pc
- bar according to the length, 1 pc
- bar guide, 2 pcs
- pin for the bar (depending on the number of drawers), 1-? pcs
- striker plate (depending on the number and type of drawers), 1–? pcs
- bar lock + pin 17 mm + spacer (for the option with blocking the opening of more than one drawer)
- · replaceable insert, 1 pc
- · the bar must be milled-in
- for BBP containers, a different lock type (L00087 or 122965) must be used in combination with the SVS3 bar – see p. 09.92














Lock for 4 drawers (complete set)


136178	complete set for container with 4 drawers
code	description


- includes lock 1 pc, rosette 1 pc, bar 600 mm 1 pc, guide 3 pcs, pin 17 mm 5 pcs, socket striker plate 4 pcs, bar lock in top position 1 pc, spacer under lock 1 pc
- a removable insert must be supplied as required













Rosette 16.5 mm

L00066	nickel
code	description



Bar guide

code	description
L00014	black plastic



Replaceable insert


p. 09.71



Bar

code	description
L00011	steel, length 600 mm
L00012	steel, length 800 mm
L00013	steel, length 1,300 mm






Accessories for container without interlock system

Pins for the bar

code	description
L00025	height: 8 mm, nickel
374832	height: 10 mm, nickel


- the package includes a separate pin and a screw (not necessarily assembled)
- the pin L00025 and 374832 is most commonly used for blocking individual drawers



Central lock counterpart

code	description
11248	plastic


- mounting on the side of the drawer
- central lock pin slides into the bottom groove
- primarily designed for wooden drawers



Central lock counterpart

code	description
11299	lacquered metal

- for roll runner slides with a side (Metabox)
- only for locking
- mounting on the base of the drawer



13

03

01

02

04

14

05

06

07

15

08

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand

09.52

LEHMANN°

Accessories for container with interlock system

Pins for the bar

code	description
L00018	height: 17 mm, nickel

• the pin L00018 is used for blocking the opening of more than one drawer (in combination with L00015 and L00016)






Anti-tilt block

code	description
L00017	black plastic

- cannot be used for Metabox
- · with safety latch to prevent opening of more than one drawer



Central lock anti-tilt block

code	description
13408	plastic

- for roll runner slides with a side (Metabox)
- for locking and blocking the opening of more than one drawer
- mounting on the base of the drawer



Spacer for bar lock

code	description
L00016	black plastic

• for offsetting the bar lock from the cabinet body so that the pin holders do not hit it in case of blocking the opening of more than one drawer





Bar lock in the top position

code	description
L00015	black plastic

• ensures that the bar is secured in top position, in case of blocking the opening of more than one drawer






Central locking of drawers

This type of locking system is suitable for any type of slide, including slides with double side, ball bearing, roll runner slides, etc.

- · a universal solution for locking any set of pull-out drawers
- the set includes a solution for locking up to 6 drawers for an inner height of the cabinet body of up to 1.000 mm
- blocking the opening of more than one drawer = tipping over protection
- · system ready for 32 mm grid (individually adjustable)



Installation



- detailed installation manual is included in the package or available for download at www.demos24plus.com
- 1. preparation defining basic dimensions 2. selection - selecting individual parts according
- to the instructions
- 3. fitting fitting the central locking bar SVS3
- 4. mounting installation of the central bar and the striker plate to each drawer


Mounting of the blocking pin

Align all the fronts and install the blocking pins.

- 1. select the template appropriate for the drawer type
- 2. mark the position for screwing on the blocking pins
- 3. fasten the blocking pins with screws

Mounting of locking pin without template

Mark the blocking pin according to the picture.



code	description
353589	SVS3 universal packet

- the set must be completed with:
 - lock L00087
 - rosette L00066
 - cylinder insert see p. 09.71
- · universal solution for any drawer
 - Strongbox, StrongMax, Antaro, Legrabox, AvantechYOU, etc.
 - for ball bearing and roll runner slides
 - for wooden drawers with concealed slide
- · the bar must be milled-in
- · the counterpart is installed on the inner side of the front above the side
- the package includes templates for basic types of slides with a double side



09.54 12345 Item in stock 12345 Item on demand

13

01

02

03

04

14

05

06

07

15

08

09 16

10

11

17

12

T LEHMANN®

Drawer lock 391


code	orientation	cylinder length (mm)	surface treatment
L00001	right		
L00002	left		nickel
L00003	centre	20	
366424	right		black
385771	left		
L00004	right		
L00005	left	32	nickel
L00006	centre		


determining the orientation of the locks on p. 09.71











Drawer lock 391 with key block

code	orientation	cylinder length (mm)	surface treatment
L00049	right	20	nickel
lock must be r	st, the insert cannot be remo eplaced ot be removed while the		
		33	
8			ø16,5


Drawer lock 430

code	orientation	cylinder length (mm)	surface treatment
122965	right	20	nickel/plastic


• primarily designed for locking of SVS bar, can be also used as a drawer lock







Angled striker plate 30 mm



code	description
L00007	nickel, striker plate for screwing-on

Rosette 16.5 mm



code	description	
L00066	nickel	
275116	black	


further angled striker plates can be found on p. 09.80

Replaceable insert



p. 09.71

Spacer for lock



code	description
416085	spacer 3 mm for lock 391/584


Slam lock 584




Drawer lock 550

code	orientation	cylinder length (mm)	surface treatment
L00009	right-left (switchable)	20	nickel

• the option to switch between left and right locking directions with option to activate key blocking






activation of key blocking (the key cannot be pulled out while the lock is unlocked)








Angled striker plate 44 mm


switching the locking direction



other angled striker plates on p. 09.80


Striker plate for lock 584

Washer



code	description
L00091	lock striker plate

Rosette 16.5 mm



Replaceable insert



12345 Item on demand

for lock code description spacer 416085 3 mm for lock 391

09.56

13 02

03

04

14

05

06

07

15

09 16

10

11

17

12

12345 Item in stock

p. 09.71


T LEHMANN°


Cabinet lock 371


code	orientation	cylinder length (mm)	surface treatment
L00055	right	20	piokol
255589	left	20	nickel













Tambour door lock 372.02


code	orientation	cylinder length (mm)	surface treatment
224510	left	20	nickel

 can be used in the Metallic-line tambour door end combi rail R92836 or R92837, see chapter 16 Tambour doors












Mortise striker plate



Angled striker plate 30 mm



Rosette 16.5 mm



Replaceable insert



p. 09.71


Lehmann locks with replaceable insert


Cabinet lock 415.01


code	orientation	cylinder length (mm)	surface treatment
L00058	right	20	nickel


A functioning complete set must include:

- cabinet lock 415.01 1 pc
- rosette 16.5 mm 1 pc
- · striker plate 1 pc
- angled striker plate 30 mm or circular strike plate 1 pc
- · replaceable insert 1 pc










Cabinet lock 415 with two hooks


code	orientation	cylinder length (mm)	surface treatment
348976	right	20	nickel

A functioning complete set must include:


- cabinet lock 415 1 pc
- rosette 16.5 mm 1 pc
- · striker plate 1 pc
- replaceable insert 1 pc









Counterpart




Circular counterpart



Angled striker plate 30 mm



Rosette 16.5 mm



Replaceable insert



09.58 12345 Item in stock 12345 Item on demand

13

03

04

14

05

06

07

15

08

09 16

10

11

17

12

T LEHMANN°


Extending bar lock 292


code	orientation	cylinder length (mm)	surface treatment
L00028	right	20	nickel
389288		20	black


 for the black lock, the only accessories in black are the rosette and the replaceable insert with keys, other accessories in nickel surface treatment

A functioning complete set must include:

- extending bar lock 292 1 pc
- rosette 16.5 mm 1 pc
- extending bar 2 pcs
- possibility to buy a collision stop (p. 10.77) or other striker plate preventing the second leaf from opening
- extending bar guide min. 2 pcs
- counterpart for extending bar (depending on the type of attachment, see accessories) 2 pcs
- angled striker plate (depending on type of attachment, see accessories) 2 pcs
- · replaceable insert 1 pc







Extending bar lock 292 (set)

code	description	surface treatment
136175	complete set 1,000 mm	nickel
136200	complete set 1,200 mm	Hicker
395511	complete set 1,000 mm	black
395512	complete set 1,200 mm	DIACK

- includes: lock 1 pc, rosette 1 pc, bars 2 pcs, guides 2 pcs, angled striker plates 2 pcs
- for the black lock variant, only the lock is black, the rest of the accessories are nickel-plated
- black rosette and black cylinder insert can be purchased for the black lock
- A removable insert must be supplied as required.

Lehmann locks with replaceable insert

Extending bar


code	description
L00029	nickel, length: 1,000 mm
L00030	nickel, length: 1,200 mm
220366	nickel, length: 1,300 mm



Extending bar counterpart

L00032	nickel
code	description

· counterpart for drilling-in



Rosette 16.5 mm


code	description	
L00066	nickel	
275116	black	



Extending bar guide


code	description
L00031	nickel





Striker plate

code	description
L00065	angled striker plate for a bolt



Replaceable insert

p. 09.71







Double-leaf cabinet door locking system:
Equip one leaf with an extending bar lock.
Attach the collision stop (p. 10.77) to the
other leaf, which overlap over the edge.
When the first leaf is locked, the other
door will be blocked by the door stopper
getting caught on the first leaf.

13

03

04

05

06

07 15

08

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

09.60

LEHMANN°

Espagnolette lock 750

code	orientation	cylinder length (mm)	option (mm)	surface treat- ment
L00033	right-left		15	nickel
349440	(switchable)	20	25	HICKEI
395496			15	black

 for the black lock, the only black accessories are rosette and replaceable insert with keys, the rest of the accessories are in nickel surface treatment


A functioning complete set must include:

- espagnolette lock 750 1 pc
- rosette 16.5 mm 1 pc
- bar 2 pcs
- · angled striker plate 1 pc
- upper hook 1 pc
- · lower locking hook 1 pc
- bar guides min. 2 pcs
- pin 2 pcs
- · replaceable insert 1 pc











switching the locking direction



activation of key blocking (the key cannot be pulled out while the lock is unlocked)


Bar



code	description
L00034	nickel, length: 1,000 mm
L00035	nickel, length: 1,200 mm
L18319	nickel, length: 1,500 mm
221460	nickel, length: 2,500 mm

Pin





code	description
L00039	nickel

Lower hook



code	description	
L00037	nickel	

 also available with a drive-in dowel


Rosette 16.5 mm






code	description	
L00066	nickel	
275116	black	

Top hook



also available with a drive-in dowel


Angled striker plate 30 mm



code	description
L00007	nickel

- screw-on striker plate
- other angled striker plates can be found on p. 9.80

Bar guide



code	description
L00038	nickel

Replaceable insert




Lehmann locks with replaceable insert


Lock 750.15 with bars (complete set)


code	description	surface treatment
136176	complete set 1,000 mm	nickel
136177	complete set 1,200 mm	nickel
395513	complete set 1,000 mm	black
395514	complete set 1,000 mm	black

- for the black lock variant, only the lock is black, the rest of the accessories are nickel-plated
- black rosette and black cylinder insert can be purchased for the black lock
- includes: lock 1 pc, rosette 1 pc, bars 2 pcs, upper locking hook 1 pc, lower locking hook 1 pc, guides 2 pcs, pins 2 pcs
- a removable insert and an angled striker plate must be supplied as required











Espagnolette lock 750.25 with bars (complete set)

code	description	surface treatment
349745	complete set 1,000 mm	nickel
349747	complete set 1,200 mm	HICKEI

- includes: lock 1 pc, rosette 1 pc, bars 2 pcs, upper locking hook 1 pc, lower locking hook 1 pc, guides 2 pcs, pins 2 pcs
- a removable insert and an angled striker plate must be supplied as required







• an example of the use of locks type 750.15 and 750.25 (the same distance between the lock and the edge of both full overlay and half overlay cabinet doors)

13

03

04

14

05

06

15

07

08

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

09.62

LEHMANN°

Tambour door lock 416

code	orientation	cylinder length (mm)	surface treatment
L00060	right	20	nickel
385778	right	20	black

- suitable for locking tambour doors with end profile 47 × 25 mm
- · can be used for one or two tambours

Lock 372.02 (code 224510) can be used to lock Metallic Line tambour doors p. 9.57.


A functioning complete set must include:


- tambour door lock 416 1 pc
- rosette 16.5 mm 1 pc
- counterpart for single tambour (depending on the usage) 0–1 pc
- counterpart for double tambour (depending on the usage) 0-1 pc
- · replaceable insert 1 pc













Single tambour

Double tambour

Slam rail 47×25 mm for Rehau tambour doors






Striker plate for single tambour





code	description
L00061	nickel
385780	black


Striker plate for double tambour



L00062	nickel
code	description

Rosette 16.5 mm





code	description	
L00066	nickel	
275116	black	

Replaceable insert



p. 09.71

Lock 405 for tambours with overlap

code	orientation	cylinder length (mm)	surface treatment	description
381995	right	×	nickel	lock 405
381999	Tigit	20	Illokei	cylinder


- lock for slam rail with overlap, i.e. only for full overlay Frame shutter with E23 tambour door profile
- the advantage is that the lock latch and the guide pin are concealed and almost invisible

A functioning complete set must include:


- lock 405
- cylinder 142
- striker plate 406
- rosette 16.5 mm
- replaceable insert 1 pc





















Striker plate for lock 406

code	description
381998	for tambour doors with slam rail with overlap



Rosette 16.5 mm

L00066	nickel
code	description



Replaceable insert

p. 09.71



13

03

02

04

14

05

06

07

15

09 16

10

11

17

12

09.64


LEHMANN°

Sliding door lock 515.04


code	orientation	cylinder length (mm)	surface treatment
227015	right	20	nickel


A functioning complete set must include:


- sliding door lock 515.04 1 pc
- rosette 16.5 mm 1 pc
- $\bullet \ \ \text{stopper 5155, option without the counterpart is also available (will not be secured against leaf}$ deflection between one another - prying) 1 pc
- removable insert 1 pc












Stopper 5155

code description	227016	nickel
	code	description

· for sliding door lock







Rosette 16.5 mm

code	description
L00066	nickel







Replaceable insert

p. 09.71




Lehmann locks with replaceable insert


Sliding door lock 515.05


code	description	cylinder length (mm)	surface treatment
457543	right	20	nickel

A functioning complete set must include:

- sliding door lock 515.05 1 pc
- swing bar, length 999 mm 1 pc
- rosette 16.5 mm 1 pc
- · replaceable insert 1 pc









Swing bar


code description	142114	nickel, length: 999 mm
	code	description


















Rosette 16.5 mm

L00066	nickel
code	description



Replaceable insert

p. 09.71



13

03

04

14

05

06

07

15

__

09 16

10

11

17

12

09.66

12345 Item in stock 12345 Item on demand

T LEHMANN°

Push lock 521


code	orientation	cylinder length (mm)	surface treatment
L00048	right	22	nickel

A functioning complete set must include:

- push lock with tailpiece 521 1 pc
- rosette 1 pc
- replaceable insert 1 pc








Rosette 21.5 mm

L00079	nickel
code	description





Sliding glass door lock 326


code	orientation	for glass thickness (mm)	surface treatment
L00054	right	5-8	nickel


• drilling hole diameter in glass 30 mm


A functioning complete set must include:

- glass door lock 326 1 pc
- replaceable insert 1 pc









Replaceable insert

p. 09.71



Lehmann locks with replaceable insert

Glass door lock 324 attachable

code	orientation	for glass thickness (mm)	surface treatment
227017	right	4-8	nickel


· for inset glass door


A functioning complete set must include:


- · glass door lock 324 1 pc
- circular counterpart 1 pc
- · glass holder dowel pin 1 pc
- replaceable insert 1 pc
















Circular counterpart

code	description
L00052	nickel



Key blocking activation pin

code	description
281957	key blocking pin for glass door locks


- · key blocking is activated by inserting the pin into the lock
- can be used for glass door locks 320, 322, 324, 321





Glass holder dowel pin

code description	



Replaceable insert

p. 09.71



٠,

12

12345 Item in stock **12345** Item on demand **09.68**

13

03

04 14

05

06

07

15

0

09 16

10

11

17

T LEHMANN°


Glass door lock 320 and 321 – for single glass leaf

code orientation		for glass th. (mm)	surface treatment
L00075	right		nickel
350733	right with integrated knob	4-6	nickel

• drilling hole diameter in glass 26 mm

A functioning complete set must include:

- glass door lock 320 or 321 1 pc
- · circular counterpart or angle striking plate 1 pc
- · replaceable insert 1 pc













PIN for activation blocking the key





Glass holder

dowel pin



code description 281957 key blocking pin for glass door locks

- key blocking is activated by inserting the pin into the lock
- can be used for glass door locks 320, 322, 324, 321

Replaceable insert



p. 09.71

- for double leaves

Glass door lock 322


code	orientation	for glass thickness (mm)	surface treatment
L00050	right	4-6	nickel


- drilling hole diameter in glass 26 mm
- it is necessary to purchase also front plate L00051 for the second glass

A functioning complete set must include:

- glass door lock 322 1 pc
- front plate for the second glass 1 pc
- · circular counterpart 1 pc
- glass holder dowel pin, only for inset doors (functions as bumper) 1 pc
- · replaceable insert 1 pc









Circular counterpart





code	description
L00052	nickel

Angled striker plate 30 mm



screw-on striker plate

Front plate





9		
code	description	
L00051	nickel	

03

04

05

06

07

14

13


Lehmann locks with replaceable insert


Knob 44.1

code	orientation	surface treatment
136499	right	
136500	left	matt nickel
136502	knob imitation	

- knob including a hole for replaceable insert lockable
- knob imitation functions as handle or a design feature
- screw for mounting the knob imitation is included in the package
- removable insert must be purchased separately









Knob 42.2


code	orientation	surface treatment
300122	right	
394344	left	matt nickel
394345	knob imitation	

- knob including a hole for replaceable insert lockable
- knob imitation functions as handle or a design feature
- screw for mounting the knob imitation is included in the package
- removable insert must be purchased separately





Pulling the knob out of the lock instructions



Knob disassembly tool



code	description
L00042	nickel

Blind cylinder insert



285157	description plastic/nickel
285157	piastic/nickei

· when using lockable knob for locking without a key

Replaceable insert



p. 09.71

09.70

12

15

08

09 16

10

11

17

12345 Item in stock 12345 Item on demand

replaceable inserts with two keys and Lehmann keys T LEHMANN



B1 - black

Various key combinations

code	insert number
385770	from series 18001-18500



Same key combinations

code	insert number
385769	18001
503850	18002
503851	18003
503852	18004
503853	18005

code	insert number
503854	18006
503855	18007
503856	18008
503857	18009
503858	18010

B1 - nickel

Various key combinations

code	insert number from the series
211144	18001-18100
211145	18101-18200
211146	18201-18300
211147	18301-18400
211148	18401-18500



code	insert number from the series
237703	18501-18600
237704	18601-18700
237705	18701-18800
237706	18801-18900
237707	18901-19000

Same key combinations

code	insert number
211094	18001
211095	18002
211096	18003
211097	18004
211098	18005
211099	18006
211100	18007
211101	18008
211102	18009
211103	18010
211104	18011
211105	18012
211106	18013
211107	18014
211108	18015
211109	18016
211110	18017

code	insert number
211111	18018
211112	18019
211113	18020
211114	18021
211115	18022
211116	18023
211117	18024
211118	18025
211119	18026
211120	18027
211121	18028
211122	18029
211123	18030
211124	18031
211125	18032
211126	18033
211127	18034

	1
code	insert number
211128	18035
211129	18036
211130	18037
211131	18038
211132	18039
211133	18040
211134	18041
211135	18042
211136	18043
211137	18044
211138	18045
211139	18046
211140	18047
211141	18048
211142	18049
211143	18050

replaceable inserts with two keys and Lehmann keys

Various C1 key combinations

code	insert number from the series
402408	18001 – 18100
402409	18101-18200
402410	18201-18300
402411	18301-18400
402412	18401-18500



· the above-mentioned codes include only one insert with two keys from the series in description, e.g. when ordering 5 pcs of 402408, you will receive 5 randomly selected inserts from 18001-18100 series

Different combinations with one B1 and one C1 key

code	insert number from the series
211149	18001-18100
211150	18101-18200
211151	18201-18300
211152	18301-18400
211153	18401-18500






Cylinder extension by 22 mm

code	surface treatment
198416	nickel

- serves as a cylinder extension when using locks from materials with greater thickness
- the extension can be used for all standard Lehmann locks
- after attaching, the extension cannot be removed
- · a cylinder insert must be used for the extension according to the requirements
- **9** First clip on the insert into the extension, then insert the extension into the lock.





Spare key

code	description	code
252874	for combination 18001	23647
252875	for combination 18002	25287
252876	for combination 18003	25287
252877	for combination 18004	25288
236491	for combination 18005	25288

· additional spare keys can be ordered

code	description
236473	for combination 18006
252878	for combination 18007
252879	for combination 18008
252880	for combination 18009
252881	for combination 18010

Raw keys

code	description
L00080	for replaceable inserts with numbers 18001–18500
355799	for replaceable inserts with numbers 18501-19000

• a semi-finished product which must be milled according to a pattern (of another key)



Master keys

code	description
L00068	for replaceable inserts with numbers 18001 – 18500
215448	for replaceable inserts with numbers 18501–19000

• for unlocking all inserts from a given series



Removal keys

code	description
L00067	for replaceable inserts from the entire 18000 series

- for removing the cylinder insert from an opened lock
- this key cannot unlock the lock



13

03

04

05

06

07

15

08

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand


09.72

Type 70

code	orientation	
336218	right	
336219	left	

- for coins: 5 CZK, 1 \in , 1 PLN or 100 HUF
- suitable for public spaces
- if the key is lost, the cylinder insert can be replaced by another one using master key and removal key
- up to 700 key combinations
- package includes: 1 pc of lock, 2 pcs of keys, 1 pc of coin trap
- Basic version not suitable for rooms with higher humidity
- Spa option also available for areas such as swimming pools, saunas etc.





Replacement insert for coin lock

code	description	
336222	for Basic version	



Removal key for coin lock

code	description	
394364	for Basic version	



Master key for coin lock

code	description	
394366	for Basic version	



02


Lehmann coin locks


Type 71

code	description	
377466	for inserting a 1 EUR coin	
398635	for inserting a 10 CZK coin	
398636	for inserting a 1 PLN coin	
398637	for inserting a 100 HUF coin	


- · cam must be bought separately
- the coin lock can be mounted in both sheet metal and wooden door
- coin pull-out resistance 1,000 N (corresponds to 100 kg)
- the package includes: coin lock 1 pc, keys on the ring 2 pcs, rubber ring 1 pc, M19 nut 1 pc, washer 1 pc, screw 1 pc
- for material thickness of 12–14 mm, fixing element 309274 and insert 350805 must be purchased
- for material thickness 14–20 mm, fixing element 309274 must be purchased









309275 cam 310, straight




309276 offset cam 390




309277 offset cam 400





Optional accessories




350805

plastic insert for mounting into thin wood, must be combined with fixing element 309274




377488 master key




fixing element for mounting into wood

Angled striker plate 30 mm



Angled striker plate 44 mm



12345 Item in stock **12345** Item on demand **09.74**

13

03

screw

04

14

05

06

07

15

n۶

09 16

10

11

17

12

locks with mechanical numerical code

LEHMANN°


Dial lock 57.01 - fix version


- 4 coding characters, that is 9,999 combinations
- · simple setting and changing of the code
- · elimination of key loss
- left, right and vertical variants are available
- · master key in case you forget the code
- selected colour combinations can be supplied on demand (limited by minimum ordered quantity of the selected colour)

code	orientation	colour
282255	right	black
282256	left	DIACK
293954	right	white
385503	left	wille


• it is necessary to buy a cam, see p. 09.76







Drawing of hole in board 18.1–21 mm for lock types 57, 58, 59.



Drawing of hole in glass 3.6-6 mm.

Master key for lock types 57, 58, 59 and Public

code description

• for emergency opening of lock types 57, 58 and 59 in case you forget the code



Code finding pin for lock types 57, 59

code	description	
193598	nickel	

• for setting or changing the code (carried out from the front of the lock)




Mortise striker plate

	nickel, length: 75 mm	
code	description	

• other angled striker plates on p. 09.80






Angled striker plate 30 mm

code	description	
L00007	nickel	





01

02


locks with mechanical numerical code

Dial lock 58.01 - free version

The user selects any free cabinet, sets a code and locks the lock. To unlock, the user sets the code and the lock unlocks. The lock is reset and ready for a new user.

- 4 coding characters, that is 9,999 combinations
- · elimination of key loss
- left, right and vertical variants are available
- master key in case you forget the code
- selected colour combinations can be supplied on demand limited by minimum ordered quantity
 of the selected colour







orientation	colour
right	black
left	DIACK
right	white
left	
	right left right

• it is necessary to buy a cam, see p. 09.76

master key see p. 09.75



Drawing of hole in board 18.1-21 mm for locks types 57, 58, 59.



Drawing of hole in glass 3.6-6 mm.


Lock type 58 Public

- 4 coding characters, that is 9,999 combinations
- elimination of key loss
- left, right and vertical variants are available
- master key in case you forget the code
- improved locking code entry system
- emergency lock opening with automatic lock code reset

code	orientation	colour
507194	right	black
507195	left	DIACK
507196	right	white
507197	left	writte

• it is necessary to buy a cam, see p. 09.76







locking procedure

drawing of the hole in the plate 16-21 mm


Straight cam



Offset cam



Hooked cam



12345 Item in stock **12345** Item on demand **09.76**

13

03

04

14

05

06

15

07

08

09 16

10

11

17

12


Lehnum

code	name	colour
419751	frame	black
419752		white
419753		transparent
419754		matt chrome
419755	support of the numerical marking	transparent
491163	3D self-adhesive numbers 001 – 070	black with white number
491164	3D self-adhesive numbers 071 – 140	black with white number
491165	3D self-adhesive numbers 001-071	white with black number
491169	3D self-adhesive numbers 071 – 141	white with black number
419756	removal pin	×



Technical specifications:

- suitable for locks type 57, 58, 59
- left, right, vertical use













Is black back, or did it ever really go away?

The fact is that black is timeless, stylish and very fashionable. For BACHMANN, the PURE BLACK product series stands for completely black colour and thus conveys exclusivity and design with a strong character and timeless elegance.

The PURE BLACK product series are all black, such as KAPSA, ELEVATOR, TWIST1/2, PRIMO2, DESK2, CASIA2 and PIX.



09 16

locks with mechanical numerical code

T LEHMANN°

Rotary lock with mechanical numerical codes 60 and 61

Free version

- the user selects any free cabinet, sets a code and locks the lock
- to unlock, the user sets the code and the lock unlocks
- . the lock is reset and ready for a new user

Fix version

 the lock is always unlocked with the same code



- after locking, the number plates rotate to zeros automatically = protection against misuse of the set code
- suitable for mounting into glass or sheet metal material thickness up to 11 mm
- when using fixing element 309274, mounting into wood is also possible material thickness 10–20 mm
- · locking mechanism made of zinc
- the body of the lock is made of special plastic, reinforced with glass fibre
- · possibility to choose the cam
- the lock also functions as a handle
- it is necessary to buy a cam, see table of accessories



Mandatory accessories for locks 60 and 61


Cam 310

309275	straight
code	description



Cam 400

code	description
309277	offset cam



Cam 390

code	description
309276	offset cam




02

locks with mechanical numerical code

Optional accessories for locks 60 and 61

Plastic insert for assembly in thin wood

code	description
350805	to be combined with adapter 309274




Master key

code	description	
282259	Master key for lock types 57, 58, 59 and Public	



Fixing element for mounting into wood


code description	309274	nickel
	code	description



Angled striker plate 30 mm

L00007	nickel
code	description


screw-on striker plate



Angled striker plate 44 mm

code	description
L00008	nickel





13

03

04

05

06

07

15

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

on demand **09.80**


Other options of locks with mechanical numerical code on request




Central lock




Drawer lock




Sliding door lock




Espagnolette lock



Extending bar lock





02

other Lehmann locks

Wing knob with padlock fitting


Wing knob with padlock fitting is suitable for sheet metal doors (with fixing element also for laminated particle board).

Attaching the padlock prevents the lock from unlocking.


code	orientation	surface treatment
350804	right	nickel

- mounting into material with a thickness of 0.7-11 mm
- for material thickness of 12–14 mm, fixing element 309274 and insert 350805 must be purchased
- for material thickness 14-19 mm, fixing element 309274 must be purchased
- suitable for padlocks with up to 8 mm in diameter


code	description	surface treatment
394666	padlock	blue



Fixing element for mounting into wood



Plastic insert




12345 Item on demand

Sheet metal door lock


code	description	surface treatment
351469	right	nickel

- cylinder length 15 mm
- hole drilling diameter 19 × 16.5 mm
- it is necessary to purchase a cylinder insert
- it is necessary to purchase a cam according to requirements:
 - 252254 straight cam type 477
 - 229995 offset cam type 460
- possible to purchase an angled striker plate






hole drilling in sheet metal door





Straight cam



252254	type 477	
code	description	

Angled striker

plate 30 mm

Offset cam



229995	type 460
code	description

code

350805

12345 Item in stock

· screw-on striker plate

Replaceable insert



p. 09.71

09.82

13

03

04

14

05

06

07

15

08

09 16

10

11

17

12

LMS - Lehmann Management System


Easy management of access rights and management of locking by mouse clicks. The LMS system allows you to have an immediate overview of the lock status with the option of displaying it in the form of an overview or a list.

Lehmann Management Software LMS is a solution for the Windows ® system that makes access rights management and configuration of the Lehmann MIFARE ® RFID simple. LMS is an effective way to create and manage security!

Advantages:

- easy and fast assignment and management of access rights
- visualisation of access rights in the form of matrix or list
- multi-level group functions enable fast and efficient management of access rights of transponders and locks
- · modular software structure
- "Help" function for LMS users
- the software is designed for both standalone applications and complete company network solutions
- multilevel authorisation for security administrators
- integrated "automatic unlocking" and "automatic locking" functions
- effective response to the loss of transponders with quick change and temporary access functions
- LMS software is fully compatible with all Lehmann

MIFARE® RFID systems




The electronic smart locking system is also compatible with the higher CAPTOS electronic locking system series.

CAPTOS lock system and its characteristics:

- 13.56 MHz MIFARE/LEGIC technology
- FIX/FREE mode
- battery-free lock system power supply via POE (LAN cable)
- locks also serve as a charging point USB output
- locks with integrated backlighting when the cabinet body is opened
- compatible with LMS system









02

other Lehmann locks

Captura

code	description	package (pcs)
409156	Captura lock with locking pin type A	set with locking pin for assembly on the door
409157	Captura lock with locking pin type B	set with locking pin for assembly in the cabinet body

MANNE P





409156

Technical parameters:

- 13.56 MHz MIFARE® Classic, MIFARE® DESFire® EV1/EV2 technology
- up to 250 cards per lock
- variable modes FIX and FREE according to the need of use
- 1× CR123A battery
- · compatible with LMS system
- concealed × visible solution (optical eye)










409157

Accessories

code	description	use	needed for a complete setup
350800	user card	card for normal operation	YES – number of cards, according to the number of users
350801	set of cards – Master, Update, Service	cards for programming and updates, the set contains the following cards: • Update – to update the software • Master – a programming card • Service – for possible creation of a master card	YES – one set for a group of locks
350802	installation card	card designed for testing in factory settings	OPTIONAL – one card per lock group
350803	set of cards – Mode, Sound, Reset	cards for setting locks, the set includes cards: • Mode – FIX/FREE mode setting • Sound – setting the lock sound • Reset – going to factory settings	OPTIONAL – one complete set per lock group
409164	cover for sheet metal door	for material of the thickness 0.5–2.5 mm	OPTIONAL
409166	cover for sheet metal door 25 pcs	To material of the thickness 0.3–2.5 mm	OI HONAL
471959	nylon bracelet with chip (watch) blue 1 pc		
475300	nylon bracelet with chip (watch) blue 10 pcs	alternative to the user card, for the end user	OPTIONAL
475079	nylon bracelet with chip (watch) red 1 pc	alternative to the user card, for the end user	OFTIONAL
475301	nylon bracelet with chip (watch) red 10 pcs		
487036	mechanism for handleless opening 1 pc	to open the door when the lock is unlocked	OPTIONAL
487051	mechanism for handleless opening 25 pcs	to open the door when the lock is unlocked	UPTIONAL
487054	optical eye for laminate 16-21 mm (type 16) 25 pcs	for visibility of lock status	OPTIONAL
409163	optical eye for laminate 10-15 mm (type 10) 25 pcs	locked / unlocked / low battery	UPTIONAL









13

03

04

05

06

15

11

09.84 12345 Item in stock 12345 Item on demand

14

07

08

09 16

10

17

12

Lehmann electronic locks



Lock M410

FIX mode (private)

 The lock remembers a specific password, card or fingerprint – it is designed for one or more specific users.

FREE mode (public)

 A lock for public areas where the user sets a password, fingerprint or locks with a specific card and after use (unlocking) the lock is reset and ready for a new user.

Characteristics of the M410 lock:

- assembly into sheet metal, HPL and wood (using fixing element)
- micro USB for updates and service
- battery type CR123A with lifetime of 25,000 cycles (the battery is part of the package)
- · resistant to disinfectants
- · the lock is right-left



M410 lock with TA03 keypad

code	description	package (pcs)
396209	lock with black keypad	1
396211	lock with keypad nickel matt	1

Package contents:

- lock M410
- keypad TA03
- · keypad frame
- cam
- cam protection

pin

- connecting cable 200 mm
- · counter plate
- battery





Possible uses:

- FIX/FREE modes
- MASTER code which can be used to open the lock if the code is forgotten (the master code can be changed)
- RESET code if all codes are lost, the reset code can be used to reset the lock to factory settings
- low battery signalling by flashing LED

Characteristics of the TA03 keypad


- integrated handle function
- · label option for box numbering
- emergency power supply from a commonly available 9 V battery
- compatible with M410 and M610 locks

M410 fingerprint

code	description
506701	lock with fingerprint reader

- package includes: lock with fingerprint reader, counterpart, battery
- FIX/FREE modes
- up to 200 fingerprints
- setting the "admin" configuration by fingerprint
- LED locking/unlocking indication
- acoustic signalling option





Lehmann electronic locks

M410 with reader

code	type of lock	type of reader	package contents	reader mounting
350426		L033-A01	lock, reader, battery, counterpart	inner and outer sides of doors
350429	M410	L033-A02	lock, reader, spacer for the reader, batteries, counterpart, fittings	only the outer part


FIX/FREE modes

- 13.56 MHz MIFARE® CLASSIC / DESfire EV1, EV2 technology
- up to 30 user cards
- for sheet metal doors, only models with spacer for the reader may be used (L033-A02)
- for sheet metal doors, only models with spacer for the reader may be used (L033-A02)
- the spacer in combination with the reader functions as a handle

- chip cards are not included in the set (see accessories)
- · variant with HID technology or LEGIC RFID 13.56 MHz on request
- option with IP cover on request
- compatible with the LMS managed administration system

Reader L033-A01


- mounting on the door from the outside and inside
- · does not have IP protection





Reader L033-A02


- mounting on the door from the outside only
- · does not have IP protection





Accessories for M410 with reader

code	description	use	needed for a complete setup
350800	user card	card for normal operation	YES – number of cards, according to the number of users
350801	set of cards - Master, Update, Service	cards for programming and updates, the set contains the following cards: • Update – to update the software • Master – a programming card • Service – for possible creation of a master card	YES – one set for a group of locks
350802	installation card	card designed for testing in factory settings	OPTIONAL – one card per lock group
350803	set of cards - Mode, Sound, Reset	cards for setting locks, the set includes cards: • Mode – FIX/FREE mode setting • Sound – setting the lock sound • Reset – going to factory settings	OPTIONAL – one complete set per lock group
471959	nylon bracelet with chip (watch) blue 1 pc		
475300	nylon bracelet with chip (watch) blue 10 pcs	alternative to the user card, for the end user	OPTIONAL
475079	nylon bracelet with chip (watch) red 1 pc	alternative to the user card, for the end user	OFTIONAL
475301	nylon bracelet with chip (watch) red 10 pcs		



09.86 12345 Item in stock 12345 Item on demand

13

01

02

03

04

05

06

15

11

12

14

07

09 16


10


17

Lock FAB 462

code	description
88289	nickel

- right-left design
- various key combinations






9,5

Furniture latch





code	description
L00064	nickel

Counter plate







code	description
L00065	nickel

contents containers

			02	13
	container components	p. 09.89 – 09.92	03	
	complete containers	p. 09.93 – 09.110	04	14
	universal locking bar	p. 09.111	05	
	drawer OrgaWork	p. 09.112	07	15
	suspension filing cabinet	p. 09.113 - 09.116	08	16
	cable exit	p. 09.117 – 09.118	10	
a supplied to the supplied to	cable management	p. 09.119	11	17

office container equipment



BBP containers

- office products from the BBP company are the result of 50 years of experience in the office equipment field
- BBP container systems are renowned for their innovative design, smooth running of its slides and ease of control
- great emphasis is put on the quality of materials and the manufacturing process, which is why you can always rely on its 100% functionality, even after many years of use and full load
- perfect running, minimal need for force and stability of the slides are the result of precise manufacturing and thorough preparation before manufacturing
- slides are equipped with self-closing system, and an option for soft closing, which increases comfort when using the system
- In the world of office equipment, BBP products are at the very pinnacle of quality.
- BBP also focused on simple assembly of their ORGA AER and TIP AER products
- office program from BBP also includes the LGA certification that guarantees high quality
- BBP container sets are lockable with Lehmann locks

ADVANTAGES

- in stock
- electronic version of all documentation is available at www.demos-trade.com
- the central lock bar is not milled-in
- · simple ordering of a set under one code
- · German quality
- ideal for serial production

	ORGA AER	TIP AER
opening	handle / handle profile	handleless for pushing in
container tipping over protection	yes	yes
for metal drawers	yes	yes
for plastic drawers	yes	yes
full extension slides	yes	no
partial extension slides	yes	yes
separate pen tray	yes	yes
pen tray for insertion into a drawer	yes	yes
inner width: 292 mm	yes	no
inner width: 392 mm	yes	yes
container length: 540 mm	yes	yes
container length: 740 mm	yes	no



code	container design	colour	length (mm)
153781		black metal	515
153782	ORGA AER	black plastic	510
153804		black plastic	715
153805		black plastic	710
351776		black plastic	515
351777	TIP AER	black plastic	510

- for inner width of container 392 mm
- inner width of drawer 330 mm
- ORGA AER drawers contain locking pins for locking with SVS bar
- drawer lengths 710 (715) mm only for ORGA AER system
- it is necessary to purchase a locking pin for TIP AER drawers (1 pc 351782 / drawer)





ORGA AER drawer for 292 mm

code	colour	length (mm)
221366	black metal	515

- $\bullet \quad \text{for inner width of container 292 mm} \\$
- inner width of drawer 230 mm
- this drawer also contains locking pins for locking with SVS bar

office container equipment

Partial drawer runners for ORGA AER and TIP AER drawers

code	container type and inner width (mm)	description	slide length (mm)	load capacity of the slide (kg)
308744		right with self-closing system		
308743	ORGA AER width: 392 and 292 mm	left	540 740	25
308745		left with soft closing		
308747		right with self-closing system		
308746		left		
308748		left with soft closing		
351779	TIP AER	right	540	
351778	width 392	left	540	

 the left slide can be selected to meet your requirements, i.e. whether you just want the drawer to close automatically or whether it should be also dampened at the same time



Full extension slides for ORGA AER drawers

code	description	slide length (mm)	load capacity of the slide (kg)
153786	left with self-closing system	540	40
153787	right with self-closing system	340 40	
153809	left with self-closing system	740	50
153810	right with self-closing system	140	50

- original soft closing for these slides is supplied separately (code 308749)
- for inner width of container 392 and 292 mm



Oil damper for full extension slides for ORGA AER drawers

308749	separate damper
code	description

- the original damper is simply inserted from the front side into the full extension slide and is secured by twisting
- we recommend using a damper for both the right and left slide



Inner partitions

code	description
153796	cross plastic divider A4 (length 330 mm)
153802	lateral plastic divider A5 (length 220 mm)
153803	lateral plastic divider A6 (length 162 mm)

- for attaching a lateral divider A5 or A6, it is necessary to use a cross plastic divider A4 (code 153796)
- only for inner width of container of 392 mm



Paper tray

code	description
195381	plastic compartment for A4 documents

- for drawers of length 510 (515) mm, you can use a maximum of 4 pcs
- for drawers of length 710 (715) mm, you can use a maximum of 7 pcs
- only for inner width of container of 392 mm



13

03

02

04

14

0<u>5</u>

06

__

15

08

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand **09.90**

office container equipment




Adapter for suspension files A4 for insertion into drawers

code	description
153797	plastic extension for drawers 392 mm
229159	extension for drawers 510 mm
259777	metal extension for drawers 292 mm

- two adapters 153797 inserted one after the other are used for drawers 710 mm
- 2 pcs of extensions are needed for one filing cabinet







Front panel braces for high drawer fronts

code	description
153799	for metal drawers
153800	for plastic drawers

- there is always a right and a left front panel brace in the package
- · serves as a support for the high front of the drawer



Pen tray for insertion into drawers for 392 mm

153801	pen tray for insertion into a drawer
code	description

- dimensions 337 × 196 mm
- only for inner width of container of 392 mm



ORGA AER and TIP AER pen trays

code	height (mm)	description				
497989	40,8	black plastic for ORGA AER / TIP AER 392 mm				
308735	30	black plastic for ORGA AER 292 mm				



Partial extension slides for ORGA AER and TIP AER pen trays

code	type and inner width	description		
504231		right		
504232	ORGA AER width 292/392 mm	left with self-closing system		
504234	widan 202, 002 mm	left with soft closing		
497991	TIP AER	right		
497992	width 392 mm	left		

 for Orga AER system, the left slide can be selected depending on whether the drawer should only close automatically or whether it should be also dampened



Front mounting screws to drawers and filing cabinet frames

code	description
153821	screw with large head for metal drawer front attachment $(7.3\times12\mbox{ mm})$
153822	screw with large head for plastic drawer front attachment (7.3 × 19 mm)

4 pcs of screws are required to attach one drawer front




13

Lock 429 for SVS3 bar with pen tray

code	type and inner width	description
L00087	ORGA AER width: 392 and 292 mm	right, cylinder length
352505	TIP AER width: 392 mm	20 mm, nickel






Lock 430 for SVS elevon bar without pen tray

code	type and inner width	description
122965	ORGA AER width: 392 and 292 mm	right, cylinder length 20 mm, nickel / black plastic

the lock must be supplied with a replacement Lehmann insert as required (p. 09.71)

[•] primarily designed for locking of SVS bar, can be also used as a drawer lock





office container equipment

02

03

04

14

05

06

07

15

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand 09.92



ORGA AER and TIP AER

- a complete set always includes drawers, slides, a lock, SVS 3 bar and screws for attaching drawer fronts
- the pen tray in the ORGA AER and TIP AER system is always plastic and has only partial extension slides for the inner width of the container 292 mm or 392 mm
- you can find the drawing documentation on our website under the codes of the individual complete sets



In case of an atypical solution of the container model, which is not offered in a set, it is possible to separately order a central locking bar with a length of 1,000 mm with the possibility of custom positioning of drawers:

- version with pen tray (max. 6 drawers + 1 pen tray), code 353593
- version without pen tray (max. 6 drawers), code 353595
- more information on p. 09.111




Type 1

Pen tray and 3 drawers for inner height of container 483 mm.

hur a of discuss	hura af all da		width 292 mm		dth mm
type of drawer	type of slide	opening/closing	for depth	for c	lepth
			540 mm	540 mm	740 mm
		with self-closing system	356574	158002	195996
	partial extension slide	with self-closing system and soft closing	356575	158003	195997
metal		handleless opening	×	351903	×
	full outonoism olida	with self-closing system	356576	158005	195998
	full extension slide	with self-closing system and soft closing	356577	158006	195999
		with self-closing system	×	158007	196000
	partial extension slide	with self-closing system and soft closing	×	158502	196001
plastic		handleless opening	×	351905	×
	£.11 + i 1i - 1	with self-closing system	×	158507	196002
	full extension slide	with self-closing system and soft closing	×	158509	196003

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

contents of the complete set can be found on page 09.94



Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

09.93

Type 1 - 540 mm depth

• pen tray and 3 drawers for inner height of container 483 mm

complete	drawar	drawe	er slide	damper for	non trou	pen tr	ay slide	SVS locking	laak		looking nin
set	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws	locking pin
code	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×	3×
158002	153781	308744	308743	×	497989	504231	504232	157889	L00087	153821	X 1]
158003	153781	308744	308745	×	497989	504231	504234	157889	L00087	153821	X 1]
158005	153781	153787	153786	×	497989	504231	504232	157889	L00087	153821	X 1]
158006	153781	153787	153786	308749	497989	504231	504234	157889	L00087	153821	X 1]
158007	153782	308744	308743	×	497989	504231	504232	157889	L00087	153822	X 1]
158502	153782	308744	308745	×	497989	504231	504234	157889	L00087	153822	X 1]
158507	153782	153787	153786	×	497989	504231	504232	157889	L00087	153822	X 1]
158509	153782	153787	153786	308749	497989	504231	504234	157889	L00087	153822	X 1]
351903	351776	351779	351778	×	497989	497991	497992	157889	352505	153821	351782
351905	351777	351779	351778	×	497989	497991	497992	157889	352505	153822	351782
356574	221366	308744	308743	×	308735	504231	504232	157889	L00087	153821	X 1]
356575	221366	308744	308745	×	308735	504231	504234	157889	L00087	153821	X 1]
356576	221366	153787	153786	×	308735	504231	504232	157889	L00087	153821	X 1]
356577	221366	153787	153786	308749	308735	504231	504234	157889	L00087	153821	X 1]

The complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

Type 1 - 740 mm depth

• pen tray and 3 drawers for inner height of container 483 mm

	drower	drawer slide	damper for	non trou	pen tra	ay slide	SVS locking	lock	screws	
complete set code	drawer	right	left	full extension slides	pen tray	right	left	bar	IUCK	screws
	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×
195996	153804	308747	308746	×	497989	504231	504232	157889	L00087	153821
195997	153804	308747	308748	×	497989	504231	504234	157889	L00087	153821
195998	153804	153810	153809	×	497989	504231	504232	157889	L00087	153821
195999	153804	153810	153809	308749	497989	504231	504234	157889	L00087	153821
196000	153805	308747	308746	×	497989	504231	504232	157889	L00087	153822
196001	153805	308747	308748	×	497989	504231	504234	157889	L00087	153822
196002	153805	153810	153809	×	497989	504231	504232	157889	L00087	153822
196003	153805	153810	153809	308749	497989	504231	504234	157889	L00087	153822

a the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

15

٦£

09 16

10

11

17

12

09.94

12345 Item in stock 12345 Item on demand

^{1]} the locking pin is already mounted on the drawer




Type 2

Pen tray and 3 drawers for inner height of container 515 mm.

tune of drawer	tung of olida	opening (aloning	width 292 mm		dth mm
ype of drawer type of slide		opening/closing	for depth	for o	epth
			540 mm	540 mm	740 mm
		with self-closing system	356578	158510	196004
	partial extension slide	with self-closing system and soft closing	356579	158511	196005
metal		handleless opening	×	351907	×
	6.11	with self-closing system	356580	158512	196006
	full extension slide	with self-closing system and soft closing	356581	158513	196007
		with self-closing system	×	158514	196008
	partial extension slide	with self-closing system and soft closing	×	158515	196009
plastic		handleless opening	×	351909	×
	6 11 1 1 11	with self-closing system	×	158516	196010
	full extension slide	with self-closing system and soft closing	×	158517	196011

a the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary
 a contents of the complete set can be found on page 09.96



 $\ensuremath{ \bullet}$ Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

Type 2 - 540 mm depth

• pen tray and 3 drawers for inner height of container 515 mm

complete	drawar	drawe	er slide	damper for	n an trau	pen tr	ay slide	SVS locking	laak		looking nin
set	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws	locking pin
code	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×	3×
158510	153781	308744	308743	×	497989	504231	504232	157890	L00087	153821	X 1]
158511	153781	308744	308745	×	497989	504231	504234	157890	L00087	153821	X 1]
158512	153781	153787	153786	×	497989	504231	504232	157890	L00087	153821	X 1]
158513	153781	153787	153786	308749	497989	504231	504234	157890	L00087	153821	X 1]
158514	153782	308744	308743	×	497989	504231	504232	157890	L00087	153822	X 1]
158515	153782	308744	308745	×	497989	504231	504234	157890	L00087	153822	X 1]
158516	153782	153787	153786	×	497989	504231	504232	157890	L00087	153822	X 1]
158517	153782	153787	153786	308749	497989	504231	504234	157890	L00087	153822	X 1]
351907	351776	351779	351778	×	497989	497991	497992	157890	352505	153821	351782
351909	351777	351779	351778	×	497989	497991	497992	157890	352505	153822	351782
356578	221366	308744	308743	×	308735	504231	504232	157890	L00087	153821	X 1]
356579	221366	308744	308745	×	308735	504231	504234	157890	L00087	153821	X 1]
356580	221366	153787	153786	×	308735	504231	504232	157890	L00087	153821	X 1]
356581	221366	153787	153786	308749	308735	504231	504234	157890	L00087	153821	X 1]

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

1] the locking pin is already mounted on the drawer

Type 2 - 740 mm depth

• pen tray and 3 drawers for inner height of container 515 mm

	drawar	drawer slide		damper for full extension pen tray		pen tray slide		SVS locking	lock	oorowo
complete set code	drawer	right	left	slides	pen tray	right	left	bar	IOCK	screws
	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×
196004	153804	308747	308746	×	497989	504231	504232	157890	L00087	153821
196005	153804	308747	308748	×	497989	504231	504234	157890	L00087	153821
196006	153804	153810	153809	×	497989	504231	504232	157890	L00087	153821
196007	153804	153810	153809	308749	497989	504231	504234	157890	L00087	153821
196008	153805	308747	308746	×	497989	504231	504232	157890	L00087	153822
196009	153805	308747	308748	×	497989	504231	504234	157890	L00087	153822
196010	153805	153810	153809	×	497989	504231	504232	157890	L00087	153822
196011	153805	153810	153809	308749	497989	504231	504234	157890	L00087	153822

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

15

٦£

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand




Type 3

Pen tray and 3 drawers for inner height of container 547 mm.

tupo of drouger	turns of clicks	accesses /electors	width 292 mm	width 392 mm	
type of drawer	type of slide	opening/closing	for depth	for d	epth
			540 mm	540 mm	740 mm
		with self-closing system	356582	158518	196012
	partial extension slide	with self-closing system and soft closing	356583	158519	196013
metal		handleless opening	×	351911	×
	f. II 4 ! ! i d -	with self-closing system	356584	158520	196014
	full extension slide	with self-closing system and soft closing	356585	158521	196015
		with self-closing system	×	158522	196016
	partial extension slide	with self-closing system and soft closing	×	158523	196017
plastic		handleless opening	×	351913	×
		with self-closing system	×	158524	196018
	full extension slide	with self-closing system and soft closing	×	158525	196019

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary contents of the complete set can be found on page 09.98



 $\ensuremath{ \bullet}$ Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

Type 3 - 540 mm depth

- pen tray and 3 drawers for inner height of container 547 mm

complete	drawar	drawe	er slide	damper for	non trav	pen tra	ay slide	SVS locking	laak		looking nin
set	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws	locking pin
code	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×	3×
158518	153781	308744	308743	×	497989	504231	504232	157891	L00087	153821	X 1]
158519	153781	308744	308745	×	497989	504231	504234	157891	L00087	153821	X 1]
158520	153781	153787	153786	×	497989	504231	504232	157891	L00087	153821	X 1]
158521	153781	153787	153786	308749	497989	504231	504234	157891	L00087	153821	X 1]
158522	153782	308744	308743	×	497989	504231	504232	157891	L00087	153822	X 1]
158523	153782	308744	308745	×	497989	504231	504234	157891	L00087	153822	X 1]
158524	153782	153787	153786	×	497989	504231	504232	157891	L00087	153822	X 1]
158525	153782	153787	153786	308749	497989	504231	504234	157891	L00087	153822	X 1]
351911	351776	351779	351778	×	497989	497991	497992	157891	352505	153821	351782
351913	351777	351779	351778	×	497989	497991	497992	157891	352505	153822	351782
356582	221366	308744	308743	×	308735	504231	504232	157891	L00087	153821	X 1]
356583	221366	308744	308745	×	308735	504231	504234	157891	L00087	153821	X 1]
356584	221366	153787	153786	×	308735	504231	504232	157891	L00087	153821	X 1]
356585	221366	153787	153786	308749	308735	504231	504234	157891	L00087	153821	X 1]

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary the locking pin is already mounted on the drawer

Type 3 - 740 mm depth

• pen tray and 3 drawers for inner height of container 547 mm

	drouge	drawer slide		damper for	non trou	pen tra	ay slide	SVS locking	lock	
complete set code	drawer	right	left	full extension slides	pen tray	right	left	bar	IOCK	screws
	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×
196012	153804	308747	308746	×	497989	504231	504232	157891	L00087	153821
196013	153804	308747	308748	×	497989	504231	504234	157891	L00087	153821
196014	153804	153810	153809	×	497989	504231	504232	157891	L00087	153821
196015	153804	153810	153809	308749	497989	504231	504234	157891	L00087	153821
196016	153805	308747	308746	×	497989	504231	504232	157891	L00087	153822
196017	153805	308747	308748	×	497989	504231	504234	157891	L00087	153822
196018	153805	153810	153809	×	497989	504231	504232	157891	L00087	153822
196019	153805	153810	153809	308749	497989	504231	504234	157891	L00087	153822

a the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

15

٦۶

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

09.98




Type 4

Pen tray and 3 drawers for inner height of container 579 mm.

har of decree	hua af alida		width 292 mm		dth mm
type of drawer	type of slide	opening/closing	for depth	for d	epth
			540 mm	540 mm	740 mm
		with self-closing system	356586	158526	196020
	partial extension slide	with self-closing system and soft closing	356587	158527	196021
metal		handleless opening	×	351915	×
	6.11	with self-closing system	356588	158528	196022
	full extension slide	with self-closing system and soft closing	356589	158529	196023
		with self-closing system	×	158530	196024
	partial extension slide	with self-closing system and soft closing	×	158531	196025
plastic		handleless opening	×	351917	×
	£.11	with self-closing system	×	158532	196026
	full extension slide	with self-closing system and soft closing	×	158533	196027

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary contents of the complete set can be found on page 09.100



 $\ensuremath{ \bullet}$ Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

Type 4 - 540 mm depth

- pen tray and 3 drawers for inner height of container 579 mm

complete		drawe	er slide	damper for		pen tra	ay slide	SVS locking	11-		
set	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws	locking pin
code	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×	3×
158526	153781	308744	308743	×	497989	504231	504232	157892	L00087	153821	X 1]
158527	153781	308744	308745	×	497989	504231	504234	157892	L00087	153821	X 1]
158528	153781	153787	153786	×	497989	504231	504232	157892	L00087	153821	X 1]
158529	153781	153787	153786	308749	497989	504231	504234	157892	L00087	153821	× 1]
158530	153782	308744	308743	×	497989	504231	504232	157892	L00087	153822	X 1]
158531	153782	308744	308745	×	497989	504231	504234	157892	L00087	153822	X 1]
158532	153782	153787	153786	×	497989	504231	504232	157892	L00087	153822	X 1]
158533	153782	153787	153786	308749	497989	504231	504234	157892	L00087	153822	X 1]
351915	351776	351779	351778	×	497989	497991	497992	157892	352505	153821	351782
351917	351777	351779	351778	×	497989	497991	497992	157892	352505	153822	351782
356586	221366	308744	308743	×	308735	504231	504232	157892	L00087	153821	X 1]
356587	221366	308744	308745	×	308735	504231	504234	157892	L00087	153821	X 1]
356588	221366	153787	153786	×	308735	504231	504232	157892	L00087	153821	X 1]
356589	221366	153787	153786	308749	308735	504231	504234	157892	L00087	153821	X 1]

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary the locking pin is already mounted on the drawer

Type 4 - 740 mm depth

• pen tray and 3 drawers for inner height of container 579 mm

	drower	drawe	r slide	damper for	non trov	pen tr	ay slide	SVS locking	look	oorowo
complete set code	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws
	3×	3×	3×	6×	1×	1×	1×	1×	1×	12×
196020	153804	308747	308746	×	497989	504231	504232	157892	L00087	153821
196021	153804	308747	308748	×	497989	504231	504234	157892	L00087	153821
196022	153804	153810	153809	×	497989	504231	504232	157892	L00087	153821
196023	153804	153810	153809	308749	497989	504231	504234	157892	L00087	153821
196024	153805	308747	308746	×	497989	504231	504232	157892	L00087	153822
196025	153805	308747	308748	×	497989	504231	504234	157892	L00087	153822
196026	153805	153810	153809	×	497989	504231	504232	157892	L00087	153822
196027	153805	153810	153809	308749	497989	504231	504234	157892	L00087	153822

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

07

15

٦۶

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

09.100




Type 5

Pen tray, 1 elevated drawer (for frame for suspension files) and another standard drawer, for inner height of container 544 mm.

turns of drouger	turns of alida	anaping /alaping	width 292 mm		dth mm
type of drawer	type of slide	opening/closing	for depth	for o	lepth
			540 mm	540 mm	740 mm
		with self-closing system	356590	158534	196028
	partial extension slide	with self-closing system and soft closing	356591	158535	196029
metal		handleless opening	×	351919	×
	6 11 1 1 11	with self-closing system	356592	158536	196030
	full extension slide	with self-closing system and soft closing	356593	158537	196031
		with self-closing system	×	158538	196032
	partial extension slide	with self-closing system and soft closing	×	158539	196033
plastic		handleless opening	×	351921	×
	6 11 1 1 11	with self-closing system	×	158540	196034
	full extension slide	with self-closing system and soft closing	×	158541	196035

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary



Omplete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

contents of the complete set can be found on page 09.102

Type 5 - 540 mm depth

• pen tray, 1 elevated drawer (for frame for suspension files) and another standard drawer for inner height of container 544 mm

	drouge	drawe	er slide	damper for	non trou	pen tra	ay slide	SVS locking	look		front	extension	extra exten-	laaking nin	03
complete set code	drawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws	panel brace	of the filing cabinet	sion of the filing cabinet	locking pin	
	2×	2×	2×	4×	1×	1×	1×	1×	1×	8×	1×	1×	2×	3×	
158534	153781	308744	308743	×	497989	504231	504232	157893	L00087	153821	153799	153797	229159	X 1]	
158535	153781	308744	308745	×	497989	504231	504234	157893	L00087	153821	153799	153797	229159	X 1]	
158536	153781	153787	153786	×	497989	504231	504232	157893	L00087	153821	153799	153797	229159	X 1]	04
158537	153781	153787	153786	308749	497989	504231	504234	157893	L00087	153821	153799	153797	229159	× 1]	
158538	153782	308744	308743	×	497989	504231	504232	157893	L00087	153822	153800	153797	229159	X 1]	
158539	153782	308744	308745	×	497989	504231	504234	157893	L00087	153822	153800	153797	229159	X 1]	
158540	153782	153787	153786	×	497989	504231	504232	157893	L00087	153822	153800	153797	229159	X 1]	
158541	153782	153787	153786	308749	497989	504231	504234	157893	L00087	153822	153800	153797	229159	X 1]	05
351919	351776	351779	351778	×	497989	497991	497992	157893	352505	153821	153799	153797	229159	351782	
351921	351777	351779	351778	×	497989	497991	497992	157893	352505	153822	153800	153797	229159	351782	
356590	221366	308744	308743	×	308735	504231	504232	157893	L00087	153821	153799	259777	×	X 1]	
356591	221366	308744	308745	×	308735	504231	504234	157893	L00087	153821	153799	259777	×	X 1]	
356592	221366	153787	153786	×	308735	504231	504232	157893	L00087	153821	153799	259777	×	X 1]	06
356593	221366	153787	153786	308749	308735	504231	504234	157893	L00087	153821	153799	259777	×	X 1]	

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary $^{\rm 1]}{\rm the}$ locking pin is already mounted on the drawer

Type 5 - 740 mm depth

12345 Item in stock

• pen tray, 1 elevated drawer (for frame for suspension files) and another standard drawer for inner height of container 544 mm

	drouser	drawer slide		damper for full extension pen tray		pen tray slide		SVS lock-	look	0.000000	front	extension
complete set code	drawer	right	left	slides	pentray	right	left	ing bar	lock	screws	fastener	of the filing cabinet
	2×	2×	2×	4×	1×	1×	1×	1×	1×	8×	2×	1×
196028	153804	308747	308746	×	497989	504231	504232	157893	L00087	153821	153799	153797
196029	153804	308747	308748	×	497989	504231	504234	157893	L00087	153821	153799	153797
196030	153804	153810	153809	×	497989	504231	504232	157893	L00087	153821	153799	153797
196031	153804	153810	153809	308749	497989	504231	504234	157893	L00087	153821	153799	153797
196032	153805	308747	308746	×	497989	504231	504232	157893	L00087	153822	153800	153797
196033	153805	308747	308748	×	497989	504231	504234	157893	L00087	153822	153800	153797
196034	153805	153810	153809	×	497989	504231	504232	157893	L00087	153822	153800	153797
196035	153805	153810	153809	308749	497989	504231	504234	157893	L00087	153822	153800	153797

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13 02

14

07

15

09 16

10

11

17

12

09.102 12345 Item on demand



Type 6


3 drawers for inner height of container 483 mm.

han of days	h va a af all da		width 292 mm		dth mm
type of drawer	type of slide	opening/closing	for depth	for d	epth
			540 mm	540 mm	740 mm
	partial autopoion alida	with self-closing system	482371	482335	482355
metal	partial extension slide	with self-closing system and soft closing	482372	482356	482357
metai	full extension slide	with self-closing system	482373	482358	482359
	Tull extension slide	with self-closing system and soft closing	482374	482360	482362
	nartial automaion alida	with self-closing system	×	482363	482364
plaatia	partial extension slide	with self-closing system and soft closing	×	482365	482366
plastic	full extension slide	with self-closing system	×	482367	482368
	Tull extension slide	with self-closing system and soft closing	×	482369	482370

[•] complete set type 6 only for ORGA AER

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

contents of the complete set can be found on p. 09.104



Omplete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

Type 6 - 540 mm depth

• 3 drawers for inner height of container 483 mm

	drawer	drawe	r slide	damper for	CVC looking box	look	00501110
complete set code	urawer	right	left	full extension slides	SVS locking bar	lock	screws
0040	3×	3×	3×	6×	1×	1×	12×
482335	153781	308744	308743	×	481506	122965	153821
482356	153781	308744	308745	×	481506	122965	153821
482358	153781	153787	153786	×	481506	122965	153821
482360	153781	153787	153786	308749	481506	122965	153821
482363	153782	308744	308743	×	481506	122965	153821
482365	153782	308744	308745	×	481506	122965	153821
482367	153782	153787	153786	×	481506	122965	153821
482369	153782	153787	153786	308749	481506	122965	153821
482371	221366	308744	308743	×	481506	122965	153821
482372	221366	308744	308745	×	481506	122965	153821
482373	221366	153787	153786	×	481506	122965	153821
482374	221366	153787	153786	308749	481506	122965	153821

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

Type 6 – 740 mm depth

• 3 drawers for inner height of container 483 mm

	drawer	drawer slide		damper for	CVC looking hor	look	screws	
complete set code	urawer	right	left	full extension slides	SVS locking bar	lock	Screws	
	3×	3×	3×	6×	1×	1×	12×	
482355	153804	308747	308746	×	481506	122965	153821	
482357	153804	308747	308748	×	481506	122965	153821	
482359	153804	153810	153809	×	481506	122965	153821	
482362	153804	153810	153809	308749	481506	122965	153821	
482364	153805	308747	308746	×	481506	122965	153821	
482366	153805	308747	308748	×	481506	122965	153821	
482368	153805	153810	153809	×	481506	122965	153821	
482370	153805	153810	153809	308749	481506	122965	153821	

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

02

01

03

04

05

06

17

15

٦£

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand




Type 7

4 drawers for inner height of container 515 mm.

			width 292 mm	wic 392	
type of drawer	type of slide	opening/closing	for depth	for d	epth
			540 mm	540 mm	740 mm
	nortial automaion alida	with self-closing system	356598	229211	229221
matal	partial extension slide	with self-closing system and soft closing	356599	229212	229222
metal	full outonoism slide	with self-closing system	356600	229213	229224
	full extension slide	with self-closing system and soft closing	356601	229219	229226
		with self-closing system	×	229215	229225
-1	partial extension slide	with self-closing system and soft closing	×	229216	229227
plastic	£.11 + i 1i - l -	with self-closing system	×	229217	229228
	full extension slide	with self-closing system and soft closing	×	229218	229229

complete set of type 7 only for the ORGA AER system



Omplete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

contents of the complete set can be found on page 09.106

Type 7 - 540 mm depth

• 4 drawers for inner height of container 515 mm

	drawer	drawer slide		damper for	01/011	la ali	
complete set code		right	left	full extension slides	SVS locking bar	lock	screws
	4×	4×	4×	8×	1×	1×	16×
229211	153781	308744	308743	×	228264	122965	153821
229212	153781	308744	308745	×	228264	122965	153821
229213	153781	153787	153786	×	228264	122965	153821
229219	153781	153787	153786	308749	228264	122965	153821
229215	153782	308744	308743	×	228264	122965	153822
229216	153782	308744	308745	×	228264	122965	153822
229217	153782	153787	153786	×	228264	122965	153822
229218	153782	153787	153786	308749	228264	122965	153822
356598	221366	308744	308743	×	228264	122965	153821
356599	221366	308744	308745	×	228264	122965	153821
356600	221366	153787	153786	×	228264	122965	153821
356601	221366	153787	153786	308749	228264	122965	153821

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

Type 7 - 740 mm depth

• 4 drawers for inner height of container 515 mm

	drawer	drawer slide		damper for	01/011	l	
complete set code		right	left	full extension slides	SVS locking bar	lock	screws
	4×	4×	4×	8×	1×	1×	16×
229221	153804	308747	308746	×	228264	122965	153821
229222	153804	308747	308748	×	228264	122965	153821
229224	153804	153810	153809	×	228264	122965	153821
229226	153804	153810	153809	308749	228264	122965	153821
229225	153805	308747	308746	×	228264	122965	153822
229227	153805	308747	308748	×	228264	122965	153822
229228	153805	153810	153809	×	228264	122965	153822
229229	153805	153810	153809	308749	228264	122965	153822

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

01

02

13

03

04

05

06

15

٦s

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand




Type 8

4 drawers for inner height of container 643 mm.

har of days	hora of all de		width width 292 mm 392 mm		
type of drawer	type of slide	opening/closing	for depth	for depth	
			540 mm	540 mm	740 mm
	partial autonaian alida	with self-closing system	356602	336574	336609
matal	partial extension slide	with self-closing system and soft closing	356603	336575	336610
metal	full extension slide	with self-closing system	356604	336579	336611
	Tuli exterision slide	with self-closing system and soft closing	356605	336597	336612
	partial autopaian alida	with self-closing system	×	336599	336613
plantia	partial extension slide	with self-closing system and soft closing	×	336600	336614
plastic		with self-closing system	×	336605	336615
	full extension slide	with self-closing system and soft closing	×	336607	336616

[•] complete set type 8 only for ORGA AER system



● Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

contents of the complete set can be found on page 09.108

Type 8 - 540 mm depth

• 4 drawers for inner height of container 643 mm

	drawer	drawer slide		damper for	01/011	la al-	
complete set code		right	left	full extension slides	SVS locking bar	lock	screws
0000	4×	4×	4×	8×	1×	1×	16×
336574	153781	308744	308743	×	232174	122965	153821
336575	153781	308744	308745	×	232174	122965	153821
336579	153781	153787	153786	×	232174	122965	153821
336597	153781	153787	153786	308749	232174	122965	153821
336599	153782	308744	308743	×	232174	122965	153822
336600	153782	308744	308745	×	232174	122965	153822
336605	153782	153787	153786	×	232174	122965	153822
336607	153782	153787	153786	308749	232174	122965	153822
356602	221366	308744	308743	×	232174	122965	153821
356603	221366	308744	308745	×	232174	122965	153821
356604	221366	153787	153786	×	232174	122965	153821
356605	221366	153787	153786	308749	232174	122965	153821

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

Type 8 – 740 mm depth

• 4 drawers for inner height of container 643 mm

	drawer	drawer slide		damper for	CVC lasking has	la ale	
complete set code		right	left	full extension slides	SVS locking bar	lock	screws
	4×	4×	4×	8×	1×	1×	16×
336609	153804	308747	308746	×	232174	122965	153821
336610	153804	308747	308748	×	232174	122965	153821
336611	153804	153810	153809	×	232174	122965	153821
336612	153804	153810	153809	308749	232174	122965	153821
336613	153805	308747	308746	×	232174	122965	153822
336614	153805	308747	308748	×	232174	122965	153822
336615	153805	153810	153809	×	232174	122965	153822
336616	153805	153810	153809	308749	232174	122965	153822

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

15

٦۶

09 16

10

11

17

12

12345 Item in stock 12345 Item on demand

09.108

office containers - sets




Type 9

Pen tray and 4 drawers for inner height of container 652 mm.

			width 292 mm	wio 392	
type of drawer	type of slide	opening/closing	for depth	for d	epth
			540 mm	540 mm	740 mm
		with self-closing system	356594	196139	196147
	partial extension slide	with self-closing system and soft closing	356595	196140	196148
metal		handleless opening	×	351935	×
	full extension slide	with self-closing system	356596	196141	196149
		with self-closing system and soft closing	356597	196142	196150
		with self-closing system	×	196143	196151
plastic	partial extension slide	with self-closing system and soft closing	×	196144	196152
		handleless opening	×	351937	×
		with self-closing system	×	196145	196153
	full extension slide	with self-closing system and soft closing	×	196146	196154

the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary contents of the complete set can be found on page 09.110



 $\ensuremath{ \bullet}$ Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

office containers - individual components

Type 9 - 540 mm depth

• pen tray and 4 drawers for inner height of container 652 mm

complete	drawar	drawe	er slide	damper for	non trou	pen tr	ay slide	SVS locking	lock		lo akina nin
set	drawer	right	left	full extension slides	pen tray	right	left	bar	IOCK	screws	locking pin
code	4×	4×	4×	8×	1×	1×	1×	1×	1×	16×	3×
196139	153781	308744	308743		497989	504231	504232	176242	L00087	153821	X 1]
196140	153781	308744	308745	×	497989	504231	504234	176242	L00087	153821	X 1]
196141	153781	153787	153786	×	497989	504231	504232	176242	L00087	153821	X 1]
196142	153781	153787	153786	308749	497989	504231	504234	176242	L00087	153821	X 1]
196143	153782	308744	308743	×	497989	504231	504232	176242	L00087	153822	X 1]
196144	153782	308744	308745	×	497989	504231	504234	176242	L00087	153822	X 1]
196145	153782	153787	153786	×	497989	504231	504232	176242	L00087	153822	X 1]
196146	153782	153787	153786	308749	497989	504231	504234	176242	L00087	153822	X 1]
351935	351776	351779	351778	×	497989	497991	497992	176242	352505	153821	351782
351937	351777	351779	351778	×	497989	497991	497992	176242	352505	153822	351782
356594	221366	308744	308743	×	308735	504231	504232	176242	L00087	153821	X 1]
356595	221366	308744	308745	×	308735	504231	504234	176242	L00087	153821	X 1]
356596	221366	153787	153786	×	308735	504231	504232	176242	L00087	153821	X 1]
356597	221366	153787	153786	308749	308735	504231	504234	176242	L00087	153821	X 1]

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

Type 9 - 740 mm depth

• pen tray and 4 drawers for inner height of container 652 mm

	drouge	drawer slide	damper for	pen tray slide		SVS locking	ll-			
complete set drawer code	urawer	right	left	full extension slides	pen tray	right	left	bar	lock	screws
	4×	4×	4×	8×	1×	1×	1×	1×	1×	16×
196147	153804	308747	308746	×	497989	504231	504232	176242	L00087	153821
196148	153804	308747	308748	×	497989	504231	504234	176242	L00087	153821
196149	153804	153810	153809	×	497989	504231	504232	176242	L00087	153821
196150	153804	153810	153809	308749	497989	504231	504234	176242	L00087	153821
196151	153805	308747	308746	×	497989	504231	504232	176242	L00087	153822
196152	153805	308747	308748	×	497989	504231	504234	176242	L00087	153822
196153	153805	153810	153809	×	497989	504231	504232	176242	L00087	153822
196154	153805	153810	153809	308749	497989	504231	504234	176242	L00087	153822

at the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary

13

01

02

03

04

05

06

17

15

٦£

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand

09.110

^{1]} the locking pin is already mounted on the drawer

Set for creating an individual locking bar


The universal set serves to create your own SVS3 locking bar for your own container solution.

All you need to do is assemble the SVS3 locking bar with a 32 mm grid. The set is therefore universal, but it is necessary to observe several conditions that are determined by the technical design of the bar.

Main features:

- · possibility to build custom container solution
- for inner width of container 392 and 292 mm
- for ORGA AER I TIP AER series
- it is necessary to adhere to the 32 mm grid
- simple calculation and assembly of the locking bar
- the set includes a solution for locking up to 6 drawers for an inner height of the cabinet body of up to 1,000 mm
- . There are two sets to choose from:
 - for containers with pen tray
 - for containers without pen tray

code	description
353593	SVS3 packet for BBP containers with pen tray
353595	SVS3 packet for BBP containers without pen tray








Instructions:

- 1. customer input must be adapted to a 32 mm grid
- 2. calculation of drawer front heights
- 3. cutting to size of the bar according to the inner height of the container
- 4. fitting of the locking bar with individual components
- 5. testing the functionality of the container tipping over protection
- 6. assembly




The above-mentioned set contains only the locking bar.

It is also necessary to purchase:

- lock for SVS3 package 353593 with pen tray, lock L00087 for version with handle / handle profile
 - for SVS3 package 353593 with pen tray, lock 352505 for handleless opening version
 - for SVS3 package 353595 without pen tray, lock 122965
- rosette L00066
- cylinder insert p. 09.71
- plastic or metal drawers p. 09.89
- slides p. 09.90
- pencil holder with slides for the option of container with pen tray p. 09.91
- front mounting screws p. 09.91

Optional accessories

- inner partitions p. 09.90
- adapter for hanging filing cabinets p. 09.91
- front panel brace for high front p. 09.91
- pen tray for inserting into drawers p. 09.91



OrgaWork - drawer under the tabletop

- suitable under any tabletop thanks to a flexible mounting system
- ideal for height-adjustable tables
- thanks to the rotating front of the drawer, it is possible to mount the drawer on the right and left side of the table
- base of the drawer with non-slip treatment
- full extension slides with soft closing
- easy-care surface with scratch-resistant finish
- contains Lehmann lock

code	description	colour
402767	drawer including full extension slides with self-	white
402768	closing system	black
402770	set of spacers for the drawer	white
402771	secol spacers for the drawer	black



- internal dimensions: width 305 × depth 345 × height 40 mm
- outer dimensions: width 430 × depth 410 × height 70 mm
- full extension slides with soft closing
- Lehmann lock is included in the package
- · set of spacers contains:
 - front spacer 1 pc, height 53 mm
 - rear spacer shafts 2 pcs, height 53 mm
 - 6 screws 4.5×70 mm for mounting to the tabletop
- · possibility of connecting max. 2 drawers above each other
- use 4× 30 mm screws (not included) to connect two drawers one on top of the other
- cylinder insert must be purchased, see p. 09.71









reddot winner 2020





13

01

02

03

04

05

17

12345 Item in stock 12345 Item on demand

14

06

15

09 16

10

11

12

09.112

cabinet hanging filing cabinets - individual components



Orga AER

- suspension frames and wide drawers of the Orga AER system offer a wide range of possibilities of cabinets and filing cabinets
- cabinet equipment can also be supplied in non-standard sizes according to the conditions of the supplier
- everything is always organised so that both design and quality stand out together with clear arrangement
- the Orga AER system is protected against tipping over of the filing cabinets by the SVS3 locking bar
- suitable for hanging folders and filing cabinets that possess a hook for hanging (they are commonly available e.g. in stationeries)



Drawers and frames

code	inner width (mm)	depth (mm)	description
153811	762	390	cabinet metal frame for suspension files
153812	702	330	cabinet metal drawer with LDF (laminated) bottom
394745	412	540	cabinet metal frame for suspension
394746	412	390	files

- for width 762, 8 pcs of screws (153821) are needed to attach the front
- for width 412, 4 pcs of screws (153821) are needed to attach the front





394746

153811

Full extension slides for cabinet drawers and frames

code	length (mm)	load capacity (kg)	description
503412	390	60	left with self-closing system and soft closing
503413	390	00	right with self-closing system and soft closing
503414	F 40	05	left with self-closing system and soft closing
503415	503415	65	right with self-closing system and soft closing



Divider for suspension filing cabinet with depth 390 mm

code	description
153815	metal divider

- · serves to divide the frame for suspension files into two parts
- thanks to this divider, it is possible to hang files both lengthwise and crosswise



Front panel brace for high front

code	description
153816	metal front panel

- front panel brace is used to reinforce the front of a high cabinet drawer or a suspension filing cabinet
- piece in package (2 pieces of fasteners are required for one drawer or frame)





Sheet metal for attaching the inner division

code	description
389844	perforated sheet metal

- perforated sheet metals are used for securing dividers (code 389846)
- two perforated sheet metals are inserted from the inner side into the drawer and a basic divider (code 389846) is inserted between them, whereby they are fastened



cabinet hanging filing cabinets - individual components

Basic inner division

code	description
389846	basic division of the cabinet drawer

• it is necessary to use sheet metals with code 389844 for attaching the divider



Internal partitions

code	description
389859	metal divider A5 (length 212 mm)
389860	metal divider A6 (length 152 mm)



Frame covers

code	description
153823	plastic right cover for drawers and frames
153824	plastic left cover for drawers and frames
153825	plastic right cover for drawers and frames

- only serves to cover the front of the drawers and frames if used for a cabinet with doors (without the fronts of drawers)
- the right and left parts are for the version with an internal width of 762 and 412 mm $\,$
- the centre part is for the 762 mm version and it is necessary to shorten it for the inner width of 412 mm $\,$



01

02

13

03

04

14

05

06

._

15

ns

09 16

10

11

12

17

09.114


12345 Item in stock **12345** Item on demand

hanging filing cabinets - sets



Type R3

code	inner width (mm)	depth (mm)	soft closing	front height (mm)	inner height (mm)	number of drawers
283884	762		yes		1076	3
283885	762	390	no	357		
394750		390	yes			
394753	440		no			
394757	412	540	yes			
394758			no			



Overview table of the individual components of the complete sets


code	frame	frame	slides	damper for	lateral	front panel	SVS loc	king bar	extending	bar for	extending		
of complete	ITallie	left	right	slides	slides divider	divider brace	left	right	bar lock	extending bar lock	bar guide		
set	3×	3×	3×	6×	3×	6×	1×	1×	1×	2×	2×		
283884	153811			308749	153815	2045				181173			
283885	133011	E00410	E02412	×			170044	470040	100000	101173	1,00024		
394750	204746	503412				152016							
394753	394740	394746 153816 ×		193010	176244	176243	180983	204744	L00031				
394757	204745	E00414		308749	×					394741			
394758	394745	503414 503415	503414 503415	503414 503415	45 503414 50	×							

- the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary
- screws (code 153821) are supplied separately as required
- 8 pcs of screws are needed for one drawer
- Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

hanging filing cabinets - sets

Type R4

code	inner width (mm)	depth (mm)	soft closing	front height (mm)	inner height (mm)	number of drawers
283882	762		yes	317	1276	4
283883	702	390	no			
394754			yes			
394756	412		no			
394759	412	540	yes			
394760			no			



Overview table of the individual components of the complete sets

code	frama	frame frame		frame slides		damper for lateral		front panel	SVS locking bar		extending	bar for	extending
of complete	IIame	left	right	slides	slides divider	brace	left	right	bar lock	extending bar guide bar fock	bar guide		
set	4×	4×	4×	8×	4×	8×	1×	1×	1×	2×	2×		
283882	152011	153811 308749 153815 ×						181173					
283883	133011		503413	×		153816	252514	352515	180983	101173	L00031		
394754	394746	503412	503412 503413	308749									
394756	394740	×	193010	352514	332313	100903	204741	L00031					
394759	204745	E02414	E02414 E0241E	308749	×					394741			
394760	394745 503414	503414 503415	003415 ×										

- the complete set must be supplied with a replacement Lehmann insert as required (p. 09.71) and a rosette (L00066) if necessary
- screws (code 153821) are supplied separately as required
- 8 pcs of screws are needed for one drawer
- Complete sets are units composed of other codes and are intended for simple ordering of more complex assemblies. They do not have to be stocked out and packaged together.

02 13

03

04

14

05

06

15

າຂ

09 16

10

11

17

12

12345 Item in stock **12345** Item on demand



Metal with soft closing

code	outer dimensions (mm)	colour	mounting hole (mm)
353350		brushed aluminium	
353351	200 × 90	white matt	78 × 188
353352		brushed black	
353354		brushed aluminium	
353355	300 × 90	300 × 90 white matt	
353356		brushed black	

- height: 28 mm
- design look
- material: aluminium



Metal without soft closing

code	outer dimensions (mm)	colour	mounting hole (mm)	
495485		white		
495486	100 × 100	aluminium	82 × 84	
495487		black		
495488		white		
495490	100 × 240	aluminium	82 × 224	
495491		black		
495492		white		
495493	100 × 300	aluminium	82 × 284	
495495		black		

- height: 29 mm
- basic model of an aluminium cable exit
- material: aluminium



Plastic Light

code	outer dimensions (mm)	colour
229452	261 × 117	silver, RAL 9006
229454	201 ^ 117	black, RAL 9005

- height: 25 mm
- assembly hole dimensions 252×107 mm, radius of corners 12 mm
- material: plastic
- without dust brush



02

03

cable exit

Metal





code	mounting hole diameter (mm)	colour
495497		brushed steel
495498	60	aluminium
495499		black
495500		brushed steel
495501	80	aluminium
495502		black

Plastic



Ø60 - 130823



Ø80 - 494431



birch/maple



silver



alder

walnut



light grey



brown

white

black

494438

494436

494439





mounting hole



light beech

code	mounting hole diameter (mm)	colour
11345		walnut
11346		birch/maple
11347		silver
11348		alder
84401		white
84402	60	light grey
84403		beech
84404		brown
84405		black
84406		cherry
130823		light beech
494432		walnut
494431		birch/maple
494429		silver
494428		alder
494433		white
494434	80	light grey
494435		beech
494437		brown

09.118

black

cherry

light beech

12

12345 Item in stock

12345 Item on demand

13

04 14

05

06

15

08

09 16

10

11

17

cable guiding

Cable channel - double sided

dimensions (mm)		colour	
dimensions (mm)	silver	white	black
580 × 55	217891	220021	219515
980 × 55	217892	220022	219516

- attachment from the bottom side of the tabletop by screws
- material: steel



Cable fastener

code	description
403109	one-sided
403111	double-sided

· material: plastic



Vertical cable guide

code	colour	length (mm)
132293	aluminium	790
132294	anthracite	790
353378	aluminium	1400

- the length can be adjusted as needed
- due to its weight, the bottom part does not need to be anchored



Cable channel - single sided

dimensions (mm)	colour		
	silver	white	black
1050 × 72	217642	219773	219267

- attachment from the bottom side of the tabletop by screws
- · material: steel



Cable connecting nodes and fasteners

code	type	colour	for max. cable diameter (mm)
494773		black	0
494774	spring	white natural	9
494775	mini	black	F.0
494776	TIIIII	white natural	5,6
494777	midi	black	15.0
494778	midi	white natural	15,8

- for attaching and guiding cables inside furniture
- · material: polyamide







494773

494775

494777







494774

494776

494778

cable guiding

09 16

12345 Item in stock 09.120 12345 Item on demand